

A FAMILY COMPANY MANUFACTURING IN THE USA SINCE 1969

Prices effective Feb. 1, 2022

Glastender®

Product Directory & Price List

2022



Expect more
more flexibility
more features

Madame Chose - Québec, Canada

GLASSWASHERS • FOODSERVICE FABRICATION AND REFRIGERATION • BEER SYSTEMS

Terms and Conditions

PRICES:

All prices are LIST. Applicable taxes will be added.

QUOTATIONS:

Unless otherwise stated, quotations are effective for 30 days only.

ACCEPTANCE:

All orders are subject to acceptance by Glastender, Inc.'s headquarters in Saginaw, Michigan. Possession of the Product Directory and Price List is not an offer to sell.

SHIPMENTS:

F.O.B. factory in Saginaw, Michigan. Freight terms are Third Party or Collect if shipped directly to you. Prepay and Add to Invoice freight terms are available upon request. The approximate shipping weights of all products are listed with the prices. Partial shipments will be made unless otherwise specified by the customer. Surface freight classifications are:

- GT-24/GT-30/GW24 Glasswashers - Class 175
- GT-18 Glasswashers - Class 250
- All Underbar Equipment - Class 175
- Bar Die Orders – Class 250
- Portable Bars - Class 175
- Remote refrigerators (i.e., no compressor) or dry storage back bar equipment - Class 175
- Self-contained refrigeration equipment - Class 150
- Ice Display Units (IDU and GDU) - Class 85
- Lighted Liquor Displays - Class 85
- Beer line chillers and beer towers (beverage dispensing equipment) - Class 92.5
- Bottle Disintegration System - Class 150
- Ice Cream Freezers - Class 77.5

All small items are evaluated to see the most cost effective means for shipment. Many small items ship via UPS or FedEx; however, when dimensional weight is excessive, LTL carriers are the most cost effective choice. Spare parts orders received before 1:00 PM EST can usually be shipped the same day.

The order department is happy to assist with routing or shipping questions.

PAYMENT TERMS:

Cash should be included with all orders unless credit terms have been arranged. To establish credit, banking and trade references are required. A convenient credit application is available upon request. Payment via credit card is not our normal means of receiving payment. Visa and MasterCard will be accepted, but must be charged at the time of shipment. In addition, a payment via credit card for orders totaling more than \$500 will incur a 3% convenience fee on the total transaction amount.

DELIVERY:

The majority of equipment is manufactured to order and typically ships within three to six weeks after complete order information is received by the factory. In-stock equipment typically ships within two to three days of the factory receiving complete order information.

RETURNS:

Items specified as "Manufactured to Order" are NOT returnable. A Return Authorization number must be issued by the factory in advance for any items that are returnable. The number MUST be noted on the outside of the returned package. Returns must be received within 90 days of the issue date. Shipping charges must be prepaid. A minimum 20% restocking charge will be applied to all authorized returns if received in new, unused condition in the original packaging. The above conditions apply to spare part returns, except spare part returns must be received within 30 days of original shipment for electronic or electrical parts or within 90 days for all other parts.

LOSS OR DAMAGE:

For customer routed shipments, Glastender, Inc. is not responsible for any loss, damage, or delay of merchandise during shipment. Such transit claims must be filed with the carrier. Merchandise must be examined on arrival. If shortages occur, Glastender, Inc. must be notified in writing

within five (5) days of delivery to honor any shortage claim. Glastender will assume responsibility for freight claims on Prepay and Add shipments but the customer must inspect freight and note any damage upon receipt. Failure to do so may result in losses at the customer's expense.

CUSTOM ORDERS:

Custom orders must be paid in advance and are not subject to cancellation.

LAMINATES:

Some products include common, readily available plastic laminates of the customer's selection. There may be an additional charge if uncommon varieties are ordered.

GLASTENDER FREIGHT PROGRAM

PROGRAM CONDITIONS

Glastender, Inc. equipment pricing includes standard freight costs under the following conditions:

- Equipment order is priced using Glastender's January 1, 2020 (or later) price list.
- Equipment order is for a minimum of \$2,500, shipped to a single destination at the same time.
- Freight carrier is selected by Glastender, Inc. and may vary based on destination, transit times, performance history, customer service, or other factors.
- Shipping destination is within the continental United States and Canada. Non-continental or other international destinations are shipped to port of export.
- Combining equipment orders is allowed to reach the minimum order level if combined orders are shipped to the same destination at the same time.
- Equipment order terms of sale are FOB Saginaw MI / Freight Prepaid.
- Equipment returns are not covered.
- Parts orders do not qualify and will be charged shipping accordingly.

CUSTOMER RESPONSIBILITIES

In addition to the program conditions listed above, the receiving customer must:

- Note all damage on the delivery receipt at the time of delivery.
- Open and inspect any items that look suspicious or raise concern, even if the carrier tells you it is not allowed.
- Refuse only the damaged items and keep the other items on the order.
- When in doubt, sign the delivery receipt as damaged.

The only way to hold the carrier liable is to sign the delivery as damaged.

ADDITIONAL FEES

Additional carrier-related services and fees over and above standard freight costs are not covered. Such services and fees will be invoiced at the time of order or after the order has shipped. Examples of additional fees include the following:

Lift gate.....	\$55
Inside delivery.....	\$100 per pallet/piece
Residential delivery	\$100
Limited access site.....	\$100
Expedited delivery	Difference from standard rate
Special delivery time	Carrier rate
Storage	Carrier rate
Re-delivery.....	Carrier rate
Re-consignment	Carrier rate
Other additional services not listed	Carrier rate

QUESTIONS

For questions regarding the Glastender Freight Program, please contact Shipping & Receiving:

Steve Gunn, Shipping & Receiving Supervisor
989.752.4275, ext 141 • sgunn@glastender.com

09/27/19



Glastender, Inc. • 5400 North Michigan Road • Saginaw, MI • 48604-9780
800.748.0423 • 989.752.4275 • Fax 989.752.4444 • www.glastender.com

Table of Contents



Bottle Disintegration System 1 - 2

Glasswashers 3 - 8

- GW24 Rotary Glasswasher • GWS66 Glass Washing Station
- GT-18 Series Rotary Rack Glasswashers • GT-24 and GT-30 Rotary Glasswashers

Cocktail Stations 9 - 16

- Assembly, Disassembly, and Complete Cocktail Stations



Work Tables




Wall-Mount Shelves with Pot Rack

Kitchen Fabrication Products pages 133 - 147



Wall-Mount
Sorting Racks
(glassrack not
included)

Mixology Units page 40



MFT-20



Bar Fabrication - Main Line and Choice 17 - 74

- Portable Bars • Ice Bins • Soda Gun Holders • Soda Manifold Housing • Bottle Wells and Racks • Speed Rails
- Blender Stations • Drainboards • Cabinets • Sinks • Mixology Units, Stations, Wells and Drink Rails
- Drink Rails • Rinser Faucets • Liquor Steps • Dry Waste Chutes and Rails • Ice Cream Freezers
- Wait Stations • All-In-One Stations • Tubing Chases • Beer Drainers • Modular Bar Die

Bar Refrigeration 75 - 122

- Bar Profile Coolers • Direct Draw Draft Beverage Towers • Low Profile Coolers • Reach-In Frosters
- Slide Top Coolers • Slide Top Mug Frosters • Ice Display Units • Lighted Liquor Displays
- Dry Storage Cabinets • Back Bar Glass Storage • Back Bar Liquor Displays

Beverage Dispensing 123 - 132

- Beer Line Chillers • Draft Beverage Towers

Kitchen Fabrication and Refrigeration 133 - 147

- Kitchen Cabinets • Wall-Mount Sorting Rack • Kitchen Shelves • Kitchen Sinks • Kitchen Stands
- Kitchen Tables • Hand Sinks • Drop-In Units • Undercounter Coolers • Lettuce Crispers
- Countertop Merchandisers • Wall-Mount Refrigerators • Drop-In Ice Cream Freezers
- Mobile Ice Cream Freezers • Mobile Ice Baths • Specialty Ice Bins • Mobile Ice Bins • Wall Cabinets

Terms and Conditions Inside front cover


Warranty Inside back cover

Index 148 - 149

Spec Sheets specs.glastender.com

Increase your cash flow by decreasing your trash flow

Glastender's Bottle Disintegration System reduces the volume of glass bottle waste by as much as 85%, lowering your disposal fees and paying for itself over time. The BDS unit is easy to use and crushes a bottle in mere seconds, while being no louder than a standard blender.




Bucket stop bar ensures bucket is fully seated when door is closed



Multi-level baffle system on feed chute for safe operation and glass containment

Includes safety interlock switches



Closed door safety sensor prevents operation when front door is open



Bucket seating safety sensor prevents operation when the bucket is not in place

• UP TO •
85%
VOLUME
REDUCTION



From this
to this

The 4-gallon bucket weighs approximately 43 pounds and holds approximately 4 cases of disintegrated long neck beer bottles when full



BDS

PRODUCT INFORMATION

(see BDS Spec Sheet for complete details)

STANDARD FEATURES:

- Reduces volume of glass bottle waste by as much as 85%
- Disintegrates beer, wine, and liquor bottles up to 4" in diameter and 14" in height
- The 4-gallon bucket holds approximately 43 lbs. when full and is accessible for emptying by opening the front door (two buckets included)
- Compact design fits easily under the bar or in a service station
- It takes mere seconds to crush a bottle and is no louder than a standard blender
- Stainless steel interior and exterior resists corrosion and is easy to keep clean
- Includes safety interlock switches to ensure safe operation. The unit shuts down and a red indicator light is illuminated if the front access door is open or the bucket is not in place.
- Multi-level baffle system on feed chute and gasket seal to maximize glass containment
- Green indicator light identifies when unit is running
- Easy operation - simply turn it on and push a bottle down the feed chute
- Includes locking casters so unit can be easily moved for cleaning

Bottle Disintegration

BDS

<u>MODEL</u>	<u>LIST</u>	<u>WEIGHT</u>	<u>WIDTH</u>	<u>DEPTH</u>	<u>HEIGHT</u>
BDS	\$6,706	185#	20"	22"	38"


ACCESSORIES

<u>MODEL</u>	<u>DESCRIPTION</u>	<u>LIST</u>	<u>WEIGHT</u>
CE-BDS	Convert to 220V/50Hz or 220V/60Hz electrical	\$627	185#
14000053	Bucket (additional)	\$38	5#

BDS with door open showing access to bucket



14000053



PLAN VIEW

FRONT ELEVATION

SIDE VIEW



GW24 shown with chemical bottles (not included)



GW24

STANDARD FEATURES

- Fill and dump style cycle uses less water and energy than traditional rotary glasswashers
- Unit plugs into standard 120V electrical outlet for an easy installation
- Computer controlled fill cycle allows for 75°F (24°C) rinse, providing clean glasses that are cool to the touch
- Specifically designed with a 30" work height to align with adjacent underbar for an attractive installation
- The sliding cover and cold water rinse prevent steam from escaping during and after the cycle
- Unique drainboard top provides integrated glassware landing area
- Exclusive design with side notch provides space for three one-gallon chemical containers within the 24" by 24" foot print
- Conveyor advance switch rotates conveyor one-half turn for easy loading and unloading of glassware
- Covers and drainboard top are easily removable for cleaning access
- Pumped wash and rinse ensures water line pressure variances do not affect wash results
- Pre-programmed de-liming cycle for easy removal of mineral deposits during maintenance (de-liming agent must be added)
- Conveyor and stationary spray box are easily removed for cleaning and visual inspection
- Removable side panels for easy service access
- Automatic peristaltic metering pumps accurately dispense detergent, sanitizer, and rinse aid
- Includes priming switches for easy priming of chemical pumps

PRODUCT INFORMATION

(see GW24 Spec Sheet for complete details)

Electrical

- 120V, single phase, 60Hz, 6-foot grounded cord included
- Dedicated 15 amp circuit recommended
- Power requirements - 3.5 amps

Operation / Capacity

- 120°F (49°C) minimum wash temp and rinse temp adjustable down to 75°F (24°C)
- 2 minute 15 second cycle
- 41 glasses† per cycle
- Maximum glass height 10"

† Based on 2-3/4" diameter bar glasses



GWS66




The GWS66 includes:

- GW24 glasswasher with 01001500 Slide-out Chemical Bottle Rack
- SWB-18-DW wet waste sink cabinet with 03005491 trash receptacle
- DBGR-24-RS drainboard glassrack with roll-out shelves

(see GWS66 Spec Sheet for complete details)

GLASS WASHING STATION

MODEL	LIST	WEIGHT	LENGTH	DEPTH
GWS66	\$20,015	380#	66"	24"

Accessory
01001602
BacksplashAccessory 01001500
Chemical Bottle RackAccessory
01001601
Rack DividerAccessory
01001564
Export
transformer
220V/50Hz
electrical**Pricing On Individual Components**

See * below for included GWS66 components

24" ROTARY GLASSWASHER

MODEL	LIST	WEIGHT	LENGTH	DEPTH
GW24*	\$13,279	165#	24"	24"

GW24 ACCESSORIES

MODEL	DESCRIPTION	LIST	WGT
01001500*	Slide-out Chemical Bottle Rack	\$692	25#
01001564	Export transformer 220V/50Hz electrical NOTE: Eliminates side notch	\$1,394	30#
CWET-GW	Clip-on wet waste for GW24	\$406	10#
01001601	Rack divider, two-piece assembly	\$243	7#
01001602	Backsplash, clip-on	\$177	5#

18" WET WASTE SINK CABINET W/DRY WASTE CHUTE

MODEL	LIST	WEIGHT	LENGTH	DEPTH
SWB-18-DW*†	\$2,929	85#	18"	24"

†Individual SWB-18-DW purchase does not include 03005491 trash receptacle

WET WASTE SINK CABINET ACCESSORY

MODEL	DESCRIPTION	LIST	WGT
03005491*	Trash receptacle, 28-1/2 qt, gray plastic	\$70	5#
DWC	Stainless dry waste container	\$492	10#

24" DRAINBOARD GLASSRACK CABINET W/ROLL-OUT SHELVES

MODEL	LIST	WEIGHT	LENGTH	DEPTH
DBGR-24-RS*	\$3,046	95#	24"	24"

⚠ WARNING: The plastic wet waste strainer included with this product can expose you to chemicals including Bisphenol A (BPA), which is known to the State of California to cause birth defects or other reproductive harm. For more information, go to www.P65Warnings.ca.gov. **Warning applies to State of California only.** Part #03000483

There are ten different GT-18 models to choose from.

The top of every GT-18 glasswasher is removable. The same base, which houses all the electrical and mechanical components, is used with all of the different top styles. The various tops are used in different situations to increase glasswasher throughput. A suffix is added to the GT-18 model number to specify a top different than the standard door type. The different models are pictured below:



GT-18
Front load door type



GT-18+1
Front-to-back
pass thru



Cocktail server view
with simulated bar
top and bar die



GT-18+1L
Front-to-side pass thru with left side
drain table (GT-18+1R with right side
drain table is also available)



GT-18+2
Side-to-side
pass thru



GT-18+2-IC
Side-to-side corner
pass thru

PRODUCT INFORMATION

(see GT-18, GT-18+1, GT-18+1L or R, GT-18+2, GT-18+2 Ext, GT-18+2-IC, and GT-18 Access Spec Sheets for complete details)

STANDARD FEATURES:

- Drive wheel and glass rack lift out for cleaning
- Two 16" diameter polypropylene racks included
- Spray box unlatches for easy cleaning and visual inspection - 15 spray nozzles have been engineered for maximum soil removal
- Digital temperature gauge built into switch panel
- Intelligent microprocessor control delays cycle start, up to two minutes, when incoming water is below 120°F (49°C)
- Automatic peristaltic metering pumps accurately dispense detergent, sanitizer and rinse aid
- Prime Switch for quick chemical priming
- 1/6 HP pump recirculates wash water and rinse water
- Fractional HP drive motor powers the belt driven rotary rack and includes built-in slip clutch

ELECTRICAL:

- 120V, single phase, 60Hz, 6-foot grounded cord and plug included

CAPACITY:

- 2 minute cycle, 70 second wash and 22 second rinse exposure
- 720 - 2-1/2" diameter or 600 - 2-3/4" diameter glasses per hour (maximum glass height 10" - including pitchers and wine carafes)

EXTENDED GT-18+2 MODELS

Extended GT-18+2 models have the drain table extended on one side of the glasswasher to hold more than one rack. This increases overall glasswasher throughput by allowing multiple racks of glassware to be pre-loaded for washing. The model number specifies the overall glasswasher length and the location of the extended drain table. For example, the GT-18+2-78L (pictured) is 78" long overall and has the left side drain table extended. Extended +2's are available in 78" and 90" overall lengths. The 78" models come with three racks and the 90" models come with four racks. A leg set is included under the extended drain table.



GT-18+2-78L with 01000708 glass rack holder

ROTARY RACK GLASSWASHERS

MODEL	DESCRIPTION	LIST	WEIGHT	LENGTH	DRAIN TABLE
GT-18	Front load door type	\$11,443	145#	18"	N/A
GT-18+1	Front-to-back pass thru	\$12,331	155#	18"	Back
GT-18+1L	Front-to-side pass thru	\$12,836	175#	36"	Left
GT-18+1R	Front-to-side pass thru	\$12,836	175#	36"	Right
GT-18+2	Side-to-side pass thru	\$13,437	195#	60"	Left & Right

CUSTOM ROTARY RACK GLASSWASHERS*

MODEL	DESCRIPTION	LIST	WEIGHT	LENGTH	DRAIN TABLE
GT-18+2-IC	Side-to-side corner pass thru	\$14,330	245#	42" x 42"	Left & Right
GT-18+2-78L	Side-to-side pass thru, left extended	\$14,193	275#	78"	Left & Right
GT-18+2-78R	Side-to-side pass thru, right extended	\$14,193	275#	78"	Left & Right
GT-18+2-90L	Side-to-side pass thru, left extended	\$14,698	300#	90"	Left & Right
GT-18+2-90R	Side-to-side pass thru, right extended	\$14,698	300#	90"	Left & Right

*NOTE: These units are manufactured to order and are not returnable

ACCESSORIES


MODEL	DESCRIPTION	LIST	WEIGHT
01000532	Glass rack	\$140	2#
01000533	Dish rack	\$268	4#
01000536	Glass rack insert for stemware	\$505	6#
01000710	Clip-on chemical rail	\$381	10#
01000706	Glass rack holder (for GT-18+1 only)	\$483	10#
01000708	Glass rack holder (+2, +1L, or +1R models)	\$975	20#
01000709	Glass rack holder w/shelf (+2, +1L, or +1R models)	\$1,222	25#
01000557	Export transformer†	\$1,394	20#

See underbar section for wet waste sinks and drainboards.

†EXPORT TRANSFORMER- The export transformer converts the electrical requirement to 220V, 1 phase, 50Hz.



01000536
Glass rack insert
for stemware



01000533
Dish rack



GT-18 with
01000710
chemical rail



GT-18+2 with SWA-12 wet
waste sink and 01000709
glass rack holder



GT-18+1 with 01000706
glass rack holder



GT-18+2-78L with
01000708 glass
rack holder



GT-24-CW



GT-30-CCW

STANDARD FEATURES

- Removable top and front shield for easy cleaning access
- Available with clockwise or counterclockwise rotation
- Conveyor lifts out for easy cleaning
- Set of three separate curtains is included
- Switch panel may be relocated in the field
- Removable side panels for easy service access
- Spray boxes unlatch for easy cleaning - engineered for maximum soil removal
- 4000 watt heater encased in an incoloy sheath to resist caustic detergents
- Digital temperature gauges built into switch panel
- Thermostat controls wash tank temperature
- Automatic electronic peristaltic metering pumps
- 1/6 HP pumps recirculate wash water and rinse water
- Fractional HP drive motor powers the belt driven conveyor and includes built-in slip clutch
- Sensor activated low water cut off in wash tank protects heater
- Automatic chemical sensor alerts operator when detergent and sanitizer is low
- Prime switches provided for high speed chemical priming

PRODUCT INFORMATION

(see GT-24 and GT-30 Spec Sheets for complete details)

ELECTRICAL

- 120/208V or 120/240V, single phase, 60Hz, 3-wire (two hot and one neutral), ground connected per local code (green wire), 20 amp (4 wire total), unit operates within 10% of rated voltage
- Separate 20 amp circuit required [30 amp for 208V]
- A power relay in the unit separates the high and low voltages and directs the respective power to the electrical components. The heater and power light operate on 208 or 240 volts - all other components operate on 120 volts.

DETERGENT

- Extra heavy duty, non-foaming, commercial liquid dishwashing detergent is required - .30% concentration

SANITIZER

- Liquid chlorine bleach (sodium hypochlorite - 5.25% solution) adjusted to 50 ppm or iodophor adjusted to 12.5 ppm


CAPACITY

- 3 minute cycle, 60 second wash and 60 second rinse exposure
- GT-24: 1000 - 2-1/2" diameter or 800 - 2-3/4" diameter glasses per hour
- GT-30: 1440 - 2-1/2" diameter or 1260 - 2-3/4" diameter glasses per hour
- Maximum glass height - 10"

What operational features must be specified?


1. SWITCH PANEL LOCATION: The standard switch panel location is on the front unloading side of the glasswasher, because most glasswashers are in an underbar environment (see underbar plan view). In a pass-thru style cocktail station, the switch panel is located on the bartender side of the glasswasher (see pass-thru station plan view). If a side mounted switch panel is required, it must be specified when ordering.

UNDERBARPLANVIEW



2. ROTATION: Conveyor rotation can be clockwise or counterclockwise. The rotation selection is based on work flow. In an underbar environment, the wet waste sink should be on the load side of the glasswasher to prevent crossover (see underbar plan view). In a pass-thru style cocktail station, the load side should be toward the servers (see pass-thru station plan view).

PASSTHRUSTATIONPLANVIEW



3. VOLTAGE: Within the United States, electrical power is available as either 208V or 240V. To ensure that the 4000 watt heater operates at maximum efficiency, Glastender offers either 208V or 240V heaters. The selection of voltage depends on what is supplied to the job site. You may need to consult your electrician.

ROTARY CONVEYOR GLASSWASHERS

MODEL	LIST	WEIGHT	LENGTH	DEPTH	ROTATION	VOLTAGE
GT-24-CW-208	\$17,117	180#	24"	24"	Clockwise	208V
GT-24-CW-240	\$17,117	180#	24"	24"	Clockwise	240V
GT-24-CCW-208	\$17,117	180#	24"	24"	Counterclockwise	208V
GT-24-CCW-240	\$17,117	180#	24"	24"	Counterclockwise	240V
GT-30-CW-208	\$19,149	215#	30"	30"	Clockwise	208V
GT-30-CW-240	\$19,149	215#	30"	30"	Clockwise	240V
GT-30-CCW-208	\$19,149	215#	30"	30"	Counterclockwise	208V
GT-30-CCW-240	\$19,149	215#	30"	30"	Counterclockwise	240V

ACCESSORIES

MODEL	DESCRIPTION	LIST	WEIGHT
01000557	Export transformer†	\$1,394	20#
01000828	Mixing valve♦	\$342	1#
CWET-24	Clip-on wet waste for GT-24	\$453	10#
CWET-30	Clip-on wet waste for GT-30	\$498	15#
01000534	Stemware rack for GT-24	\$416	15#
01000535	Stemware rack for GT-30	\$542	15#



CWET-24
shown installed
on a GT-24-CW

See underbar section for wet waste sinks and drainboards.



01000534
Stemware Rack
for GT-24

†**EXPORT TRANSFORMER-** The export transformer converts the electrical requirement to 220V, 1 phase, 50Hz.

♦**MIXING VALVE-** A cold supply line is used to provide water to the rinse tank. If the cold water supply is less than 75°F (24°C), then a mixing valve should be installed. A mixing valve allows hot and cold water supply lines to be mixed to achieve the desired temperature.

TEAMWORK IS THE KEY.

Imagine owning a piece of equipment that turns your conventional station into a profit-maker. Glastender Cocktail Stations let bartenders and cocktail servers share the work. Teamwork is the key to increasing bartender output and your bottom line.



AN OPERATIONAL APPROACH TO EQUIPMENT DESIGN

Glastender products are designed to eliminate wasted steps and save time at every stage of the Cocktail Life Cycle. Saving time allows you to prepare and serve more drinks per hour - and more drinks served means more drinks sold.

The three styles of pass-thru cocktail stations offered are based on the Cocktail Life Cycle: assembly, disassembly, and complete.


1. Assembly: A pass-thru ice bin for making drinks.
2. Disassembly: An automatic glasswasher for handling soiled glassware.
3. Complete: A pass-thru ice bin and automatic glasswasher for making drinks and handling soiled glassware.

ASSEMBLY PROCESS

1. Secure Clean Glass
2. Ice Clean Glass
3. Add Liquor Ingredient(s)
4. Add Mix Ingredient(s)
5. Record the Sale
6. Garnish the Cocktail
7. Serve the Cocktail


DISASSEMBLY PROCESS

8. Return Soiled Glass
9. Dispose Dry Waste
10. Dispose Wet Waste
11. Wash Soiled Glass



PROMOTE TEAM WORK, INCREASE EFFICIENCY.

Glastender manufactures a large variety of pass-thru cocktail stations which are listed in the following pages. Many of the typical features are detailed below in this one example.



CS-72-CCW with optional SOS/SS-72 single overshelf and SG-30 sneeze guard

What is an orientation or rotation specification?


All Cocktail Stations have an orientation or rotation that determines the work flow. The orientation is dictated by the position of the glasswasher within the station. Even though assembly style Cocktail Stations do not have a glasswasher, their orientation is based on the complete Cocktail Stations from which they are derived.

The orientation and work flow are determined as follows:

Counterclockwise: The glasswasher is positioned to the bartender's left. The work flow is right to left.

Clockwise: The glasswasher is positioned to the bartender's right. The work flow is left to right.

All faucets are certified low lead compliant




CS-42x26-CW

CS-42x26


(see CS-42x26 Spec Sheet for complete details)

The CS-42x26 pass-thru assembly cocktail station includes the following standard features: pass-thru ice bin, tubing chase, wet waste sink with gooseneck faucet and strainer, blender shelf, double speed rail, 12" wide stainless steel draining tray shelf, and laminated or stainless steel front and end panels.



CS-42x26-CW
(plan view)

MODEL	LIST	WEIGHT	ROTATION	FINISH PANELS
CS-42x26-CW	\$9,828	315#	Clockwise	Included
CS-42x26-CCW	\$9,828	315#	Counterclockwise	Included




CS-42x32-CCW
with optional double
overshelf

CS-42x32


(see CS-42x32 Spec Sheet for complete details)

The CS-42x32 pass-thru assembly cocktail station includes the following standard features: pass-thru ice bin, tubing chase, two wet waste sinks with gooseneck faucet and strainers, blender shelf, double speed rail, 15" wide stainless steel draining tray shelf, and laminated or stainless steel front and end panels.



CS-42x32-CCW
(plan view)

MODEL	LIST	WEIGHT	ROTATION	FINISH PANELS
CS-42x32-CW	\$10,658	345#	Clockwise	Included
CS-42x32-CCW	\$10,658	345#	Counterclockwise	Included




CS-54x32-CCW
with optional
double overshelf

CS-54x32

(see CS-54x32 Spec Sheet for complete details)

The CS-54x32 pass-thru assembly cocktail station includes the following standard features: pass-thru ice bin, tubing chase, eight bottle insulated storage well, two wet waste sinks with gooseneck faucet and strainers, blender shelf, double speed rail, 15" wide stainless steel draining tray shelf, and laminated or stainless steel front and end panels.




CS-54x32-CCW
(plan view)

MODEL	LIST	WEIGHT	ROTATION	FINISH PANELS
CS-54x32-CW	\$13,297	395#	Clockwise	Included
CS-54x32-CCW	\$13,297	395#	Counterclockwise	Included

*NOTE: Cocktail Stations are manufactured to order and are not returnable

WARNING: The plastic wet waste strainer included with this product can expose you to chemicals including Bisphenol A (BPA), which is known to the State of California to cause birth defects or other reproductive harm. For more information, go to www.P65Warnings.ca.gov.
Warning applies to State of California only. Part #03000483




CS-60x32-CW

CS-60x32

(see CS-60x32 Spec Sheet for complete details)

The CS-60x32 pass-thru assembly cocktail station includes the following standard features: two pass-thru ice bins, tubing chase, two wet waste sinks with gooseneck faucet and strainers, blender shelf, double speed rail, 15" wide stainless steel draining tray shelf, and laminated or stainless steel front and end panels.

CS-60x32-CW
(plan view)

MODEL	LIST	WEIGHT	ROTATION	FINISH PANELS
CS-60x32-CW	\$13,677	435#	Clockwise	Included
CS-60x32-CCW	\$13,677	435#	Counterclockwise	Included

ACCESSORIES

MODEL	DESCRIPTION	LIST	WEIGHT	CS-42x26	CS-42x32	CS-54x32	CS-60x32
COLD PLATES							
(Built in to pass thru ice bin liner at factory)							
02001102	Ten-circuit cold plate, for 26" deep stations	\$2,230	115#	x			
02001103	Ten-circuit cold plate, for 32" deep stations	\$2,230	120#		x	x	x
OVERSHELVES							
(Mounts to end panels of station - brackets included)							
SOS/SS-42	42" stainless steel single overshelf	\$1,099	53#	x	x		
SOS/SS-54	54" stainless steel single overshelf	\$1,350	68#			x	
SOS/SS-60	60" stainless steel single overshelf	\$1,477	75#				x
DOS/SS-42	42" stainless steel double overshelf	\$2,063	98#	x	x		
DOS/SS-54	54" stainless steel double overshelf	\$2,568	126#			x	
DOS/SS-60	60" stainless steel double overshelf	\$2,820	140#				x
ICE BIN DIVIDERS							
IBD-H-CS26	Ice bin divider, half, for 26" deep station	\$147	4#	x	x	x	x
IBD-H-CS32	Ice bin divider, half, for 32" deep station	\$156	4#	x	x	x	x
CLIP-ON CONDIMENT DISPENSER							
(Clips to tray shelf on bartender or server side)							
CCD/T	Condiment dispenser, clip-on to tray shelf	\$239	4#	x	x	x	x
SNEEZE GUARD							
03000508	Sneeze guard for 26" deep stations	\$253	15#	x			
03000509	Sneeze guard for 32" deep stations	\$266	15#		x	x	x
CLIP-ON DRY WASTE RECEPTACLE							
(Clips to front panel on cocktail server side of station)							
CDRY	Clip-on dry waste (stainless steel)	\$734	30#	x	x	x	x

CDRY
(Shown with cocktail station)CCD/T
(Shown clipped to tray shelf)03000509
(Shown with cocktail station)

IBD-H-CS26

WARNING: The plastic wet waste strainer included with this product can expose you to chemicals including Bisphenol A (BPA), which is known to the State of California to cause birth defects or other reproductive harm. For more information, go to www.P65Warnings.ca.gov. **Warning applies to State of California only.** Part #03000483

*NOTE: Cocktail Stations are manufactured to order and are not returnable


All faucets are certified low lead compliant

CS-42x26G

(see CS-42x26G Spec Sheet for complete details)

The CS-42x26G pass-thru disassembly cocktail station includes the following standard features: GT-24* automatic conveyor glasswasher, wet waste sink with gooseneck faucet and strainer, 12" wide stainless steel draining tray shelf, and laminated or stainless steel front and end panels.

- ♦ The GT-24 glasswasher voltage must be specified as either 208V or 240V when ordering (see page 8 for complete explanation).


CS-42x26G-CW
(plan view)

CS-42x26G-CW
with optional double overshelf


MODEL	LIST	WEIGHT	ROTATION	FINISH PANELS
CS-42x26G-CW	\$23,673	500#	Clockwise	Included
CS-42x26G-CCW	\$23,673	500#	Counterclockwise	Included

CS-42x32G

(see CS-42x32G Spec Sheet for complete details)

The CS-42x32G pass-thru disassembly cocktail station includes the following standard features: GT-24* automatic conveyor glasswasher, stainless steel removable dry waste receptacle, two wet waste sinks with gooseneck faucet and strainers, 12" wide stainless steel draining tray shelf, and laminated or stainless steel front and end panels.

- ♦ The GT-24 glasswasher voltage must be specified as either 208V or 240V when ordering (see page 8 for complete explanation).


CS-42x32G-CW
(plan view)

CS-42x32G-CW


MODEL	LIST	WEIGHT	ROTATION	FINISH PANELS
CS-42x32G-CW	\$24,925	540#	Clockwise	Included
CS-42x32G-CCW	\$24,925	540#	Counterclockwise	Included

CS-48x32G

(see CS-48x32G Spec Sheet for complete details)

The CS-48x32G pass-thru disassembly cocktail station includes the following standard features: GT-30* automatic conveyor glasswasher, two wet waste sinks with gooseneck faucet and strainers, 15" wide stainless steel draining tray shelf, and laminated or stainless steel front and end panels.

- ♦ The GT-30 glasswasher voltage must be specified as either 208V or 240V when ordering (see page 8 for complete explanation).


CS-48x32G-CCW
(plan view)

CS-48x32G-CCW
with optional double overshelf

MODEL	LIST	WEIGHT	ROTATION	FINISH PANELS
CS-48x32G-CW	\$26,467	540#	Clockwise	Included
CS-48x32G-CCW	\$26,467	540#	Counterclockwise	Included

* NOTE: Cocktail Stations are manufactured to order and are not returnable

WARNING: The plastic wet waste strainer included with this product can expose you to chemicals including Bisphenol A (BPA), which is known to the State of California to cause birth defects or other reproductive harm. For more information, go to www.P65Warnings.ca.gov.
Warning applies to State of California only. Part #03000483

ACCESSORIES					
MODEL	DESCRIPTION	LIST	WEIGHT	CS-42x26G	CS-42x32G
OVERSHELVES					
(Mounts to end panels of station - brackets included)					
SOS/SS-42	42" stainless steel single overshelf	\$1,099	53#	x	x
SOS/SS-48	48" stainless steel single overshelf	\$1,225	60#		x
DOS/SS-42	42" stainless steel double overshelf	\$2,063	98#	x	x
DOS/SS-48	48" stainless steel double overshelf	\$2,316	112#		x
CLIP-ON SINGLE AND DOUBLE SPEED RAIL					
(Clips to glasswasher on the bartender side of station)					
CSR-16	16" clip-on single speed rail	\$267	5#	x	x
CSR-22	22" clip-on single speed rail	\$289	6#		x
CDSR-16	16" clip-on double speed rail	\$482	10#	x	x
CDSR-22	22" clip-on double speed rail	\$555	12#		x
CLIP-ON DRY WASTE RECEPTACLE					
(Clips to front panel on cocktail server side of station)					
CDRY	Clip-on dry waste (stainless steel)	\$734	30#	x	x
SPEED RAILS AND BOLT-ON BLENDER SHELVES					
(Mounts to sink section on bartender side of station)					
SSR-16	16" single speed rail	\$231	4#	x	x
DSR-16	16" double speed rail	\$457	8#	x	x
BBS-16	16" bolt-on blender shelf	\$319	16#	x	x



DSR-16
(Shown mounted to sink section)




BBS-16
(Shown mounted to sink section)



CSR-16
(Shown clipped to glasswasher)

CS-66x26


(see CS-66x26 Spec Sheet for complete details)



CS-66x26-CW

The CS-66x26 pass-thru cocktail station includes the following standard features: GT-24⁺ automatic conveyor glasswasher, wet waste sink with gooseneck faucet and strainer, pass thru ice bin, tubing chase, blender shelf, double speed rail, 12" wide stainless steel draining tray shelf, and laminated or stainless steel front and end panels.

- ♦ The GT-24 glasswasher voltage must be specified as either 208V or 240V when ordering (see page 8 for complete explanation).




CS-66x26-CW
(plan view)

MODEL	LIST	WEIGHT	ROTATION	FINISH PANELS
CS-66x26-CW	\$27,935	550#	Clockwise	Included
CS-66x26-CCW	\$27,935	550#	Counterclockwise	Included

*NOTE: Cocktail Stations are manufactured to order and are not returnable

WARNING: The plastic wet waste strainer included with this product can expose you to chemicals including Bisphenol A (BPA), which is known to the State of California to cause birth defects or other reproductive harm. For more information, go to www.P65Warnings.ca.gov.
Warning applies to State of California only. Part #03000483

All faucets are certified low lead compliant




CS-66x32-CW
with optional double overshelf

CS-66x32

(see CS-66x32 Spec Sheet for complete details)


The CS-66x32 pass-thru cocktail station includes the following standard features: GT-24* automatic conveyor glasswasher, stainless steel removable dry waste receptacle, two wet waste sinks with gooseneck faucet and strainers, pass-thru ice bin, tubing chase, blender shelf, double speed rail, 12" wide stainless steel draining tray shelf, and laminated or stainless steel front and end panels.

- ♦ The GT-24 glasswasher voltage must be specified as either 208V or 240V when ordering (see page 8 for complete explanation).



CS-66x32-CW
(plan view)

MODEL	LIST	WEIGHT	ROTATION	FINISH PANELS
CS-66x32-CW	\$29,397	600#	Clockwise	Included
CS-66x32-CCW	\$29,397	600#	Counterclockwise	Included




CS-72-CCW
with optional single overshelf

CS-72

(see CS-72 Spec Sheet for complete details)


The CS-72 pass-thru cocktail station includes the following standard features: GT-30* automatic conveyor glasswasher, two wet waste sinks with gooseneck faucet and strainers, pass-thru ice bin, tubing chase, blender shelf, double speed rail, 15" wide stainless steel draining tray shelf, and laminated or stainless steel front and end panels.

- ♦ The GT-30 glasswasher voltage must be specified as either 208V or 240V when ordering (see page 8 for complete explanation).



CS-72-CCW
(plan view)

MODEL	LIST	WEIGHT	ROTATION	FINISH PANELS
CS-72-CW	\$30,963	700#	Clockwise	Included
CS-72-CCW	\$30,963	700#	Counterclockwise	Included




CS-84-CCW with optional
double overshelf

CS-84

(see CS-84 Spec Sheet for complete details)

The CS-84 pass-thru cocktail station includes the following standard features: GT-30* automatic conveyor glasswasher, two wet waste sinks with gooseneck faucet and strainers, pass-thru ice bin, tubing chase, eight bottle insulated storage well, blender shelf, double speed rail, 15" wide stainless steel draining tray shelf, and laminated or stainless steel front and end panels.

- ♦ The GT-30 glasswasher voltage must be specified as either 208V or 240V when ordering (see page 8 for complete explanation).




CS-84-CCW
(plan view)

MODEL	LIST	WEIGHT	ROTATION	FINISH PANELS
CS-84-CW	\$33,740	750#	Clockwise	Included
CS-84-CCW	\$33,740	750#	Counterclockwise	Included


* NOTE: Cocktail Stations are manufactured to order and are not returnable

WARNING: The plastic wet waste strainer included with this product can expose you to chemicals including Bisphenol A (BPA), which is known to the State of California to cause birth defects or other reproductive harm. For more information, go to www.P65Warnings.ca.gov.
Warning applies to State of California only. Part #03000483


ACCESSORIES							
MODEL	DESCRIPTION	LIST	WEIGHT	CS-66x26	CS-66x32	CS-72	CS-84
COLD PLATES (Built in to pass-thru ice bin liner at factory)							
02001102	Ten-circuit cold plate, for 26" deep stations	\$2,230	115#	x			
02001103	Ten-circuit cold plate, for 32" deep stations	\$2,230	120#		x	x	x
OVERSHELVES (Mounts to end panels of station - brackets included)							
SOS/SS-66	66" stainless steel single overshelf	\$1,603	83#	x	x		
SOS/SS-72	72" stainless steel single overshelf	\$1,727	90#			x	
SOS/SS-84	84" stainless steel single overshelf	\$1,981	105#				x
DOS/SS-66	66" stainless steel double overshelf	\$3,071	154#	x	x		
DOS/SS-72	72" stainless steel double overshelf	\$3,324	168#			x	
DOS/SS-84	84" stainless steel double overshelf	\$3,827	196#				x
ICE BIN DIVIDERS							
IBD-H-CS26	Ice bin divider, half, for 26" deep station	\$147	4#	x			
IBD-H-CS32	Ice bin divider, half, for 32" deep station	\$156	4#		x	x	x
CLIP-ON CONDIMENT DISPENSER (Clips to tray shelf on bartender or server side)							
CCD/T	Condiment dispenser, clip-on to tray shelf	\$239	4#	x	x	x	x
SNEEZE GUARD							
03000508	Sneeze guard for 26" deep stations	\$253	15#	x			
03000509	Sneeze guard for 32" deep stations	\$266	15#		x	x	x
CLIP-ON SINGLE AND DOUBLE SPEED RAILS (Clips on to glasswasher on bartender side)							
CSR-16	16" Clip-on single speed rail	\$267	5#	x	x		
CSR-22	22" Clip-on single speed rail	\$289	6#			x	x
CDSR-16	16" Clip-on double speed rail	\$482	10#	x	x		
CDSR-22	22" Clip-on double speed rail	\$555	12#			x	x
CLIP-ON DRY WASTE RECEPTACLE (Clips to front panel on cocktail server side of station)							
CDRY	Clip-on dry waste (stainless steel)	\$734	30#	x	x	x	x




CCD/T
(Shown clipped to tray shelf)




CDRY
(Shown with cocktail station)



03000509
(Shown with cocktail station)



IBD-H-CS26



CSR-16
(Shown clipped to glasswasher)

LAMINATED PANELS				STAINLESS STEEL PANELS			
MODEL	DESCRIPTION	LIST	WT	MODEL	DESCRIPTION	LIST	WT
EP-24	26" deep station end panel	\$1,214	40#	EP-24-SS	26" deep station end panel	\$941	45#
EP-30	32" deep station end panel	\$1,214	45#	EP-30-SS	32" deep station end panel	\$1,078	50#
FP-26	54" station front panel (2 required)	\$759	18#	FP-26-SS	54" station front panel (2 required)	\$641	21#
FP-29	60" station front panel (2 required)	\$759	19#	FP-29-SS	60" station front panel (2 required)	\$684	22#
FP-32	66" station front panel (2 required)	\$759	20#	FP-32-SS	66" station front panel (2 required)	\$728	23#
FP-35	72" station front panel (2 required)	\$759	23#	FP-35-SS	72" station front panel (2 required)	\$767	26#
FP-40	42" station front panel	\$964	25#	FP-40-SS	42" station front panel	\$836	28#
FP-41	84" station front panel (2 required)	\$964	26#	FP-41-SS	84" station front panel (2 required)	\$848	29#
FP-46	48" station front panel	\$964	32#	FP-46-SS	48" station front panel	\$918	35#


TRAY SHELVES	
MODEL	DESCRIPTION
TSC- ♦	12" wide tray shelf \$462 list for first 12". Add \$242 list for each additional 12". Weight 10# per foot.
TSD- ♦	15" wide tray shelf \$469 list for first 12". Add \$251 list for each additional 12". Weight 12# per foot.
TS-20X- ♦	20" wide tray shelf \$488 list for first 12". Add \$273 list for each additional 12". Weight 15# per foot.
♦ Specify length in inches	

*NOTE: Cocktail Stations are manufactured to order and are not returnable



PBC48-12

Portable bars for stackable cups come with a cup storage well for three rows up to 4-1/4" in diameter, as well as a cocktail ice bin and an iced beverage storage bin. The size of the cocktail bin and beverage storage bin vary depending on the model ordered.



PBG72-12

Portable bars for glassware come with a glass storage work surface area consisting of a pan with perforated insert and rack slides for storing three 20"x20" glass racks below. They also include a cocktail ice bin and an iced beverage storage bin, the sizes of which vary depending on the model ordered.

*NOTE: Portable bars are made to order and are not returnable.

PORTABLE BAR FOR STACKABLE CUPS

MODEL	LIST	COCKTAIL ICE BIN	BEVERAGE BIN	WT	OVERALL LENGTH
PBC48-12	\$9,677	12"	24"	275#	48"
PBC48-18	\$9,753	18"	18"	275#	48"
PBC54-12	\$10,284	12"	30"	300#	54"
PBC54-18	\$10,362	18"	24"	300#	54"
PBC60-12	\$10,909	12"	36"	325#	60"
PBC60-18	\$10,971	18"	30"	325#	60"

PRODUCT INFORMATION

(see PBC, PBCR, PBG, and PBGR Spec Sheets
for complete details)

STANDARD FEATURES:

- Weather resistant stainless steel construction
- Stainless steel bottle rail with PVC plastic sound deadening cover. Rail includes clear snap-on liquor identification label cover.
- PBC and PBCR - Cup storage well for three rows up to 4-1/4" in diameter
- PBG and PBGR - Glass storage pan with perforated insert and storage for three glass racks below
- Cocktail ice bin with sliding cover and condiment cup area. Rear condiment area has hinged stainless steel sanitary cover with three (12") or four (18") cups.
- Iced beverage storage bin with separate drain to prevent contamination of ice used to make cocktails. Drain includes flexible hose and on/off valve for draining when convenient.
- Foamed-in-place insulation and an PVC plastic breaker strip around ice bin liners to prevent thermal transfer from outside the ice bin so ice lasts longer
- 6-gallon plastic drain tank with on-off valve to collect melting ice water from cocktail bin
- 4" heavy-duty rubberized casters. The two bartender side corner casters are locking.
- Stainless steel front and side panels are welded to the 16-gauge stainless steel base for incredible durability
- Stainless steel bar top and front and side panels have a plastic honeycomb core for durability and sound deadening
- Stylish feathered jewel finish on bar top hides scratches

PORTABLE BAR FOR GLASSWARE

MODEL	LIST	COCKTAIL ICE BIN	BEVERAGE BIN	WT	OVERALL LENGTH
PBG66-12	\$11,916	12"	24"	355#	66"
PBG66-18	\$11,991	18"	18"	355#	66"
PBG72-12	\$12,544	12"	30"	380#	72"
PBG72-18	\$12,620	18"	24"	380#	72"
PBG78-12	\$13,170	12"	36"	405#	78"
PBG78-18	\$13,247	18"	30"	405#	78"


**PORTABLE BAR FOR STACKABLE CUPS
WITH SPACE FOR REFRIGERATOR**

<u>MODEL</u>	<u>LIST</u>	<u>COCKTAIL ICE BIN</u>	<u>BEVERAGE BIN</u>	<u>WT</u>	<u>OVERALL LENGTH</u>
PBCR72-12	\$11,978	12"	12"	340#	72"
PBCR78-12	\$12,591	12"	18"	365#	78"
PBCR78-18	\$12,667	18"	12"	365#	78"
PBCR84-12	\$13,218	12"	24"	390#	84"
PBCR84-18	\$13,292	18"	18"	390#	84"
PBCR90-12	\$13,828	12"	30"	415#	90"
PBCR90-18	\$13,902	18"	24"	415#	90"
PBCR96-12	\$14,435	12"	36"	440#	96"
PBCR96-18	\$14,511	18"	30"	440#	96"

Portable bars for stackable cups with space for a refrigerator share the same features as the other stackable cups models, except they also include a 36"w by 25"d by 38-3/4"h space for an on-board refrigerator. The refrigerator must be ordered separately. A Glastender model C1FB36 (page 75) or ST36 (Page 113) is recommended. If a non-Glastender refrigerator is being used, verify the power cord can exit the front of the 36" opening.



PBCR72-12



PBGR96-18

**PORTABLE BAR FOR GLASSWARE
WITH SPACE FOR REFRIGERATOR**

<u>MODEL</u>	<u>LIST</u>	<u>COCKTAIL ICE BIN</u>	<u>BEVERAGE BIN</u>	<u>WT</u>	<u>OVERALL LENGTH</u>
PBGR90-12	\$13,945	12"	12"	415#	90"
PBGR96-12	\$14,572	12"	18"	440#	96"
PBGR96-18	\$14,646	18"	12"	440#	96"

Portable bars for glassware with space for a refrigerator share the same features as the other glassware models, except they also include a 36"w by 25"d by 38-3/4"h space for an on-board refrigerator. The refrigerator must be ordered separately. A Glastender model C1FB36 (page 75) or ST36 (Page 113) is recommended. If a non-Glastender refrigerator is being used, verify the power cord can exit the front of the 36" opening.

*NOTE: Portable bars are made to order and are not returnable.

Pricing effective February 1, 2022

Portable Bars Graphic Wraps


We can apply a wrap to your portable bar with any image.

Pricing assumes camera-ready artwork provided by customer.

GRAPHIC WRAPS FOR PORTABLE BARS

<u>MODEL</u>	<u>DESCRIPTION</u>	<u>LIST</u>
GWP48	Wrap for 48"w unit	\$2,745
GWP54	Wrap for 54"w unit	\$2,864
GWP60	Wrap for 60"w unit	\$2,976
GWP66	Wrap for 66"w unit	\$3,088
GWP72	Wrap for 72"w unit	\$3,180
GWP78	Wrap for 78"w unit	\$3,311
GWP84	Wrap for 84"w unit	\$3,424
GWP90	Wrap for 90"w unit	\$3,534
GWP96	Wrap for 96"w unit	\$3,724



IBA-24-CP10

PRODUCT INFORMATION

(see IB and IB-ED Spec Sheets for complete details)

STANDARD FEATURES

- One-piece, seamless top and back splash
- PVC plastic breaker strip around ice bin liner: creates 5/16" raised edge around liner (NSF® requirement is 3/16"), acts as a thermal barrier to prevent heat transfer, and makes the covers slide easier
- Tubing chase available centered in back splash of 12" and larger models. Specify accessory model #TC-BS.
- 24" deep version provides a larger ice bin, not just a deck extension on the back of 19" deep model
- Sliding stainless steel cover
- Foamed-in-place insulation
- Models without cold plates have a 1-1/2" welded tailpiece - no drain fitting to break or come loose
- 10-1/2" deep liner (Extra deep models have a 14-1/2" deep liner)
- Adjustable stainless steel bullet feet

What is a cold plate?

A cold plate is an aluminum block with stainless steel lines or circuits molded within. Glastender ice bins can be manufactured with a ten-circuit cold plate built into the bottom liner. Soda lines are attached by the soda vendor to the input and output lines of the cold plate and the soda water and syrup is chilled as it passes through these lines. Please consult your soda vendor to determine if cold plates are required in your ice bins.

19" DEEP ICE BINS*

MODEL	LIST	LENGTH	WEIGHT	ICE CAPACITY
IBA-6†	\$1,139	6"	40#	17#
IBA-12	\$1,611	12"	50#	33#
IBA-18	\$1,820	18"	60#	50#
IBA-24	\$2,032	24"	70#	67#
IBA-30	\$2,244	30"	80#	84#
IBA-36	\$2,487	36"	90#	100#
IBA-42	\$2,705	42"	100#	117#
IBA-48	\$2,920	48"	110#	134#

19" DEEP EXTRA DEEP ICE BINS*

IBA-18-ED	\$2,060	18"	75#	69#
IBA-24-ED	\$2,294	24"	80#	92#
IBA-30-ED	\$2,532	30"	90#	116#
IBA-36-ED	\$2,797	36"	100#	139#
IBA-42-ED	\$3,037	42"	110#	162#
IBA-48-ED	\$3,276	48"	125#	185#

WITH 10-CIRCUIT COLD PLATE

IBA-24-CP10	\$3,603	24"	130#	67#
IBA-30-CP10	\$3,879	30"	145#	84#
IBA-36-CP10	\$4,242	36"	160#	100#
IBA-42-CP10	\$4,798	42"	170#	117#
IBA-48-CP10	\$5,013	48"	180#	134#

**19" EXTRA DEEP ICE BINS
WITH 10-CIRCUIT COLD PLATE***

IBA-24-CP10-ED	\$4,026	24"	140#	92#
IBA-30-CP10-ED	\$4,337	30"	155#	116#
IBA-36-CP10-ED	\$4,790	36"	170#	139#
IBA-42-CP10-ED	\$5,336	42"	180#	162#
IBA-48-CP10-ED	\$5,599	48"	190#	185#

† Not free standing

24" DEEP ICE BINS*

MODEL	LIST	LENGTH	WEIGHT	ICE CAPACITY
IBB-6†	\$1,234	6"	45#	21#
IBB-12	\$1,742	12"	55#	42#
IBB-18	\$1,985	18"	70#	64#
IBB-24	\$2,261	24"	80#	85#
IBB-30	\$2,479	30"	95#	106#
IBB-36	\$2,742	36"	110#	127#
IBB-42	\$3,003	42"	120#	149#
IBB-48	\$3,243	48"	130#	170#

WITH 10-CIRCUIT COLD PLATE*

IBB-24-CP10	\$3,798	24"	145#	85#
IBB-30-CP10	\$4,502	30"	160#	106#
IBB-36-CP10	\$4,794	36"	170#	127#
IBB-42-CP10	\$5,076	42"	185#	149#
IBB-48-CP10	\$5,337	48"	195#	170#

**24" EXTRA DEEP ICE BINS
WITH 10-CIRCUIT COLD PLATE***

IBB-24-CP10-ED	\$4,166	24"	155#	117#
IBB-30-CP10-ED	\$4,909	30"	170#	147#
IBB-36-CP10-ED	\$5,229	36"	180#	176#
IBB-42-CP10-ED	\$5,544	42"	195#	205#
IBB-48-CP10-ED	\$5,834	48"	205#	235#

† Not free standing


*NOTE: These ice bin models are manufactured to order and are not returnable

PASS-THRU ICE BINS

MODEL	LIST	COLD PLATE	WEIGHT	ICE CAPACITY
IB-38X24*	\$3,678	N/A	100#	175#
IB-38X24-CP10	\$5,290	10 circuit	190#	175#

A 24" wide by 38" deep pass-thru ice bin is used to provide the cocktail servers with access to the ice. Pass-thru ice bins have the same features as standard ice bins, except there is no backsplash and the sliding cover is double sided. The bartender side of the ice bin lines up with the underbar equipment the same as a standard ice bin. The 38" deep dimension also allows a pass-thru ice bin to line up with back-to-back mounted underbar equipment (see sample drawings).


*NOTE: This model is manufactured to order and is not returnable



Underbar Plan View with Pass-Thru Ice Bin and Back-to-Back Mounted Underbar

PRODUCT INFORMATION
 (see IB-38x24 Spec Sheet for complete details)


IB-38X24



Underbar Plan View with Pass-Thru Ice Bin

ACCESSORIES

MODEL	DESCRIPTION	LIST	WEIGHT
TC-BS	Tubing chase centered in backsplash (12" wide and larger models only)	\$64	N/A
IMF	Ice-melting faucet (12" wide and larger models only)	\$505	3#
SSR-12	12" single speed rail	\$210	4#
SSR-18	18" single speed rail	\$231	6#
SSR-24	24" single speed rail	\$253	7#
SSR-30	30" single speed rail	\$274	10#
SSR-36	36" single speed rail	\$294	12#
SSR-42	42" single speed rail	\$315	18#
SSR-48	48" single speed rail	\$338	22#
DSR-12	12" double speed rail	\$417	8#
DSR-18	18" double speed rail	\$457	12#
DSR-24	24" double speed rail	\$493	14#
DSR-30	30" double speed rail	\$535	20#
DSR-36	36" double speed rail	\$576	24#
DSR-42	42" double speed rail	\$618	36#
DSR-48	48" double speed rail	\$666	44#
CCD	Condiment dispenser	\$193	5#
CCD6-12	Condiment dispenser, ice chilled, includes six cups and two lift off covers, for IBA-12 or well of CBA model	\$444	8#
IBD-H-A	Ice bin divider, half, for 19" deep ice bin	\$98	4#
IBD-H-B	Ice bin divider, half, for 24" deep ice bin	\$125	4#
IBD-H-A-ED	Ice bin divider, half, for 19" deep extra deep ice bin	\$115	4#
IBD-H-B-ED	Ice bin divider, half, for 24" deep extra deep ice bin	\$147	4#
IBD-H-P	Ice bin divider, half, for IB-38X24	\$164	4#
IBD-H-P-CP	Ice bin divider, half, for IB-38X24-CP10	\$176	4#
IBD-H-P-LR	Ice bin divider, half, left to right for IB-38X24	\$125	4#



SSR-24



DSR-24



CCD6-12



TC-BS



IBD-H-A



CCD

NOTE: For Bottle Wells or Racks see page 25



CBA-36R-CP10
with optional SSR-36

PRODUCT INFORMATION

(see CB and CB-ED Spec Sheets
for complete details)

STANDARD FEATURES

- One-piece, seamless top and backsplash
- PVC plastic breaker strip around ice bin liner: creates 5/16" raised edge around liner (NSF® requirement is 3/16"), acts as thermal barrier to prevent heat transfer, and makes the covers slide easier
- Tubing chase available centered in backsplash of 12" and larger models. Specify accessory model #TC-BS.
- 24" deep version provides a larger ice bin, not just a deck extension on the back of 19" deep model
- Sliding stainless steel cover
- Foamed-in-place insulation
- Models without cold plates have a 1-1/2" welded tailpiece - no drain fitting to break or come loose
- 10-1/2" deep liner (Extra deep models have a 14-1/2" deep liner)
- Adjustable stainless steel bullet feet

Combo Ice Bins combine separate draining ice bin and bottle well compartments into one integral unit. The fully insulated bottle well comes with wire rack(s) for ice chilled storage of bottles. The bottle well may be located on the left, right, or both sides of the ice bin.

19" DEEP COMBO ICE BINS*

MODEL	LIST	LENGTH	WT	ICE CAPACITY	BOTTLES STORED
CBA-30L3 or R3	\$2,926	30"	90#	67#	3
CBA-30L or R	\$2,926	30"	90#	50#	6
CBA-36L or R	\$3,148	36"	100#	67#	6
CBA-42	\$3,831	42"	110#	50#	12
CBA-42L or R	\$3,366	42"	110#	84#	6
CBA-48	\$4,080	48"	120#	67#	12
CBA-48L or R	\$3,620	48"	120#	100#	6

WITH 10-CIRCUIT COLD PLATE

CBA-30L3 or R3-CP10	\$4,739	30"	165#	67#	3
CBA-36L or R-CP10	\$4,959	36"	170#	67#	6
CBA-42L or R-CP10	\$5,246	42"	180#	84#	6
CBA-48-CP10	\$5,987	48"	200#	67#	12
CBA-48L or R-CP10	\$5,637	48"	200#	100#	6
CBA-54-CP10*	\$6,282	54"	210#	84#	12
CBA-60-CP10*	\$6,671	60"	220#	100#	12

19" EXTRA DEEP COMBO ICE BINS WITH 10-CIRCUIT COLD PLATE*

CBA-30L3 or R3-CP10-ED	\$5,090	30"	175#	92#	3
CBA-36L or R-CP10-ED	\$5,311	36"	180#	92#	6
CBA-42L or R-CP10-ED	\$5,624	42"	190#	116#	6
CBA-48-CP10-ED	\$6,401	48"	210#	92#	12
CBA-48L or R-CP10-ED	\$6,039	48"	210#	139#	6

24" DEEP COMBO ICE BINS WITH 10-CIRCUIT COLD PLATE*

CBB-30L4 or R4-CP10	\$5,326	30"	175#	85#	4
CBB-36L or R-CP10	\$5,586	36"	180#	85#	8
CBB-42L or R-CP10	\$5,817	42"	190#	106#	8
CBB-48-CP10	\$6,898	48"	210#	85#	16
CBB-48L or R-CP10	\$6,048	48"	210#	127#	8

*NOTE: These Combo Ice Bin models are
manufactured to order and are not returnable

COMBO ICE BIN ACCESSORIES

MODEL	DESCRIPTION	LIST	WEIGHT
TC-BS	Tubing chase centered in backsplash	\$64	N/A
IMF	Ice-melting faucet	\$505	3#
SSR-30	30" single speed rail	\$274	10#
SSR-36	36" single speed rail	\$294	12#
SSR-42	42" single speed rail	\$315	18#
SSR-48	48" single speed rail	\$338	22#
SSR-54	54" single speed rail	\$493	25#
SSR-60	60" single speed rail	\$516	28#
DSR-30	30" double speed rail	\$535	20#
DSR-36	36" double speed rail	\$576	24#
DSR-42	42" double speed rail	\$618	36#
DSR-48	48" double speed rail	\$666	44#
DSR-54	54" double speed rail	\$888	50#
DSR-60	60" double speed rail	\$919	56#
CCD	Condiment dispenser	\$193	5#
IBD-H-A	Ice bin divider, half, for 19" deep ice bin	\$98	4#
IBD-H-B	Ice bin divider, half, for 24" deep ice bin	\$125	4#



SSR-54




IBD-H-A



TC-BS



DSR-54



CCD



CBA-36-CP10-CS



Large chase behind each bottle well provides access for soda and liquor lines.

CASINO STYLE COMBO ICE BIN*

MODEL	LIST	LENGTH	WT	ICE CAPACITY	BOTTLES STORED
CBA-36-CP10-CS	\$6,171	36"	190#	67#	6

*NOTE: Casino Style Combo Ice Bin model is manufactured to order and not returnable

CASINO STYLE COMBO ICE BIN ACCESSORY

MODEL	DESCRIPTION	LIST	WEIGHT
CCD	Condiment dispenser	\$193	5#


PRODUCT INFORMATION

(see Casino Spec Sheet for complete details)

STANDARD FEATURES

- Integrates one ice bin, two separate draining bottle wells, and two tubing chases into a one-piece seamless top and backsplash
- All stainless steel construction
- PVC plastic breaker strip around ice bin liner: creates 5/16" raised edge around liner, acts as thermal barrier to prevent heat transfer, and makes the cover slide easier
- One 3-bottle well to the left and right of the main ice bin liner
- 4" by 4-1/2" chase opening located behind each bottle well
- 24" single speed rail with PVC sound deadening cover included
- Sliding stainless steel cover for main ice bin liner
- Adjustable stainless steel bullet feet
- Ten circuit cold plate standard in main ice bin liner

Patented. For more information visit:
<https://www.glastender.com/patents>



PRODUCT INFORMATION

(see SH Spec Sheet for complete details)

STANDARD FEATURES

- All stainless steel construction
- Designed to house the manifold of Wunder-Bar® or Schroeder America™ 8 to 14 button soda guns
- Includes integral drip pan with radius corners for easy cleaning
- Built-in holder for soda gun
- Top cover is removable for access to the soda manifold
- Allows you to dictate the soda gun location
- Eliminates the need for tubing bundles above the work surface
- Designed to mount to at least one other piece of underbar equipment (there is no provision for leg mounting)
- Includes camlock in backsplash for mounting to adjacent underbar
- Extra deep “-ED” models available to align with extra-deep style ice bins

19" DEEP SODA GUN HOLDERS

MODEL	LIST	LENGTH	WEIGHT
SHA-4	\$730	4"	22#
SHA-4-ED	\$775	4"	24#
SHA-6	\$762	6"	25#
SHA-6-ED	\$814	6"	27#

24" DEEP SODA GUN HOLDERS

MODEL	LIST	LENGTH	WEIGHT
SHB-4	\$774	4"	22#
SHB-4-ED	\$827	4"	24#
SHB-6	\$808	6"	25#
SHB-6-ED	\$868	6"	27#


38" DEEP PASS THRU SODA GUN HOLDERS

MODEL	LIST	LENGTH	WEIGHT
SHP-4	\$1,166	4"	32#
SHP-4-ED	\$1,244	4"	34#
SHP-6	\$1,235	6"	35#
SHP-6-ED	\$1,319	6"	37#



SMHA-4

Installation photo showing soda gun drip cup mounted below bar top (soda gun and drip cup not included)



PRODUCT INFORMATION

(see SMH Spec Sheet for complete details)

STANDARD FEATURES

- Stainless steel construction
- Designed to house the manifold of Wunder-Bar® or Schroeder America™ 8 to 14 button soda guns
- Once installed, the top of the housing is 34" high
- Top cover is removable for access to the soda manifold
- Eliminates the need for tubing bundles above the work surface
- Mounts to an adjacent piece of underbar (there is no provision for leg mounting)
- The soda gun drip cup supplied by the soda gun manufacturer mounts to the underside of your bar top
- Extra deep "-ED" models available to align with extra-deep style ice bins

19" DEEP SODA MANIFOLD HOUSING

MODEL	LIST	LENGTH	WEIGHT
SMHA-4	\$538	4"	20#
SMHA-4-ED	\$573	4"	22#
SMHA-6	\$574	6"	23#
SMHA-6-ED	\$612	6"	25#

24" DEEP SODA MANIFOLD HOUSING

MODEL	LIST	LENGTH	WEIGHT
SMHB-4	\$589	4"	24#
SMHB-4-ED	\$634	4"	26#
SMHB-6	\$630	6"	28#
SMHB-6-ED	\$677	6"	30#

38" DEEP PASS THRU MANIFOLD HOUSING

MODEL	LIST	LENGTH	WEIGHT
SMHP-4	\$868	4"	35#
SMHP-4-ED	\$940	4"	37#
SMHP-6	\$932	6"	40#
SMHP-6-ED	\$1,007	6"	42#

Undercounter Mount Gun Holder



UMGH

PRODUCT

INFORMATION

(see UMGH Spec Sheet for complete details)

14 gauge stainless steel with rubber grommet and plastic drip pan. Grommet is specially sized to properly hold both Wunder-Bar® and Schroeder America™ style soda guns. Includes 10' of drain line tube.



UNDERCOUNTER MOUNT GUN HOLDER

MODEL	LIST	WEIGHT
UMGH	\$138	3#

Bottle Wells

Pricing effective February 1, 2022

PRODUCT INFORMATION

(see BW Spec Sheet for complete details)

Bottle Wells are PVC plastic-molded bottle holders that are placed in an ice bin to hold ice-chilled mix-ingredient pour and store bottles. There are two sizes of wells: 3 bottle for 19" deep ice bins and four bottle for 24" deep ice bins. The 3 bottle notched model is used with the IB-38x24 pass-thru ice bin.

A bottle well may be placed on one or both sides of an ice bin and is designed with a special ledge on one side to hold a sliding ice bin cover. When bottle wells are ordered with an original ice bin, the correct, smaller-sliding ice bin cover is automatically provided.

For three bottles stored on one side of a 19" deep ice bin, order one model number BW3. For three bottles stored on both sides of a 19" deep ice bin, order a quantity of two BW3.

For four bottles stored on one side of a 24" deep ice bin, order one model number BW4. For four bottles stored on both sides of a 24" deep ice bin, order a quantity of two BW4.



BW3
(Positioned Left)

BW3
(Positioned Right)

MODEL	DESCRIPTION	LIST	WEIGHT
BW3	3 bottle well for 19" deep ice bin	\$64	4#
BW3-2	2 - 3 bottle wells for 19" deep ice bin	\$128	8#
BW3-N	3 bottle well with notch for IB-38x24 ice bin	\$98	4#
BW4	4 bottle well for 24" deep ice bin	\$123	5#
BW4-2	2 - 4 bottle wells for 24" deep ice bin	\$246	10#

Bottle Racks

Pricing effective February 1, 2022

BR3 AND BR4 PRODUCT INFORMATION

(see BR Spec Sheet for complete details)

BR3 and BR4 bottle racks are vinyl-coated wire racks that are placed in an ice bin to hold ice-chilled mix-ingredient pour and store bottles. There are two sizes of wire racks: 3 bottle for 19" deep ice bins and four bottle for 24" deep ice bins.


The BR3 and BR4 are intended for use with smaller ice bins, where the sole purpose of the ice bin is to provide insulated storage for pour and store bottles. Bottle racks are most often used with 6" or 12" wide ice bins, which hold one or two racks, respectively. For example, an IBA-6 ice bin holds one BR3, while an IBA-12 ice bin holds two BR3.



BR4
(Bottles not included)

BR3

MODEL	DESCRIPTION	LIST	WEIGHT
BR3	3 bottle rack for 19" deep ice bin	\$61	3#
BR4	4 bottle rack for 24" deep ice bin	\$75	4#




BRM15
(Bottles not included)

BRM15 PRODUCT INFORMATION

(see BRM Spec Sheet for complete details)

The BRM15 stainless steel mixology bottle rack fits into an IBA-12 model ice bin or the bottle well of a CBA model combo ice bin to provide ice-chilled storage for 15 elixir bottles. NOTE: Recommend Tablecraft 916 (16 oz.) or 9085 (8.5 oz.) olive oil bottles.

MODEL	DESCRIPTION	LIST	WEIGHT
BRM15	Mixology bottle rack, 15 bottle, 3" by 3" openings	\$315	3#



SSR-24

SINGLE SPEED RAILS

MODEL	LIST	LENGTH	WEIGHT
SSR-12	\$210	12"	4#
SSR-13 to 18	\$231	13" to 18"	6#
SSR-19 to 24	\$253	19" to 24"	7#
SSR-25 to 30	\$274	25" to 30"	10#
SSR-31 to 36	\$294	31" to 36"	12#
SSR-37 to 42	\$315	37" to 42"	18#
SSR-43 to 48	\$338	43" to 48"	22#
SSR-49 to 54	\$493	49" to 54"	25#
SSR-55 to 60	\$516	55" to 60"	28#
SSR-61 to 66	\$538	61" to 66"	32#
SSR-67 to 72	\$558	67" to 72"	35#
SSR-73 to 78	\$581	73" to 78"	38#
SSR-79 to 84	\$603	79" to 84"	42#



DSR-54



DSR-24

DOUBLE SPEED RAILS

MODEL	LIST	LENGTH	WEIGHT
DSR-12	\$417	12"	8#
DSR-13 to 18	\$457	13" to 18"	12#
DSR-19 to 24	\$493	19" to 24"	14#
DSR-25 to 30	\$535	25" to 30"	20#
DSR-31 to 36	\$576	31" to 36"	24#
DSR-37 to 42	\$618	37" to 42"	36#
DSR-43 to 48	\$666	43" to 48"	44#
DSR-49 to 54	\$888	49" to 54"	50#
DSR-55 to 60	\$919	55" to 60"	56#
DSR-61 to 66	\$969	61" to 66"	64#
DSR-67 to 72	\$1,010	67" to 72"	70#
DSR-73 to 78	\$1,051	73" to 78"	76#
DSR-79 to 84	\$1,091	79" to 84"	84#



CSR-24-SR

Locking covers for Single Speed Rails include built-in storage hangers when ordered with original equipment

SSRC-36 installed



Built-in storage hangers



SSRC-36 in storage below speed rail

SINGLE SPEED RAIL LOCKING COVERS

MODEL	LIST	LENGTH	WEIGHT
SSRC-12	\$277	12"	7#
SSRC-13 to 18	\$299	13" to 18"	9#
SSRC-19 to 24	\$320	19" to 24"	11#
SSRC-25 to 30	\$346	25" to 30"	13#
SSRC-31 to 36	\$362	31" to 36"	16#
SSRC-37 to 42	\$383	37" to 42"	18#
SSRC-43 to 48	\$405	43" to 48"	21#

DOUBLE SPEED RAIL LOCKING COVERS

MODEL	LIST	LENGTH	WEIGHT
DSRC-12	\$554	12"	14#
DSRC-13 to 18	\$598	13" to 18"	18#
DSRC-19 to 24	\$640	19" to 24"	22#
DSRC-25 to 30	\$692	25" to 30"	26#
DSRC-31 to 36	\$724	31" to 36"	32#
DSRC-37 to 42	\$766	37" to 42"	36#
DSRC-43 to 48	\$810	43" to 48"	42#

PRODUCT INFORMATION

(see SSR, CSR, and DSR Spec Sheets for complete details)

STANDARD FEATURES

- All stainless steel construction
- Open channel-and-rail design for easy cleaning and better view of bottles
- PVC sound deadening covers
- Locking covers for Single Speed Rails include built-in storage hangers when ordered with original equipment
- Each rail includes a clear lift-off liquor-identification cover
- Radius corners for easy cleaning

CLIP-ON SINGLE SPEED RAILS

MODEL	DESCRIPTION	LIST	WEIGHT
CSR-12-SR	12" Clip-on single to existing single	\$245	4#
CSR-18-SR	18" Clip-on single to existing single	\$267	6#
CSR-24-SR	24" Clip-on single to existing single	\$289	7#
CSR-30-SR	30" Clip-on single to existing single	\$308	10#
CSR-36-SR	36" Clip-on single to existing single	\$330	12#
CSR-42-SR	42" Clip-on single to existing single	\$352	15#
CSR-48-SR	48" Clip-on single to existing single	\$374	18#

All faucets are certified low lead compliant



BSB-18



DBSB-18



BSA-18-RF



DBSA-12-RF

Rinser faucet installation notes:

- Important: Unit must be installed in conformance with applicable federal, state, and local plumbing codes, including adequate backflow when required.
- Must install backflow prevention device conforming to ANSI/ASSE 1022 or ANSI/ASSE 1024 to meet plumbing code (not included).
- Install in-line water regulator (included).
- A separate shut-off valve is recommended (not included).

PRODUCT INFORMATION

(see BS and DBS Spec Sheets for complete details)

STANDARD FEATURES

- All stainless steel construction
- Adjustable stainless steel bullet feet
- Sink models feature a 9-1/4" by 11-1/2" by 6" deep sink bowl, a lift-out plastic perforated sink strainer and a hot and cold water faucet
- Models BSA-12, BSA-18-RF, and BSB-12 are available with a foot-operated faucet. Specify accessory number FOF-B.
- Drainboard models feature drainboard work surface consisting of drain pan with separate removable perforated insert
- "-RF" models include a rinser faucet for rinsing blender cups
- 24" deep models have a 9" deep shelf
- 29" deep models have a 10" deep shelf
- Junction box for duplex outlet mounted underneath blender shelf (outlet not included)

⚠ WARNING: The plastic wet waste strainer included with this product can expose you to chemicals including Bisphenol A (BPA), which is known to the State of California to cause birth defects or other reproductive harm. For more information, go to www.P65Warnings.ca.gov. **Warning applies to State of California only.** Part #03000483

Blender Stations come standard with a sink, faucet, and wet waste strainer. Drainboard Blender Stations come standard with a drainboard work surface consisting of a drain pan with separate removable perforated insert.

The integral blender shelf is 9" deep on the 24" deep models and 10" deep on 29" models. The shelf stores the blender at the 19" high level. A grommeted cord access hole is provided in the front skirt.

24" DEEP BLENDER STATIONS

(Aligns with 19" deep underbar that has a single speed rail)

MODEL	LIST	LENGTH	WEIGHT
BSA-12 °	\$1,944	12"	48#
BSA-14	\$1,922	14"	50#
BSA-18L†	\$2,001	18"	55#
BSA-18R†	\$2,001	18"	55#

° = Foot-operated backsplash faucet accessory option

† Denotes faucet location as Left or Right

24" DEEP BLENDER STATION WITH RINSER FAUCET

(Aligns with 19" deep underbar that has a single speed rail)

MODEL	LIST	LENGTH	WEIGHT
BSA-18-RF °*	\$2,539	18"	60#

° = Foot-operated backsplash faucet accessory option

29" DEEP BLENDER STATIONS

(Aligns with 24" deep underbar that has a single speed rail or 19" deep underbar that has a double speed rail)

MODEL	LIST	LENGTH	WEIGHT
BSB-12 °	\$2,075	12"	53#
BSB-14	\$2,139	14"	55#
BSB-18	\$2,251	18"	60#

° = Foot-operated backsplash faucet accessory option

24" DEEP DRAINBOARD BLENDER STATIONS

(Aligns with 19" deep underbar that has a single speed rail)

MODEL	LIST	LENGTH	WEIGHT
DBSA-12	\$1,187	12"	40#
DBSA-14*	\$1,234	14"	42#
DBSA-18*	\$1,325	18"	45#
DBSA-24*	\$1,462	24"	55#

24" DEEP DRAINBOARD BLENDER STATIONS WITH RINSER FAUCET

(Aligns with 19" deep underbar that has a single speed rail)

MODEL	LIST	LENGTH	WEIGHT
DBSA-12-RF*	\$1,643	12"	45#
DBSA-14-RF*	\$1,693	14"	47#
DBSA-18-RF*	\$1,791	18"	50#

29" DEEP DRAINBOARD BLENDER STATIONS

(Aligns with 24" deep underbar that has a single speed rail or 19" deep underbar that has a double speed rail)

MODEL	LIST	LENGTH	WEIGHT
DBSB-12*	\$1,255	12"	45#
DBSB-14*	\$1,304	14"	47#
DBSB-18*	\$1,408	18"	50#

*NOTE: These items are manufactured to order and are not returnable

Blender stations cannot have a speed rail mounted to them. Since speed rails are so common on underbar, blender stations come in 24" and 29" depths and are designed to align with underbar that has a speed rail.



TR



FOF-B
 • BSA-12
 • BSA-18-RF
 • BSB-12



Optional foot-operated faucet

ACCESSORIES

<u>MODEL</u>	<u>DESCRIPTION</u>	<u>LIST</u>	<u>WT</u>
LS15-F	15" D left side splash (BSA models)	\$150	4#
RS15-F	15" D right side splash (BSA models)	\$150	4#
LS15-D	15" D left side splash (DBSA models)	\$150	4#
RS15-D	15" D right side splash (DBSA models)	\$150	4#
LSA-D	19" deep left end splash (BSB & DBSB models)	\$150	4#
RSA-D	19" deep right end splash (BSB & DBSB models)	\$150	4#
LSRF	Left end splash (-RF models)	\$150	4#
RSRF	Right end splash (-RF models)	\$150	4#
TR	Towel ring	\$20	1#
• FOF-B	Convert to foot-operated backsplash faucet for BSA-12, BSA-18-RF, and BSB-12 models	\$555	3#



BBS-12

Additional blender shelf space can be added to standard underbar units by specifying a Bolt-on Blender Shelf. Bolt-on Blender Shelves are 10" deep and include a junction box for duplex outlet (outlet not included) mounted below the shelf.

BOLT-ON BLENDER SHELVES

<u>MODEL</u>	<u>DESCRIPTION</u>	<u>LIST</u>	<u>WT</u>
BBS-8	8" bolt-on blender shelf	\$288	8#
BBS-12	12" bolt-on blender shelf	\$302	12#
BBS-14	14" bolt-on blender shelf	\$308	14#
BBS-16	16" bolt-on blender shelf	\$319	16#
BBS-18	18" bolt-on blender shelf	\$328	18#
BBS-24	24" bolt-on blender shelf	\$355	28#
BBS-30	30" bolt-on blender shelf	\$377	36#



DBA-18 with optional SSR-18

The work surface of a Glastender drainboard consists of a 1" deep sloped stainless steel drain pan with a separate removable perforated insert. The 1" high perforated insert allows air circulation beneath the glassware, and since the pan is sloped and not the insert, all glassware is stored on a level plane.

NOTE: Drainboards are also available with a flat stainless steel filler board top in lieu of the drainboard top. Substitute an 'F' for the 'D' in the model number when ordering and use the same price. Filler boards are manufactured to order and are not returnable.

PRODUCT INFORMATION

(see DB Spec Sheet for complete details)

STANDARD FEATURES

- All stainless steel construction
- Adjustable stainless steel bullet feet
- 24" deep models provide a larger drainboard storage area, not just a deck extension on the back of the 19" deep model
- One-piece seamless top, front rail and backsplash
- Work surface consists of a drain pan and separate perforated insert for better air circulation
- All storage is on level plane

19" DEEP DRAINBOARDS

MODEL	LIST	LENGTH	WEIGHT
DBA-12	\$964	12"	45#
DBA-18	\$1,071	18"	50#
DBA-24	\$1,186	24"	55#
DBA-30	\$1,301	30"	60#
DBA-36	\$1,400	36"	65#
DBA-42	\$1,504	42"	70#
DBA-48	\$1,611	48"	75#

24" DEEP DRAINBOARDS

MODEL	LIST	LENGTH	WEIGHT
DBB-12	\$1,047	12"	50#
DBB-18	\$1,180	18"	55#
DBB-24	\$1,310	24"	60#
DBB-30	\$1,442	30"	65#
DBB-36	\$1,556	36"	70#
DBB-42	\$1,681	42"	80#
DBB-48	\$1,808	48"	85#

ACCESSORIES

MODEL	DESCRIPTION	LIST	WEIGHT
SSR-12	12" single speed rail	\$210	4#
SSR-18	18" single speed rail	\$231	6#
SSR-24	24" single speed rail	\$253	7#
SSR-30	30" single speed rail	\$274	10#
SSR-36	36" single speed rail	\$294	12#
SSR-42	42" single speed rail	\$315	18#
SSR-48	48" single speed rail	\$338	22#
DSR-12	12" double speed rail	\$417	8#
DSR-18	18" double speed rail	\$457	12#
DSR-24	24" double speed rail	\$493	14#
DSR-30	30" double speed rail	\$535	20#
DSR-36	36" double speed rail	\$576	24#
DSR-42	42" double speed rail	\$618	36#
DSR-48	48" double speed rail	\$666	44#
TC*	4" X 4" x 6-1/2" H tubing chase	\$243	5#



Tubing Chase
accessory added to a
drainboard at the factory



DSR-24



SSR-24

*NOTE: Drainboard units with a TC accessory added are manufactured to order and are not returnable

Recessed drainboards have the same drain pan with separate perforated insert design as normal drainboards, except the work surface has been lowered to allow stacking of glassware. A perforated shelf is placed on top of the first level of glassware and a second layer of glassware is stacked on top of it. Recessed drainboards work best when only one style of glassware is being stored.

Recessed drainboards cannot have a speed rail mounted to them. Since speed rails are so common on underbar, recessed drainboards have been designed to align with underbar that has a speed rail. The four different recessed drainboard styles are based on the four different equipment-mounting situations.



RDBA-18S

RDBB-18 with
DHSB-12 attached left

24" DEEP RECESSED DRAINBOARDS

(Aligns with 19" deep underbar that has a single speed rail)

MODEL	LIST	LENGTH	WEIGHT
RDBA-12S	\$1,147	12"	50#
RDBA-18S	\$1,295	18"	55#
RDBA-24S	\$1,455	24"	60#
RDBA-30S*	\$1,603	30"	65#

24" DEEP RECESSED DRAINBOARDS

(Aligns with 24" deep underbar that has no speed rail)

MODEL	LIST	LENGTH	WEIGHT
RDBB-12	\$1,147	12"	50#
RDBB-18	\$1,295	18"	55#
RDBB-24	\$1,455	24"	60#
RDBB-30*	\$1,603	30"	65#



RDBA-18D

*NOTE: These items are manufactured to order and are not returnable



RDBB-18S

29" DEEP RECESSED DRAINBOARDS*

(Aligns with 19" deep underbar that has a double speed rail)

MODEL	LIST	LENGTH	WEIGHT
RDBA-12D*	\$1,272	12"	60#
RDBA-18D*	\$1,439	18"	65#
RDBA-24D*	\$1,636	24"	70#
RDBA-30D*	\$1,803	30"	75#

29" DEEP RECESSED DRAINBOARDS*

(Aligns with 24" deep underbar that has a single speed rail)

MODEL	LIST	LENGTH	WEIGHT
RDBB-12S*	\$1,272	12"	60#
RDBB-18S*	\$1,439	18"	65#
RDBB-24S*	\$1,636	24"	70#
RDBB-30S*	\$1,803	30"	75#

PRODUCT INFORMATION

(see IFC and OFC Spec Sheets for complete details)

Corner drainboards are used when an underbar line-up turns, either 90° or less. The direction of the turn may be toward or away from the bartender. A turn that is toward the bartender requires an inside corner. A turn that is away from the bartender requires an outside corner. Corner drainboards are constructed using the same drain pan with separate removable perforated-insert design as all Glastender drainboards.





90° FULL CORNER DRAINBOARDS

MODEL	LIST	DEPTH	TURN	WEIGHT
IFCA-90	\$1,165	19"	Inside	50#
OFCA-90	\$1,165	19"	Outside	50#
IFCB-90	\$1,326	24"	Inside	60#
OFCE-90	\$1,326	24"	Outside	60#

Angular 90° Full Corner Drainboards are for 90° inside or outside turns. They are designed to align with 19" or 24" deep underbar and they come with a front rail to match the front rail adjacent equipment.

Sample 90° Full Corner Drainboard Plan Views



DIMENSIONAL FULL CORNER DRAINBOARDS



MODEL	LIST	LEFT	RIGHT	WEIGHT
IFC-19/19	\$960	19"	19"	40#
IFC-19/24L	\$1,070	24"	19"	45#
IFC-19/24R	\$1,070	19"	24"	45#
IFC-19/30L	\$1,174	30"	19"	50#
IFC-19/30R	\$1,174	19"	30"	50#
IFC-24/24	\$1,165	24"	24"	50#
IFC-24/30L	\$1,270	30"	24"	60#
IFC-24/30R	\$1,270	24"	30"	60#

Dimensional Full Corner Drainboards are for 90° inside turns only. The dimensions of the corner are specified in the model number. If the dimensions of each side are not the same, the longest dimension is specified second along with its location. See sample drawings.



IFC-24/24

Sample Dimensional Full Corner Drainboard Plan Views





Clip Corner Drainboards are for 90° and smaller inside and outside turns. They are designed to align with 19" or 24" deep underbar and they come with a front rail to match adjacent equipment. The difference between 90° Clip Corners and 90° Full Corners is that the rear has a larger chamfer. See sample drawings.



ICCA-45

Sample Dimensional Full Corner Drainboard Plan Views



19" DEEP CLIP CORNER DRAINBOARDS

MODEL	LIST	DEGREE	TURN	WEIGHT
ICCA-90	\$1,165	90°	Inside	50#
OCCA-90	\$1,165	90°	Outside	50#
ICCA-75	\$1,050	75°	Inside	45#
OCCA-75	\$1,050	75°	Outside	45#
ICCA-60	\$944	60°	Inside	40#
OCCA-60	\$944	60°	Outside	40#
ICCA-45	\$850	45°	Inside	36#
OCCA-45	\$850	45°	Outside	36#
ICCA-30	\$766	30°	Inside	33#
OCCA-30	\$766	30°	Outside	33#
ICCA-15	\$688	15°	Inside	30#
OCCA-15	\$688	15°	Outside	30#

24" DEEP CLIP CORNER DRAINBOARDS

MODEL	LIST	DEGREE	TURN	WEIGHT
ICCB-90	\$1,326	90°	Inside	55#
OCCB-90	\$1,326	90°	Outside	55#
ICCB-75	\$1,194	75°	Inside	50#
OCCB-75	\$1,194	75°	Outside	50#
ICCB-60	\$1,073	60°	Inside	45#
OCCB-60	\$1,073	60°	Outside	45#
ICCB-45	\$964	45°	Inside	40#
OCCB-45	\$964	45°	Outside	40#
ICCB-30	\$871	30°	Inside	37#
OCCB-30	\$871	30°	Outside	37#
ICCB-15	\$783	15°	Inside	35#
OCCB-15	\$783	15°	Outside	35#



IFC-24/24 with CB-LEG
shown with FSB-48
attached left

Does your Corner Drainboard need a full side and leg set?

Corner drainboards are designed to mount between two pieces of underbar. However, corner drainboards can be used to mount between any two stable vertical surfaces. Corners should not be mounted to objects that are mobile or on casters. Because they are intended to mount between two vertical surfaces, corner drainboards do not come free standing with finished sides and leg sets. If one side of the corner does not have a vertical surface on which to mount, then a side and leg set must be ordered as an accessory.

FULL SIDE AND LEG SET ACCESSORIES

MODEL	LIST	DEPTH	WEIGHT
CA-LEG	\$253	19"	6#
CB-LEG	\$282	24"	7#

PRODUCT INFORMATION

(see ICC and OCC Spec Sheets for complete details)

STANDARD FEATURES

- All stainless steel construction
- 36 different standard models to choose from
- Work surface consists of a drain pan and separate perforated insert for better air circulation
- All storage is on level plane

Glassracks are designed to hold three racks of glassware: one on the bottom shelf and one on each of the two adjustable glass rack slides. The 24" wide models hold 20" by 20" racks and the 18" wide models hold the 16" round racks used with the Glastender GT-18 glasswashers.

PRODUCT INFORMATION

(see GR Spec Sheet for complete details)

STANDARD FEATURES

- All stainless steel construction
- Adjustable stainless steel bullet feet
- Full bottom shelf with drain
- Two adjustable glass rack slides
- Storage for three (3) glassracks

*NOTE: These items are manufactured to order and are not returnable



GRB-24

19" DEEP GLASSRACKS

MODEL	LIST	LENGTH	WEIGHT
GRA-18*	\$1,539	18"	60#
GRA-24	\$1,704	24"	70#

24" DEEP GLASSRACKS

MODEL	LIST	LENGTH	WEIGHT
GRB-18*	\$1,720	18"	70#
GRB-24	\$1,895	24"	80#

Drainboard Glassracks

Pricing effective February 1, 2022

Drainboard Glassracks have a stationary or roll-out bottom shelf, adjustable or roll-out intermediate shelf, and drainboard work surface. All models are 24" deep. The 24" wide models hold 20" by 20" racks and the 18" wide model holds the 16" round racks used with the Glastender GT-18 glasswashers. Since drainboard glassrack shelves are solid, they can be used for non-glassrack storage also. (If a 19" deep drainboard glassrack is required, please see 19" deep drainboard cabinets less doors on page 34.)

PRODUCT INFORMATION

(see DBGR Spec Sheet for complete details)

STANDARD FEATURES

- All stainless steel construction
- Adjustable stainless steel bullet feet
- One-piece seamless top, front rail and backsplash
- DBGR-18 and DBGR-24 have bottom shelf and one adjustable intermediate shelf
- DBGR-24-RS has roll-out bottom shelf and one roll-out intermediate shelf (intermediate shelf is not adjustable)
- Solid shelves are also usable for non-glassrack storage
- Work surface consists of a drainboard top with drain pan and separate perforated insert for better air circulation
- Intermediate shelf is still removable after unit is plumbed
- Smooth interior walls for easy cleaning and a finished appearance



DBGR-24-RS
(Glassrack not included)

DBGR-18

24" DEEP DRAINBOARD GLASSRACKS

MODEL	LIST	LENGTH	WEIGHT
DBGR-18	\$1,883	18"	80#
DBGR-24	\$2,082	24"	90#
DBGR-24-RS	\$3,046	24"	100#



DBCB-18

Drainboard Cabinets have a bottom shelf, adjustable intermediate shelf, and drainboard work surface. They are available with or without doors. The models with doors come with a lock standard. The 12", 18", and 24" wide models have one door and all other models have two doors.

NOTE: Drainboard Cabinets are also available with a flat stainless steel filler board top in lieu of the drainboard top. Substitute an 'F' for the 'D' in the model number when ordering and use the same price. Filler boards cabinets are manufactured to order and are not returnable.

PRODUCT INFORMATION

(see DBC Spec Sheet for complete details)

STANDARD FEATURES

- All stainless steel construction
- Adjustable stainless steel bullet feet
- One-piece seamless top, front rail and backsplash
- One bottom shelf and one adjustable intermediate shelf
- Shelves are removable and feature radius corners for easy cleaning
- Available with or without doors
- Doors feature integral handle
- Lock standard on models with doors
- Work surface consists of a drainboard top with drain pan and separate perforated insert for better air circulation
- Floor and intermediate shelf are still removable after unit is plumbed
- Smooth interior walls for easy cleaning and a finished appearance

19" DEEP DRAINBOARD CABINETS

MODEL	LIST	LENGTH	WEIGHT
DBCA-12	\$1,998	12"	75#
DBCA-18	\$2,253	18"	85#
DBCA-24	\$2,509	24"	95#
DBCA-30	\$2,820	30"	105#
DBCA-36	\$3,075	36"	115#
DBCA-42*	\$3,332	42"	125#
DBCA-48*	\$3,589	48"	135#

24" DEEP DRAINBOARD CABINETS

MODEL	LIST	LENGTH	WEIGHT
DBCB-12	\$2,031	12"	85#
DBCB-18	\$2,300	18"	95#
DBCB-24	\$2,567	24"	105#
DBCB-30	\$2,898	30"	115#
DBCB-36	\$3,166	36"	125#
DBCB-42*	\$3,433	42"	135#
DBCB-48*	\$3,704	48"	145#

19" DEEP DRAINBOARD CABINETS LESS DOORS

MODEL	LIST	LENGTH	WEIGHT
DBCA-12-LD	\$1,627	12"	60#
DBCA-18-LD	\$1,808	18"	70#
DBCA-24-LD	\$1,991	24"	80#
DBCA-30-LD	\$2,174	30"	90#
DBCA-36-LD	\$2,355	36"	100#
DBCA-42-LD*	\$2,539	42"	110#
DBCA-48-LD*	\$2,723	48"	120#

24" DEEP DRAINBOARD CABINETS LESS DOORS

MODEL	LIST	LENGTH	WEIGHT
DBCB-12-LD	\$1,684	12"	70#
DBCB-18-LD	\$1,883	18"	80#
DBCB-24-LD	\$2,082	24"	90#
DBCB-30-LD	\$2,276	30"	100#
DBCB-36-LD	\$2,474	36"	110#
DBCB-42-LD*	\$2,669	42"	120#
DBCB-48-LD*	\$2,870	48"	130#

*NOTE: These items are manufactured to order and are not returnable



DBHA-18-LD

PRODUCT INFORMATION

(see DBH Spec Sheet for complete details)

STANDARD FEATURES: All stainless steel construction • Adjustable stainless steel bullet feet • One-piece seamless top, front rail and backsplash • Available with or without a door • Door features integral handle • Lock standard on models with a door • Work surface consists of a drainboard top with drain pan and separate perforated insert for better air circulation • Floor is still removable after unit is plumbed and includes radius corners for easy cleaning • Smooth interior walls for easy cleaning and a finished appearance

Drainboard Half Cabinets increase the available storage area yet are still on 16" legs allowing room for cleaning underneath. Drainboard Half Cabinets have a bottom shelf and drainboard work surface. They are available with or without a door (use suffix '-LD' for models without a door). The models with a door include a lock standard.

NOTE: Drainboard Half Cabinets are also available with a flat stainless steel filler board top in lieu of the drainboard top. Substitute an 'F' for the 'D' in the model number when ordering and use the same price.

19" DEEP DRAINBOARD HALF CABINETS

MODEL	LIST	DOOR	LENGTH	WEIGHT
DBHA-12	\$1,400	Yes	12"	50#
DBHA-18	\$1,547	Yes	18"	55#
DBHA-24	\$1,727	Yes	24"	60#
DBHA-12-LD	\$1,199	No	12"	40#
DBHA-18-LD	\$1,336	No	18"	45#
DBHA-24-LD	\$1,492	No	24"	50#

24" DEEP DRAINBOARD HALF CABINETS

MODEL	LIST	DOOR	LENGTH	WEIGHT
DBHB-12	\$1,566	Yes	12"	60#
DBHB-18	\$1,720	Yes	18"	65#
DBHB-24	\$1,911	Yes	24"	70#
DBHB-12-LD	\$1,355	No	12"	50#
DBHB-18-LD	\$1,492	No	18"	55#
DBHB-24-LD	\$1,669	No	24"	60#

*NOTE: Drainboard Cabinets are manufactured to order and are not returnable

Drainboard Drawer Units*

Pricing effective February 1, 2022



DBDA-18

PRODUCT INFORMATION

(see DBD Spec Sheet for complete details)

STANDARD FEATURES: All stainless steel construction • Adjustable stainless steel bullet feet • One-piece seamless top, front rail and backsplash • Heavy duty drawer slides • Drawers feature integral handle • Lock standard • Work surface consists of a drainboard top with drain pan and separate perforated insert for better air circulation • Cabinet storage without sacrificing ability to have a speed rail†

Drainboard Drawer Units have a locking drawer and drainboard work surface. This allows for more storage space without sacrificing the ability to have a speed rail. The drawer pan is also removable for thorough cleaning.

NOTE: Drainboard Drawer Units are also available with a flat stainless steel filler board top in lieu of the drainboard top. Substitute an 'F' for the 'D' in the model number when ordering and use the same price.

† Special speed rails are required for use with drawer units. See accessories below.

19" DEEP DRAINBOARD DRAWER UNITS

MODEL	LIST	LENGTH	WEIGHT
DBDA-18	\$2,456	18"	60#
DBDA-24	\$2,735	24"	65#
DBDA-30	\$3,046	30"	70#

24" DEEP DRAINBOARD DRAWER UNITS

MODEL	LIST	LENGTH	WEIGHT
DBDB-18	\$2,727	18"	65#
DBDB-24	\$3,036	24"	70#
DBDB-30	\$3,365	30"	75#

*NOTE: Drainboard Drawer Units are manufactured to order and are not returnable

SPEED RAIL ACCESSORIES

MODEL	LIST	LENGTH	WEIGHT
SSR-18-D	\$250	18"	6#
SSR-24-D	\$273	24"	7#
SSR-30-D	\$292	30"	10#



ACB-18 (Shown without attached equipment)

PRODUCT INFORMATION

(see ACB Spec Sheet for complete details)

The Add-On Cabinet Base is designed to be installed beneath standard underbar equipment to provide additional storage • It can also enhance the look of your bar by eliminating the need to store loose items on the floor and making plumbing less visible • The Add-On Cabinet Base features a stainless steel floor that does not go all the way to the back of the cabinet, which provides an access opening for plumbing • The removable stainless steel floor has radius corners for easy cleaning • The interior walls are dual panel constructed for an easy to clean, smooth interior


STANDARD FEATURES: All stainless steel construction • Can be mounted below any standard underbar unit • Enhance the look of your bar by making the plumbing less visible • Increase your available storage space by taking advantage of the area below your underbar • Includes a removable half floor to allow plumbing access out the bottom of the cabinet • Floor has radius corners for easy cleaning • Dual wall construction for smooth interior • Add-On Cabinet Bases do not come with door locks

ACB-18 with LDA-18S attached

**ADD-ON CABINET BASES**

MODEL	LIST	DOOR	LENGTH	WEIGHT
ACB-12	\$856	One	12"	20#
ACB-14	\$896	One	14"	22#
ACB-18	\$964	One	18"	25#
ACB-24	\$1,107	Two	24"	30#
ACB-30	\$1,249	Two	30"	35#
ACB-36	\$1,387	Two	36"	40#
ACB-42	\$1,528	Two	42"	45#
ACB-48	\$1,670	Two	48"	50#

*NOTE: Add-On Cabinet Bases are manufactured to order and are not returnable

**PRODUCT INFORMATION**

(see PCB Spec Sheet for complete details)

Available in 18" and 24" lengths, POS Cabinets have a 26" high work surface to accommodate a cash drawer and POS monitor • A louvered door to ventilate the storage cabinet is standard • The work surface includes a grommeted cord access hole

STANDARD FEATURES

- All stainless steel construction with adjustable bullet feet
- One-piece, seamless top and backsplash
- Louvered door features integral handle
- Door lock standard
- Special 26" high work surface height to accommodate cash drawer and POS monitor
- Grommeted cord access hole in work surface
- Large access hole in back wall of unit
- Smooth interior walls for easy cleaning and a finished appearance



PCB-24

24" DEEP POS CABINETS

MODEL	LIST	LENGTH	WEIGHT
PCB-18	\$2,494	18"	75#
PCB-24	\$2,747	24"	85#

LSP & RSP Accessories
(shown on PCB-24)**POS CABINET ACCESSORIES***

MODEL	DESCRIPTION	LIST	WEIGHT
LSP	Left side splash	\$150	4#
RSP	Right side splash	\$150	4#

*NOTE: Verify cash drawer width before ordering side splash accessories

All faucets are certified low lead compliant

PRODUCT INFORMATION

(see HS, DHS, SW, SW Cabinets, and FS12 Spec Sheets for complete details)

STANDARD FEATURES: Manufactured with total welded construction to meet NSF® standards • All stainless steel construction • One-piece seamless top and backsplash featuring 1/4" radius corners for easy cleaning • Adjustable stainless steel bullet feet • 9-1/4" by 11-1/2" by 6" deep sink bowl with hot and cold water gooseneck faucet with 2.0 GPM aerator • Faucets are standard and ship mounted • Models with a foot-operated faucet option: HSA-12, HSA-12-D, HSB-12-AD (FOF-B) and HSB-12-D, DHSB-12 (FOF-D) • Models HSA-12-D, HSB-12-D, and HSB-12-AD feature a soap dispenser and front-skirt-mounted C-fold paper towel dispenser • Models DHSB-12, DHSB-18, and DHSB-18 feature a soap dispenser and hinged front-access door to conceal C-fold paper towel dispenser • All wet waste sink models include a lift-out perforated-plastic wet waste strainer • Soap dispenser is easily refilled from above, no need to crawl under equipment



HSA-12



HSA-12-D

HSA-12-D with
LSA-D and RSA-D

Single bowl sinks are available as hand sinks and wet waste sink models. Hand sink models HSA-12, HSA-18, HSB-12, and HSB-18 feature a standard stainless steel bowl and mounted faucet.

Hand sink models HSA-12-D, HSB-12-D, and HSB-12-AD include a soap dispenser and front-skirt-mounted C-fold paper towel dispenser.

Hand sink models DHSB-12, DHSB-18, and DHSB-18 feature a soap dispenser and hinged front-access door to conceal C-fold paper towel dispenser. Paper towels are easily accessed below the door. The access door is only opened for re-loading paper towels into the dispenser.

Wet waste sink models SWA-12, SWA-18, and SWB-18 include a lift-out perforated plastic wet waste strainer.

19" DEEP HAND SINKS

MODEL	LIST	LENGTH	WEIGHT
HSA-12 •	\$1,669	12"	45#
HSA-18	\$1,693	18"	50#
HSA-12-D •	\$1,961	12"	50#
DHSA-18	\$2,328	18"	60#

• = Foot-operated backsplash faucet accessory option

19" DEEP WET WASTE SINKS

MODEL	LIST	LENGTH	WEIGHT
SWA-12	\$1,724	12"	47#
SWA-18	\$1,748	18"	52#



LSA-D and RSA-D



TR

†NOTE: Speed rails and dry waste rails cannot be mounted to models:

- HSA-12-D
- DHSA-18
- HSB-12-D
- HSB-12-AD
- DHSB-12
- DHSB-18
- SWB-12-C
- SWB-18-DW
- SWB-18-DB
- SWB-24L-C
- SWB-24R-C

◆NOTE: TD-C Paper towel dispenser cannot be mounted to models:

- SWB-12-C
- SWB-18-DW
- SWB-18-DB
- SWB-24L-C
- SWB-24R-C

ACCESSORIES

MODEL	DESCRIPTION	LIST	WEIGHT
SSR-12†	12" single speed rail	\$210	4#
SSR-18†	18" single speed rail	\$231	6#
DSR-12†	12" double speed rail	\$417	8#
DSR-18†	18" double speed rail	\$457	12#
03000483	Wet waste sink strainer	\$55	2#
TR	Towel ring	\$20	1#
DWR-12†	Dry waste rail	\$220	6#
03000511	Wrist handles (set of two)	\$47	2#
DWC	Trash receptacle, stainless steel	\$492	10#
03005491	Trash receptacle, 28½ qt, gray plastic	\$70	5#
LSA-D	19" deep left end splash	\$150	4#
RSA-D	19" deep right end splash	\$150	4#
LSB-D	24" deep left end splash	\$175	5#
RSB-D	24" deep right end splash	\$175	5#
TD-C◆	Paper towel dispenser, C-fold	\$269	5#
03001873	Liquid soap dispenser, hand-pump	\$77	1#
03014739	Aerator, faucet, 1.5 GPM	\$14	1#
03014738	Aerator, faucet, 0.5 GPM	\$14	1#
03014737	Aerator, faucet, 0.2 GPM	\$14	1#
• FOF-B	Convert to foot-operated backsplash faucet for HSA-12, HSA-12-D, and HSB-12-AD models	\$555	3#
+ FOF-D	Convert to foot-operated deck faucet for HSB-12-D and DHSB-12 models	\$424	3#

⚠ WARNING: The plastic wet waste strainer included with this product can expose you to chemicals including Bisphenol A (BPA), which is known to the State of California to cause birth defects or other reproductive harm. For more information, go to www.P65Warnings.ca.gov. **Warning applies to State of California only.** Part #03000483


All faucets are certified low lead compliant

Single Bowl Sinks

24" DEEP HAND SINKS

MODEL	LIST	LENGTH	WEIGHT
HSB-12	\$1,745	12"	50#
HSB-18	\$1,831	18"	55#
HSB-12-D *	\$2,047	12"	55#
HSB-12-AD *	\$2,087	12"	55#
DHSB-12 *	\$2,301	12"	60#
DHSB-18	\$2,424	18"	70#

◦ = Foot-operated backsplash faucet accessory option
 + = Foot-operated deck faucet accessory option



Optional foot-operated faucets

- | | |
|-------------|------------|
| FOF-B | FOF-D |
| • HSA-12 | • HSB-12-D |
| • HSA-12-D | • DHSB-12 |
| • HSB-12-AD | |

SWB-12

24" DEEP WET WASTE SINKS

MODEL	LIST	LENGTH	WEIGHT
SWB-12	\$1,800	12"	52#
SWB-18	\$1,886	18"	57#

24" DEEP MULTI-PURPOSE SINKS

MODEL	LIST	LENGTH	WEIGHT
FS12 ◦	\$3,680	12"	75#
SWB-12-C	\$2,616	12"	75#
SWB-18-DW	\$2,929	18"	85#
SWB-18-DB	\$2,360	18"	65#
SWB-24L-C*	\$3,487	24"	105#
SWB-24R-C*	\$3,487	24"	105#

◦ = Foot-operated backsplash faucet accessory option
 *L = Sink Left, R = Sink Right



SWB-18-DW - Includes a sink with faucet and lift-out perforated plastic wet waste strainer, dry waste chute and cabinet base with hinged access door for storing a trash receptacle. A stainless (DWC) or plastic (03005391) trash receptacle is offered as a separate accessory.

SWB-18-DB - Tiered unit includes an upper drainboard deck for storing glassware and a lower sink with a faucet and lift-out perforated plastic wet waste strainer.

SWB-12-C - Includes a sink with faucet and lift-out perforated plastic wet waste strainer and cabinet base with hinged access door for storing up to three one-gallon chemical containers.



SWB-24L-C - Dual purpose work surface is half drainboard and half sink. Includes a faucet and lift-out perforated plastic wet waste strainer. The open-front cabinet base includes a center divider wall for storing up to three one-gallon chemical containers on one side and dry storage on the other.

⚠ WARNING: The plastic wet waste strainer included with this product can expose you to chemicals including Bisphenol A (BPA), which is known to the State of California to cause birth defects or other reproductive harm. For more information, go to www.P65Warnings.ca.gov.
Warning applies to State of California only. Part #03000483



DHSB-12



HSB-12-AD



FS12 - The Fusion Sink is a combination hand sink and wet waste sink. The tiered unit includes an upper hand sink with faucet and soap dispenser, a lower sink with lift-out perforated plastic wet waste strainer, and side splashes. The upper sink drains into the lower sink to help melt ice. A front-flush C-fold paper towel dispenser is included in the front skirt.

FS12 - Patented.
For more information visit:
<https://www.glastender.com/patents>

Bar Fabrication - Main Line

All faucets are certified low lead compliant

PRODUCT INFORMATION

(see DS, TS, and FS Spec Sheets for complete details)

- Compartment Sinks come in three different varieties: two, three, and four compartment
- They feature an exclusive one-piece 18 gauge stainless steel top that is seamless from the front rail all the way through the backsplash
- Each variety is offered with or without built-in drainboards on one or both sides of the sink compartment
- Drainboards, where included, are a seamless and integral part of the work surface
- The seamless welded bowls are 16 gauge fabricated stainless steel
- An 'L' or 'R' suffix in the model number designates the location of the sink compartment as left or right when there is only one drainboard

STANDARD FEATURES

- All stainless steel construction and stainless steel bullet feet
- One-piece seamless top, front rail and backsplash
- 16 gauge stainless steel fabricated sink bowls
- 19" deep models have a backsplash mounted faucet
- Integral drainboards have lift-out stainless steel perforated insert
- Perforated stainless steel inserts are available to cover sinks when not in use
- Includes one overflow tube per bowl



*NOTE: These Compartment Sink Units are manufactured to order and are not returnable

TWO COMPARTMENT SINKS WITH STAINLESS SINK SECTION

19" DEEP		24" DEEP		OVERALL LENGTH	SINK LOCATION	DRAINBOARD LENGTH	WEIGHT
MODEL	LIST	MODEL	LIST				
DSA-24-S*	\$2,962	DSB-24-S*	\$2,956	24"	Center	N/A	90#
DSA-36L-S*	\$3,226	DSB-36L-S*	\$3,249	36"	Left	12"	100#
DSA-36R-S*	\$3,226	DSB-36R-S*	\$3,249	36"	Right	12"	100#
DSA-48-S*	\$3,455	DSB-48-S*	\$3,562	48"	Center	2 @ 12"	110#

THREE COMPARTMENT SINKS WITH STAINLESS SINK SECTION

19" DEEP		24" DEEP		OVERALL LENGTH	SINK LOCATION	DRAINBOARD LENGTH	WEIGHT
MODEL	LIST	MODEL	LIST				
TSA-36-S	\$3,425	TSB-36-S	\$3,449	36"	Center	N/A	110#
TSA-48L-S*	\$3,657	TSB-48L-S*	\$3,740	48"	Left	12"	120#
TSA-48R-S*	\$3,657	TSB-48R-S*	\$3,740	48"	Right	12"	120#
TSA-60-S	\$3,910	TSB-60-S	\$4,038	60"	Center	2 @ 12"	130#
TSA-60L-S*	\$3,910	TSB-60L-S*	\$4,038	60"	Left	24"	130#
TSA-60R-S*	\$3,910	TSB-60R-S*	\$4,038	60"	Right	24"	130#
TSA-66L-S*	\$4,007	TSB-66L-S*	\$4,161	66"	Left	30"	140#
TSA-66R-S*	\$4,007	TSB-66R-S*	\$4,161	66"	Right	30"	140#
TSA-72-S	\$4,114	TSB-72-S	\$4,280	72"	Center	2 @ 18"	145#
TSA-84-S*	\$4,399	TSB-84-S*	\$4,614	84"	Center	2 @ 24"	160#
TSA-96-S*	\$4,626	TSB-96-S*	\$4,892	96"	Center	2 @ 30"	175#

FOUR COMPARTMENT SINKS WITH STAINLESS SINK SECTION

19" DEEP		24" DEEP		OVERALL LENGTH	SINK LOCATION	DRAINBOARD LENGTH	WEIGHT
MODEL	LIST	MODEL	LIST				
FSA-48-S	\$4,210	FSB-48-S	\$4,270	48"	Center	N/A	125#
FSA-60L-S*	\$4,445	FSB-60L-S*	\$4,551	60"	Left	12"	140#
FSA-60R-S*	\$4,445	FSB-60R-S*	\$4,551	60"	Right	12"	140#
FSA-66L-S*	\$4,559	FSB-66L-S*	\$4,692	66"	Left	18"	150#
FSA-66R-S*	\$4,559	FSB-66R-S*	\$4,692	66"	Right	18"	150#
FSA-72-S	\$4,700	FSB-72-S	\$4,827	72"	Center	2 @ 12"	155#
FSA-72L-S*	\$4,700	FSB-72L-S*	\$4,827	72"	Left	24"	155#
FSA-72R-S*	\$4,700	FSB-72R-S*	\$4,827	72"	Right	24"	155#
FSA-84-S*	\$4,967	FSB-84-S*	\$5,153	84"	Center	2 @ 18"	170#
FSA-96-S*	\$5,200	FSB-96-S*	\$5,426	96"	Center	2 @ 24"	185#

ACCESSORIES

MODEL	DESCRIPTION	LIST	WGT
SSR-24	24" single speed rail	\$253	7#
SSR-36	36" single speed rail	\$294	12#
SSR-48	48" single speed rail	\$338	18#
SSR-60	60" single speed rail	\$516	28#
SSR-66	66" single speed rail	\$538	32#
SSR-72	72" single speed rail	\$558	35#
SSR-84	84" single speed rail	\$603	42#
DSR-24	24" double speed rail	\$493	14#
DSR-36	36" double speed rail	\$576	24#
DSR-48	48" double speed rail	\$666	44#
DSR-60	60" double speed rail	\$919	56#
DSR-66	66" double speed rail	\$969	64#
DSR-72	72" double speed rail	\$1,010	70#
DSR-84	84" double speed rail	\$1,091	84#
TR	Towel ring	\$20	1#
LWS	Large wet waste strainer	\$144	2#
DWR-12	Dry waste rail	\$220	6#
03002552	Sink cover, perforated for DSA or DSB	\$144	5#
03002553	Sink cover, perforated for TSA or TSB	\$216	8#
03002554	Sink cover, perforated for FSA or FSB	\$290	12#

PRODUCT INFORMATION
(see Mixology Units Spec Sheet
for complete details)

STANDARD FEATURES

- Manufactured with total welded construction to meet NSF® standards
- All stainless steel construction
- One-piece seamless top and backsplash featuring 1/4" radius corners for easy cleaning
- Adjustable stainless steel bullet feet (does not include MFT-8)
- All faucets are shipped mounted
- Backsplash faucet may be converted to foot-operated. Specify accessory number FOF-B (does not include MFT-8).

All faucets are certified low lead compliant

WARNING: The plastic wet waste strainer included with this product can expose you to chemicals including Bisphenol A (BPA), which is known to the State of California to cause birth defects or other reproductive harm. For more information, go to www.P65Warnings.ca.gov. **Part #03000483**
Warning applies to State of California only.

MTS-14 MIXOLOGY UNIT

Includes 9-1/4" by 11-1/2" by 6" deep sink, backsplash-mounted faucet, lift-out perforated plastic sink strainer, push-down rinser faucet, and 6" diameter mixology tool well with faucet.

MODEL	LIST	LENGTH	WEIGHT
MTS-14	\$3,410	14"	55#



MTS-14



MRS-12

MRS-12 MIXOLOGY UNIT

Includes 9-1/4" by 11-1/2" by 6" deep sink, backsplash-mounted faucet, lift-out perforated plastic sink strainer, and push-down rinser faucet.

MODEL	LIST	LENGTH	WEIGHT
MRS-12	\$2,306	12"	55#



MFS-12

MFS-12 MIXOLOGY UNIT

Includes 9-1/4" by 11-1/2" by 6" deep sink, backsplash-mounted faucet, lift-out perforated plastic sink strainer, and 8" by 11" securely mounted and easily removable cutting board.

MODEL	LIST	LENGTH	WEIGHT
MFS-12	\$2,142	12"	55#

MFT-8 MIXOLOGY UNIT

Includes 6" diameter mixology tool well with faucet, push-down rinser faucet, and 7-1/2" by 7-1/2" securely mounted and easily removable cutting board. NOTE: No legs. Must mount to adjacent underbar.

MODEL	LIST	LENGTH	WEIGHT
MFT-8	\$2,280	8"	40#




MFT-8

MFT-20 MIXOLOGY UNIT

Includes 9-1/4" by 11-1/2" by 6" deep sink, backsplash-mounted faucet, lift-out perforated plastic sink strainer, push-down rinser faucet, 6" diameter mixology tool well with faucet, 8" by 11" securely mounted and easily removable cutting board, and removable ice scoop well.

MODEL	LIST	LENGTH	WEIGHT
MFT-20	\$3,736	20"	65#



MFT-20

ACCESSORIES

MODEL	DESCRIPTION	LIST	WEIGHT
LSM	Left end splash, MFS-12, MFT-8 or MFT-20	\$150	4#
RSM	Right end splash, MFS-12, MFT-8 or MFT-20	\$150	4#
LSB-D	24" deep left end splash	\$175	5#
RSB-D	24" deep right end splash	\$175	5#
FOF-B	Convert to foot-operated back-splash faucet (excludes MFT-8 model)	\$555	3#

Rinser faucet installation notes:

- Important: Unit must be installed in conformance with applicable federal, state, and local plumbing codes, including adequate backflow when required.
- Must install backflow prevention device conforming to ANSI/ASSE 1022 or ANSI/ASSE 1024 to meet plumbing code (not included).
- Install in-line water regulator (included).
- A separate shut-off valve is recommended (not included).

All faucets are certified low lead compliant

Mixology Stations include the following standard features:

- 4" soda manifold holder
- 24" main ice bin liner
- 12" condiment well
- Single speed rail
- 20" mixology unit

*NOTE: Mixology stations are manufactured to order and are not returnable

Soda manifold holder

Main ice bin

Ice-chilled condiment well

40" speed rail

MXS60-CP10

Mixology unit

What is different about the 72" mixology station?

The MXS72-CP10 mixology station is 12" longer, because it also includes a 12" elixir bottle well.

MXS72-CP10

52" speed rail

Mixology unit

MIXOLOGY STATION

MODEL	LIST	LENGTH	WEIGHT
MXS60-CP10	\$9,968	60"	279#
MXS72-CP10	\$11,369	72"	322#


Rinser faucet installation notes:

- Important: Unit must be installed in conformance with applicable federal, state, and local plumbing codes, including adequate backflow when required.
- Must install backflow prevention device conforming to ANSI/ASSE 1022 or ANSI/ASSE 1024 to meet plumbing code (not included).
- Install in-line water regulator (included).
- A separate shut-off valve is recommended (not included).

WARNING: The plastic wet waste strainer included with this product can expose you to chemicals including Bisphenol A (BPA), which is known to the State of California to cause birth defects or other reproductive harm. For more information, go to www.P65Warnings.ca.gov.
Warning applies to State of California only. Part #03000483



Drop-in mixology drink rail
(See next page for drop-in mixology wells)




PRODUCT INFORMATION

(see MXS Spec Sheet for complete details)

STANDARD FEATURES

- All stainless steel construction
- Complete line up is flush at 24" deep to match adjacent underbar
- The SMHA-4 soda manifold housing is designed to house the manifold of Wunder-Bar® or Schroeder America™ 8 to 14 button soda guns
- The condiment well and ice bin are foamed-in-place insulated and include a PVC plastic breaker strip around the liner to prevent thermal transfer so ice lasts longer
- The ice bin includes a built-in ten circuit cold plate, sliding stainless steel cover, and stainless steel ice bin divider
- The condiment well provides ice-chilled storage for six pint-size (16 oz.) condiment cups and includes two lift-off stainless steel covers
- A single speed rail is included
- The MFT-20 model mixology unit includes a push-down rinsing faucet to rinse shaker cans, a lift-out perforated plastic sink strainer, a 6" diameter seamless welded draining dipper well and faucet for mixology tools, an 8" x 11" cutting board that is securely mounted but easily removable for cleaning, and an ice scoop well
- The MXS72-CP10 model also includes an elixir bottle well with BRM15 stainless steel rack to hold 15 elixir bottles (NOTE: Recommend Tablecraft 916 (16 oz.) or 9085 (8.5 oz.) olive oil bottles)



DI-MW30
1/9th pans and bottles not included

DROP-IN MIXOLOGY WELLS

MODEL	LIST	LENGTH	WEIGHT
DI-MW24	\$1,065	24"	13#
DI-MW30	\$1,130	30"	16#
DI-MW36	\$1,199	36"	19#


PRODUCT INFORMATION

(see DI-MW Spec Sheet for complete details)

STANDARD FEATURES:

- Stainless steel top and interior liner
- PVC plastic breaker strip around well liner: creates 5/16" raised edge around liner and acts as thermal barrier to prevent heat transfer
- Stainless steel exterior wrap
- 4" deep well liner is 3-5/8" front-to-back
- Designed to hold up to 3-1/2" wide bottles or 1/9th pans
- Installation kit includes: 10' of clear vinyl drain tube, five - 4" Ty-wraps, one - 1/2" PVC elbow, one - 1/2" nylon elbow, and one drainline splicer

Drop-In Mixology Drink Rails



DI-MDR30
1/9th pans and bottles not included

DROP-IN MIXOLOGY DRINK RAILS

MODEL	LIST	LENGTH	WEIGHT
DI-MDR24	\$1,607	24"	16#
DI-MDR30	\$1,685	30"	20#
DI-MDR36	\$1,769	36"	24#

PRODUCT INFORMATION

(see DI-MDR Spec Sheet for complete details)

STANDARD FEATURES

- Stainless steel top and interior liner
- PVC plastic breaker strip around ice bin liner: creates 5/16" raised edge around liner and acts as thermal barrier to prevent heat transfer
- One-piece top includes drain pan with removable perforated insert
- Stainless steel exterior wrap
- 4" deep well liner is 3-5/8" front-to-back
- Designed to hold up to 3-1/2" wide bottles or 1/9th pans
- Installation kit includes: 10' of clear vinyl drain tube, seven - 4" Ty-wraps, one - 1/2" PVC tee, one - 1/2" nylon elbow, and two drainline splicers

Drop-In Drink Rails

Pricing effective February 1, 2022

PRODUCT INFORMATION


(see DI-DR Spec Sheet for complete details)

STANDARD FEATURES:

- All stainless steel construction
- Available in 24", 30", or 36" lengths
- Drain is a 1/2" welded tailpiece that exits from the bottom of the unit
- Drain pan includes 1/2" flange
- Installation kit includes: 10' of clear vinyl drain tube, five - 4" Ty-wraps, and two - 1/2" plastic elbows

DROP-IN DRINK RAILS

MODEL	LIST	LENGTH	WEIGHT
DI-DR24	\$445	24"	7#
DI-DR30	\$462	30"	9#
DI-DR36	\$477	36"	11#



DI-DR30

Undercounter Mount Rinser Faucet


Pricing effective February 1, 2022

PRODUCT INFORMATION

(see UMRF Spec Sheet for complete details)

STANDARD FEATURES:

- All 18 gauge stainless steel construction
- Pan includes radius interior corners for easy cleaning
- Total welded construction with integrated C-channel sides for incredible rigidity
- Installation kit for plumbing 1/2" tailpiece drain - includes 10' of vinyl drain tube, (3) ty wraps, (1) elbow, (1) elbow to drain-line adaptor, (4) #10 x 1/2 screws
- Rear deck area with pre-punched screw holes for mounting to underside of bar top



Rinser faucet installation notes:

- Important: Unit must be installed in conformance with applicable federal, state, and local plumbing codes, including adequate backflow when required.
- Must install backflow prevention device conforming to ANSI/ASSE 1022 or ANSI/ASSE 1024 to meet plumbing code (not included).
- Install in-line water regulator (included).
- A separate shut-off valve is recommended (not included).

UMRF

MODEL	LIST	WEIGHT	WIDTH	DEPTH	HEIGHT
UMRF	\$741	8#	5"	9"	1-1/2"

Drop-In Rinser Faucets


Pricing effective February 1, 2022

PRODUCT INFORMATION

(see DI-RF Spec Sheet for complete details)

STANDARD FEATURES:

- All stainless steel construction
- Pan includes radius corners for easy cleaning
- Drain is a 1/2" welded tailpiece that exits from the bottom of the unit
- Drain pan includes 1/2" flange
- Installation kit includes: 10' of clear vinyl drain tube, five - 4" Ty-wraps, and two - 1/2" plastic elbows



Rinser faucet installation notes:

- Important: Unit must be installed in conformance with applicable federal, state, and local plumbing codes, including adequate backflow when required.
- Must install backflow prevention device conforming to ANSI/ASSE 1022 or ANSI/ASSE 1024 to meet plumbing code (not included).
- Install in-line water regulator (included).
- A separate shut-off valve is recommended (not included).

DROP-IN DRINK RAILS

MODEL	LIST	LENGTH	WEIGHT
DI-RF7	\$769	7"	8#
DI-RF12	\$791	12"	10#
DI-RF18	\$813	18"	12#
DI-RF24	\$835	24"	14#



DR-36L

DRINK RAILS

MODEL	LIST	LENGTH	DRAIN	WEIGHT
DR-12L	\$445	12"	Left	7#
DR-12R	\$445	12"	Right	7#
DR-18L	\$472	18"	Left	8#
DR-18R	\$472	18"	Right	8#
DR-24L	\$497	24"	Left	9#
DR-24R	\$497	24"	Right	9#
DR-30L	\$530	30"	Left	11#
DR-30R	\$530	30"	Right	11#
DR-36L	\$554	36"	Left	13#
DR-36R	\$554	36"	Right	13#
DR-42L	\$584	42"	Left	15#
DR-42R	\$584	42"	Right	15#
DR-48L	\$611	48"	Left	18#
DR-48R	\$611	48"	Right	18#

Conveniently mounts to underside of bar top to provide stainless steel draining drink rail.

PRODUCT INFORMATION

(see DR Spec Sheet for complete details)

STANDARD FEATURES: All stainless steel construction


- One-piece, seamless mounting deck and pan with removable perforated inserts
- 30" and 36" models have one gusset and 42" and 48" models have two gussets for added strength
- Drain consists of 1/2" welded tailpiece that exits from the back of the unit
- 45° and 90° inside and outside corner filler sections available
- Installation kit includes: 10' of clear vinyl drain tube, one 4" Ty-wrap, three #10 x 1/2" stainless steel wood screws, three cable clamps and one 1/2" x 1/2" x 1/2" plastic tee

INSIDE AND OUTSIDE CORNER FILLERS

MODEL	DESCRIPTION	LIST	WEIGHT
DR-IC45	45° inside corner filler	\$267	8#
DR-IC90	90° inside corner filler	\$276	10#
DR-OC45	45° outside corner filler	\$267	8#
DR-OC90	90° outside corner filler	\$276	10#

*NOTE: Drink Rails are manufactured to order and are not returnable

Pricing effective February 1, 2022

Drop-In Drain Pans*

DI-DP12X24

Drain pan drops into a cut-out in your bartop to provide a stainless steel draining work surface.

DROP-IN DRAIN PANS

MODEL	OVERALL DIMENSIONS	LIST	WEIGHT
DI-DP12X24	12" x 24"	\$564	14#
DI-DP12X30	12" x 30"	\$606	16#
DI-DP12X36	12" x 36"	\$650	18#
DI-DP12X42	12" x 42"	\$710	20#
DI-DP12X48	12" x 48"	\$776	22#
DI-DP18X24	18" x 24"	\$695	18#
DI-DP18X30	18" x 30"	\$750	21#
DI-DP18X36	18" x 36"	\$843	24#
DI-DP18X42	18" x 42"	\$943	27#
DI-DP18X48	18" x 48"	\$1,042	30#


*NOTE: Drop-In Drain Pans are manufactured to order and are not returnable

PRODUCT INFORMATION

(see DI-DP Spec Sheet for complete details)

STANDARD FEATURES: All stainless steel construction

- 18 gauge stainless steel pan with removable perforated inserts
- Available in standard widths of 12" or 18" and lengths from 24" to 48". Custom sizes also available
- Drain consists of 1/2" welded tailpiece that exits from the bottom of the unit
- Drain pan flange includes self-rimming edge for tight fit to work surface
- Installation kit includes: 10' of clear vinyl drain tube, one 4" Ty-wrap, three #10 x 1/2" stainless steel wood screws, three #10 x 1/2" black sheet metal screws, three cable clamps, two 1/2" x 1/2" plastic elbows
- Cut-out dimensions are 1-3/4" smaller than the outer flange dimensions
- Install by making cut-out in work surface, apply silicone sealant to edge of unit, set in place and plumb drain line



EXAMPLE: A DI-DP12X24 which measures 12" x 24" would require a cut-out size of 10-1/4" x 22-1/4"

Liquor Steps provide tiered liquor bottle storage at a height convenient for bartender use. They maintain the same easy-to-clean, open step and rail design as a speed rail. Each step and rail has PVC sound deadening covers and each rail includes a clear lift-off liquor-identification cover. The 24" deep models provide four levels of storage front to back and the 29" deep models provide five levels.

Liquor steps cannot have a speed rail mounted to them. Since speed rails are so common on underbar, liquor steps have been designed to align with underbar that has a speed rail. The four different liquor steps styles are based on the four different equipment-mounting situations.

PRODUCT INFORMATION

(see LD Spec Sheet for complete details)

STANDARD FEATURES

- Easily-usable height for storage
- All stainless steel construction and stainless steel bullet feet
- Includes radius interior corners for easy cleaning
- Four (4) levels of liquor bottle storage for 24" deep models and five (5) levels for 29" deep models
- Bottle retaining rails with clear lift-off liquor-identification cover
- Open step-and-rail design for easy cleaning and better view of bottles
- Locking covers are available for each individual row - see Locking Speed Rail Covers on page 26
- Matches speed rail design for continuity
- Specially designed side profiles to align with four different equipment-mounting situations
- Rear step on each model is extra wide for specialty liquor bottles



LDA-18S

24" DEEP LIQUOR STEPS

(Aligns with 19" deep underbar that has a single speed rail)

MODEL	LIST	LENGTH	WEIGHT
LDA-12S	\$1,553	12"	50#
LDA-18S	\$1,699	18"	60#
LDA-24S	\$1,850	24"	70#
LDA-30S*	\$1,999	30"	80#
LDA-36S*	\$2,147	36"	90#
LDA-42S*	\$2,297	42"	100#



LDB-18

24" DEEP LIQUOR STEPS

(Aligns with 24" deep underbar that has no speed rail)

MODEL	LIST	LENGTH	WEIGHT
LDB-12	\$1,553	12"	50#
LDB-18	\$1,699	18"	60#
LDB-24	\$1,850	24"	70#
LDB-30*	\$1,999	30"	80#
LDB-36*	\$2,147	36"	90#
LDB-42*	\$2,297	42"	100#



LDA-18D

29" DEEP LIQUOR STEPS

(Aligns with 19" deep underbar that has a double speed rail)

MODEL	LIST	LENGTH	WEIGHT
LDA-12D	\$1,741	12"	55#
LDA-18D	\$1,912	18"	65#
LDA-24D	\$2,083	24"	75#
LDA-30D*	\$2,263	30"	85#
LDA-36D*	\$2,436	36"	95#
LDA-42D*	\$2,609	42"	105#



LDB-18S

29" DEEP LIQUOR STEPS

(Aligns with 24" deep underbar that has a single speed rail)

MODEL	LIST	LENGTH	WEIGHT
LDB-12S	\$1,741	12"	55#
LDB-18S	\$1,912	18"	65#
LDB-24S	\$2,083	24"	75#
LDB-30S*	\$2,263	30"	85#
LDB-36S*	\$2,436	36"	95#
LDB-42S*	\$2,609	42"	105#

*NOTE: These liquor steps are manufactured to order and are not returnable

PRODUCT INFORMATION

(see SLD Spec Sheet for complete details)

STANDARD FEATURES

- All stainless steel construction
- One-piece seamless top, front rail and backsplash
- Radius work surface corners for easy cleaning
- For use with 20" by 20" racks for easy removal and storage of liquor bottles

EXTRA CABINET MODEL FEATURES

- Includes locking cabinet base for storing liquor when not in use
- Includes four 2-7/8" casters
- Removable floor with radius corners for easy cleaning
- Cabinet features dual-wall construction for a smooth interior
- Integral door handle and door lock standard



SLD-24




SLDC-24

SLANTED LIQUOR DISPLAYS

MODEL	LIST	LENGTH	WEIGHT
SLD-24	\$1,172	24"	55#
SLDC-24	\$2,404	24"	85#

*NOTE: Slanted Liquor Displays are manufactured to order and are not returnable

The Glastender Island Oasis® Stand is designed for use with the model number SB-3X Island Oasis® machine. The 18" wide by 29" deep stand has a lowered draining work surface and extended front to allow the machine to be stored at a convenient and usable height. In most bar applications, the clear plastic ice container will be visible above the bar top.



Installation Side Elevation

PRODUCT INFORMATION

(see IOS Spec Sheet for complete details)

STANDARD FEATURES

- All stainless steel construction
- Adjustable stainless steel bullet feet
- Radius work surface corners for easy cleaning
- One-piece seamless top and backsplash
- 1" deep drain pan work surface to capture excess moisture
- Chamfered front to eliminate "knee knockers"



IOS-18

ISLAND OASIS® STAND

MODEL	LIST	LENGTH	WEIGHT
IOS-18	\$1,401	18"	50#



DWB-12 shown in an installation setting with optional trash receptacle



DWB-15L shown in an installation setting with optional trash receptacle



DWB-18 with optional trash receptacle

PRODUCT INFORMATION

(see DW Spec Sheet for complete details)

There are four different Dry Waste Chute models to meet various installation requirements • For all four models, the top lifts up for emptying the trash receptacle • The top also lifts off completely for more thorough cleaning • The DWB-12 is designed for mounting between two adjacent pieces of Glastender underbar • The DWB-15L and DWB-15R include a left or right side and leg set, respectively, for mounting to just one piece of Glastender underbar • The DWB-18 is free standing • All models are designed to house a Rubbermaid® Slim Jim™ trash receptacle and are available from Glastender

24" DEEP DRY WASTE CHUTES

MODEL	LIST	LEG POSITION	LENGTH	WEIGHT
DWB-12	\$810	N/A	12"	30#
DWB-15L	\$1,279	Left	15"	45#
DWB-15R	\$1,279	Right	15"	45#
DWB-18*	\$1,819	Left & Right	18"	60#


ACCESSORIES

MODEL	DESCRIPTION	LIST	WGT
03000497	Slim Jim trash receptacle	\$238	10#

*NOTE: DWB-18 Dry Waste Chutes are manufactured to order and are not returnable

Dry Waste Rail

Pricing effective February 1, 2022



DWR-12

PRODUCT INFORMATION

(see DWR Spec Sheet for complete details)

- A Dry Waste Rail is 12" wide, 5" deep, and looks like a speed rail, but it is actually a removable stainless steel chute
- A 16" high or shorter trash receptacle is placed under the dry waste rail and the chute directs the refuse into the receptacle
- Dry waste rails cannot be used on Cabinets, Glassracks, or Ice Cream Freezers

DRY WASTE RAIL

MODEL	LIST	LENGTH	WEIGHT
DWR-12	\$220	12"	6#

ACCESSORIES

MODEL	DESCRIPTION	LIST	WGT
DWC	Trash receptacle, stainless steel	\$492	5#
03005491	Trash receptacle, 28½ qt, gray plastic	\$70	5#

All faucets are certified low lead compliant



FRA-24

ACCESSORIES

MODEL	DESCRIPTION	LIST	WGT
SSR-24	24" single speed rail	\$253	7#
SSR-36	36" single speed rail	\$294	12#
DSR-24	24" double speed rail	\$493	14#
DSR-36	36" double speed rail	\$576	24#
CE-220/50S	Convert self-contained unit to 220V/50Hz electrical	\$245	N/A

19" DEEP ICE CREAM FREEZERS

MODEL	LIST	LENGTH	WEIGHT
FRA-24	\$5,245	24"	140#
FRA-36	\$6,005	36"	175#

24" DEEP ICE CREAM FREEZERS

MODEL	LIST	LENGTH	WEIGHT
FRB-24	\$5,405	24"	150#
FRB-36	\$6,165	36"	185#

PRODUCT INFORMATION

(see FR Spec Sheet for complete details)

STANDARD FEATURES: All stainless steel construction • Foamed-in-place insulation • 6" diameter seamless welded draining dipper well and faucet • Six-foot grounded cord and plug provided • 24" wide models hold one 3-gallon container • 36" wide models hold two 3-gallon containers • One-piece seamless top and backsplash

ELECTRICAL: 120V, 1 phase, 60 Hz, 4.75 full load amps • Dedicated 15 amp circuit is recommended • Includes 6-foot grounded cord and plug

REFRIGERATION: Operating range -5°F to 10°F • 1/4 HP, R290 refrigerant

CAPACITY: FRA-24 and FRB-24 models hold one 3-gallon container • FRA-36 and FRB-36 models hold two 3-gallon containers



WS24

Wait Stations mount to the server side of the bar die for convenient storage of common server items. No plumbing required. Includes wall-mounting bracket.

*NOTE: Wait stations are manufactured to order and are not returnable



WS36-S

(shown with optional WPH)

24" AND 36" WAIT STATIONS

MODEL	LIST	LENGTH	DEPTH	WEIGHT
WS24	\$1,949	24"	15"	70#
WS36	\$2,161	36"	15"	90#
WS36-S†	\$2,660	36"	15"	95#

† WS36-S includes stainless steel bowl and removable plastic washrag basin.

PRODUCT INFORMATION

(see WS Spec Sheet for complete details)


STANDARD FEATURES: All stainless steel construction • Integrated back and side splashes • Radius work surface corners for easy cleaning • Work surface features front marine edge • Cabinet includes intermediate shelf and special compartment for vertical tray storage • Vertical tray storage compartment specifically designed to hold 14" or 16" round server trays • Recessed hole in tray storage compartment floor prevents round trays from rolling out • Includes left-side-mounted menu holder • Includes wall-mounting bracket • WS36-S model includes welded bowl with removable plastic washrag basin • Optional wall-mount pan holder (WPH) with 6" deep stainless steel one-fourth pan also available, for use as an ashtray dump or washrag basin (clear plastic one-fourth pan also available)

WAIT STATION ACCESSORIES

MODEL	DESCRIPTION	LIST	WGT
WPH	Wall-mount pan holder	\$336	12#
WPH-LP	Wall-mount pan holder, less pan	\$254	10#
MH-L	Menu holder, mounts left	\$216	10#
MH-R	Menu holder, mounts right	\$216	10#
03003294	Plastic washrag basin	\$52	3#

⚠ WARNING: The plastic wet waste strainer included with this product can expose you to chemicals including Bisphenol A (BPA), which is known to the State of California to cause birth defects or other reproductive harm. For more information, go to www.P65Warnings.ca.gov. **Warning applies to State of California only.** Part #03000483

All faucets are certified low lead compliant



All-In-One Stations combine different underbar components into one pre-assembled unit (also available with 10-circuit cold plate for soda systems). The ALL-72 pictured below illustrates the various components. Read the descriptions below each model for a complete list of standard components. (see ALL Spec Sheet for complete details)

ALL-72-CP10




WARNING: The plastic wet waste strainer included with this product can expose you to chemicals including Bisphenol A (BPA), which is known to the State of California to cause birth defects or other reproductive harm. For more information, go to www.P65Warnings.ca.gov. **Warning applies to State of California only.** Part #03000483

ALL-IN-ONE STATION ACCESSORY

MODEL	DESCRIPTION	LIST	WEIGHT
TC-BS	Tubing chase centered in backsplash of ice bin	\$64	N/A



TC-BS



ALL-60A

MODEL	LIST	WT	COLD PLATE
ALL-60A	\$7,758	200#	No
ALL-60A-CP10	\$9,570	270#	YES

60" ALL-IN-ONE STATION

- 36" Combo Ice Bin
- 12" Single Wet Waste Sink w/Left Splash
- 12" Blender Shelf with Towel Ring
- 12" Liquor Steps
- 36" Double Speed Rail
- 12" Dry Waste Rail
- Condiment Dispenser

ALL-60B

MODEL	LIST	WT	COLD PLATE
ALL-60B	\$7,289	200#	No
ALL-60B-CP10	\$9,100	270#	YES

60" ALL-IN-ONE STATION

- 12" Recessed Drainboard
- 36" Combo Ice Bin
- 12" Single Wet Waste Sink w/Left Splash
- 12" Blender Shelf with Towel Ring
- 12" Liquor Steps
- 36" Double Speed Rail
- 12" Dry Waste Rail
- Condiment Dispenser


ALL-66A

MODEL	LIST	WT	COLD PLATE
ALL-66A	\$8,019	215#	No
ALL-66A-CP10	\$9,899	285#	YES

66" ALL-IN-ONE STATION

- 42" Combo Ice Bin
- 12" Single Wet Waste Sink w/Left Splash
- 12" Blender Shelf with Towel Ring
- 12" Liquor Steps
- 42" Double Speed Rail
- 12" Dry Waste Rail
- Condiment Dispenser


*NOTE: All-In-One Stations are manufactured to order and are not returnable

**ALL-66B**

MODEL	LIST	WT	COLD PLATE
ALL-66B	\$7,550	215#	No
ALL-66B-CP10	\$9,429	285#	YES

66" ALL-IN-ONE STATION


- 12" Recessed Drainboard
- 42" Combo Ice Bin
- 12" Single Wet Waste Sink w/Left Splash
- 12" Blender Shelf with Towel Ring
- 42" Double Speed Rail
- 12" Dry Waste Rail
- Condiment Dispenser

**ALL-66C**

MODEL	LIST	WT	COLD PLATE
ALL-66C	\$7,455	215#	No
ALL-66C-CP10	\$9,268	285#	YES

66" ALL-IN-ONE STATION


- 18" Recessed Drainboard
- 36" Combo Ice Bin
- 12" Single Wet Waste Sink w/Left Splash
- 12" Blender Shelf with Towel Ring
- 36" Double Speed Rail
- 12" Dry Waste Rail
- Condiment Dispenser

**ALL-66D**

MODEL	LIST	WT	COLD PLATE
ALL-66D	\$7,930	215#	No
ALL-66D-CP10	\$9,742	285#	YES

66" ALL-IN-ONE STATION


- 36" Combo Ice Bin
- 12" Single Wet Waste Sink w/Left Splash
- 18" Liquor Steps
- 36" Double Speed Rail
- 12" Dry Waste Rail
- Condiment Dispenser

**ALL-72**

MODEL	LIST	WT	COLD PLATE
ALL-72	\$9,030	240#	No
ALL-72-CP10	\$10,841	310#	YES

72" ALL-IN-ONE STATION


- 12" Recessed Drainboard
- 36" Combo Ice Bin
- 12" Single Wet Waste Sink w/Left Splash
- 12" Blender Shelf with Towel Ring
- 12" Liquor Steps
- 36" Double Speed Rail
- 12" Dry Waste Rail
- Condiment Dispenser

**ALL-72A**

MODEL	LIST	WT	COLD PLATE
ALL-72A	\$8,191	240#	No
ALL-72A-CP10	\$10,071	310#	YES

72" ALL-IN-ONE STATION

- 42" Combo Ice Bin
- 12" Single Wet Waste Sink w/Left Splash
- 12" Blender Shelf with Towel Ring
- 18" Liquor Steps
- 42" Double Speed Rail
- 12" Dry Waste Rail
- Condiment Dispenser

**ALL-72B**

MODEL	LIST	WT	COLD PLATE
ALL-72B	\$7,717	240#	No
ALL-72B-CP10	\$9,597	310#	YES

72" ALL-IN-ONE STATION

- 18" Recessed Drainboard
- 42" Combo Ice Bin
- 12" Single Wet Waste Sink w/Left Splash
- 12" Blender Shelf with Towel Ring
- 42" Double Speed Rail
- 12" Dry Waste Rail
- Condiment Dispenser

*NOTE: All-In-One Stations are manufactured to order and are not returnable

⚠ WARNING: The plastic wet waste strainer included with this product can expose you to chemicals including Bisphenol A (BPA), which is known to the State of California to cause birth defects or other reproductive harm. For more information, go to www.P65Warnings.ca.gov. **Warning applies to State of California only.** Part #03000483



PRODUCT INFORMATION

(see TC Spec Sheet for complete details)

STANDARD FEATURES

- All stainless steel construction
- Tubing chase is 6" by 6" by 4" high
- Stainless steel drain pan work surface and perforated insert
- Mounts between adjacent underbar equipment (there is no provision for leg mounting)
- Includes front rail and front skirt to match adjacent equipment
- Can be set in place after beverage lines are installed

TUBING CHASES

MODEL	LIST	LENGTH	DEPTH	WEIGHT
TCA	\$618	6"	19"	17#
TCB	\$703	6"	24"	19#

TCA shown in an installation setting

Beer Drainers*

Pricing effective February 1, 2022

Beer Drainers have a 26" high lowered work surface and are designed specifically for use with undercounter-mounting beverage dispensers. The work surface includes a drain pan with perforated insert to serve as the drip pan for the dispenser and a special notched rear deck for beverage line access. Since the rear work surface is notched, the beverage lines can be installed prior to the beer drainer.



BDB-18 shown in an installation setting with undercounter-mounting beer tower above

PRODUCT INFORMATION

(see BD Spec Sheet for complete details)

STANDARD FEATURES

- All stainless steel construction
- Designed with lowered work surface to work in conjunction with undercounter-mounting beverage dispensers
- Adjustable stainless steel bullet feet
- Rear deck with tubing chase notch allows beer lines to be installed prior to beer drainer
- Front drain pan with lift-out stainless steel perforated insert

19" DEEP BEER DRAINERS

MODEL	LIST	LENGTH	WEIGHT
BDA-18	\$1,097	18"	45#
BDA-24	\$1,202	24"	50#
BDA-30	\$1,304	30"	55#
BDA-36	\$1,408	36"	60#



24" DEEP BEER DRAINERS

MODEL	LIST	LENGTH	WEIGHT
BDB-18	\$1,201	18"	55#
BDB-24	\$1,325	24"	60#
BDB-30	\$1,444	30"	65#
BDB-36	\$1,564	36"	70#

*NOTE: Beer Drainers are manufactured to order and are not returnable

With the Glastender Modular Bar Die, underbar equipment is mounted to and supported on the bar die. All the underbar equipment is pre-assembled and mounted to the bar die at the factory, then broken down into shippable sections. Installation of the bar die is very simple - easier than a conventional style underbar with a millwork bar die. The result is a beautiful, innovative underbar line up that is sealed to the floor, stainless from floor to bar top, eliminates all underbar leg sets, and hides the soda, beer, electrical, and plumbing lines.

Modular Bar Die shown with underbar line-up. Millwork bar top and front panels are not included.



Typical Side Elevation View

The total Number of feet required is calculated by determining the overall outside dimension of the bar die wall. Please round up to the nearest whole foot.

MODULAR BAR DIE

MODEL	DESCRIPTION	LIST	WGT
MD	Price per foot	\$406	15#

PRODUCT INFORMATION

(see MD Spec Sheet for complete details)

FEATURES:

- 16 gauge galvanized steel structure with stainless steel bartender side finishing
- 20A GFI outlets built in to bar die wall based on customer preference (wiring not provided)
- LED lights built in to bar die wall above underbar equipment (wiring not provided)
- Built in chaseways for beer, soda, plumbing, and electrical lines.

BENEFITS:

- Stainless steel from floor to bar top on bartender side
- Floor can be sealed to the bar die to prevent moisture from seeping from the bartender side to the customer side of the bar
- Galvanized steel structure will not rot
- Built in chaseways hide beer, soda, plumbing, and electrical lines for a cleaner, more attractive bar
- Arrives pre-assembled from factory in sections up to 10 feet long for easy installation - lowers installation costs. Just bolt the sections together, level, and attach the floor.
- Pre-engineered to exact dimensions to ensure a precise fit
- Can be used in conjunction with removable front millwork finishing panels to provide easy access to soda, beer, plumbing, and electrical lines for future modification, maintenance, or repair
- Millwork bar top and front panels can be pre-fabricated and easily attached
- Eliminates all underbar legs for easy cleaning.

19" DEEP ICE BINS*

MODEL	LIST	LTH	WGT	ICE CAPACITY
C-IBA-6†	\$1,052	6"	40#	17#
C-IBA-12	\$1,420	12"	50#	33#
C-IBA-18	\$1,569	18"	60#	50#
C-IBA-24	\$1,710	24"	70#	67#
C-IBA-30	\$1,864	30"	80#	84#
C-IBA-36	\$2,010	36"	90#	100#
C-IBA-42	\$2,161	42"	100#	117#
C-IBA-48	\$2,309	48"	110#	134#

WITH 10-CIRCUIT COLD PLATE

C-IBA-24-CP10	\$3,217	24"	130#	67#
C-IBA-30-CP10	\$3,420	30"	145#	84#
C-IBA-36-CP10	\$3,679	36"	160#	100#
C-IBA-42-CP10	\$4,138	42"	170#	117#
C-IBA-48-CP10	\$4,296	48"	180#	134#

† Note: 6" unit cannot be free standing

24" DEEP ICE BINS*

MODEL	LIST	LTH	WGT	ICE CAPACITY
C-IBB-6†	\$1,124	6"	45#	21#
C-IBB-12	\$1,525	12"	55#	42#
C-IBB-18	\$1,686	18"	70#	64#
C-IBB-24	\$1,841	24"	80#	85#
C-IBB-30	\$2,009	30"	95#	106#
C-IBB-36	\$2,164	36"	110#	127#
C-IBB-42	\$2,325	42"	120#	149#
C-IBB-48	\$2,482	48"	130#	170#

WITH 10-CIRCUIT COLD PLATE*

C-IBB-24-CP10	\$3,325	24"	145#	85#
C-IBB-30-CP10	\$3,947	30"	160#	106#
C-IBB-36-CP10	\$4,120	36"	170#	127#
C-IBB-42-CP10	\$4,295	42"	185#	149#
C-IBB-48-CP10	\$4,424	48"	195#	170#


† Note: 6" unit cannot be free standing

What is a cold plate?

Choice ice bins 24" wide and larger are available with a 10-circuit cold plate built into the bottom liner. A cold plate is an aluminum block with ten stainless steel lines or circuits molded within. Soda lines are attached by the soda vendor to the input and output lines of the cold plate and the soda water and syrup are chilled as they pass through the lines. A cold plate is recommended for ice bins used to make cocktails.



C-IBA-36-CP10



C-IBA

SIDE ELEVATIONS

C-IBB

PRODUCT INFORMATION

(see C-IB and C-IB-ED Spec Sheets for complete details)

STANDARD FEATURES

- All stainless steel construction
- PVC plastic breaker strip around ice bin liner acts as a thermal barrier to prevent heat transfer
- 24" deep version provides larger ice bin not just a deck extension on the back of the 19" deep model
- Extra deep ice bins have 14-1/2" deep liner for extra ice capacity
- Adjustable thermoplastic bullet feet
- Backsplash is an open channel to provide access for beverage lines

NOTE: Ice bins intended to store potable ice must be ordered with an ice bin cover to maintain the sanitation listing

*NOTE: These ice bin models are manufactured to order and are not returnable



Bottle rack accessory
(one BR4 and one BR3 shown)


Bottle well accessory
(two BW3 shown)

19" EXTRA DEEP ICE BINS*

MODEL	LIST	LTH	WGT	ICECAPACITY
C-IBA-18-ED	\$1,749	18"	75#	69#
C-IBA-24-ED	\$1,922	24"	80#	92#
C-IBA-30-ED	\$2,095	30"	90#	116#
C-IBA-36-ED	\$2,268	36"	100#	139#
C-IBA-42-ED	\$2,440	42"	110#	162#
C-IBA-48-ED	\$2,617	48"	125#	185#

EXTRA DEEP WITH 10-CIRCUIT COLD PLATE*

C-IBA-24-CP10-ED	\$3,565	24"	140#	92#
C-IBA-30-CP10-ED	\$3,802	30"	155#	116#
C-IBA-36-CP10-ED	\$4,145	36"	170#	139#
C-IBA-42-CP10-ED	\$4,605	42"	180#	162#
C-IBA-48-CP10-ED	\$4,797	48"	190#	185#



NOTE: Ice bins intended to store potable ice must be ordered with an ice bin cover to maintain the sanitation listing

*NOTE: These ice bin models are manufactured to order and are not returnable

ICE BIN ACCESSORIES**SINGLE SPEED RAILS**

MODEL	DESCRIPTION	LIST	WGT
C-SR-12	12" single speed rail	\$155	5#
C-SR-18	18" single speed rail	\$174	6#
C-SR-24	24" single speed rail	\$191	7#
C-SR-30	30" single speed rail	\$210	9#
C-SR-36	36" single speed rail	\$228	10#
C-SR-42	42" single speed rail	\$248	12#
C-SR-48	48" single speed rail	\$266	13#

DOUBLE SPEED RAILS

MODEL	DESCRIPTION	LIST	WGT
C-DR-12	12" double speed rail	\$305	9#
C-DR-18	18" double speed rail	\$344	11#
C-DR-24	24" double speed rail	\$381	14#
C-DR-30	30" double speed rail	\$420	16#
C-DR-36	36" double speed rail	\$457	18#
C-DR-42	42" double speed rail	\$495	21#
C-DR-48	48" double speed rail	\$532	24#

CONDIMENT DISPENSER Stainless steel condiment dispenser with hinged plexi-glass lid and six 16 oz. plastic cups.

CCD	Condiment dispenser	\$193	5#
-----	---------------------	-------	----

ACCESSORIES FOR 19" DEEP (A) ICE BINS

ICE BIN COVERS Two-piece sliding stainless steel. Ice bins intended to store potable ice must be ordered with an ice bin cover to maintain the sanitation listing. If bottle wells are ordered, deduct 6" from cover length for one bottle well and 12" for two bottle wells.

MODEL	DESCRIPTION	LIST	WGT	MODEL	DESCRIPTION	LIST	WGT
IBCA-12	12"w ice bin cover - 19"d (A) ice bin	\$68	4#	IBCB-12	12"w ice bin cover - 24"d (B) ice bin	\$85	5#
IBCA-18	18"w ice bin cover - 19"d (A) ice bin	\$98	5#	IBCB-18	18"w ice bin cover - 24"d (B) ice bin	\$123	6#
IBCA-24	24"w ice bin cover - 19"d (A) ice bin	\$128	7#	IBCB-24	24"w ice bin cover - 24"d (B) ice bin	\$160	8#
IBCA-30	30"w ice bin cover - 19"d (A) ice bin	\$160	8#	IBCB-30	30"w ice bin cover - 24"d (B) ice bin	\$200	10#
IBCA-36	36"w ice bin cover - 19"d (A) ice bin	\$215	9#	IBCB-36	36"w ice bin cover - 24"d (B) ice bin	\$267	11#
IBCA-42	42"w ice bin cover - 19"d (A) ice bin	\$256	10#	IBCB-42	42"w ice bin cover - 24"d (B) ice bin	\$319	13#
IBCA-48	48"w ice bin cover - 19"d (A) ice bin	\$285	12#	IBCB-48	48"w ice bin cover - 24"d (B) ice bin	\$362	15#

BOTTLE WELLS For use with potable ice. May be positioned left or right inside cocktail ice bin. If two are ordered, they are positioned one at each side

BW3	3 bottle well for 19"d (A) ice bin	\$64	4#	BW4	4 bottle rack for 24"d (B) ice bin	\$123	5#
-----	------------------------------------	------	----	-----	------------------------------------	-------	----

BOTTLE RACKS For use with non-potable ice in bottle storage ice bin. Only fit in 12" long and larger ice bins. One rack may be ordered for each 6" of ice bin length. Not for use with sliding cover.

BR3	Bottle rack for 19"d (A) ice bin	\$61	3#	BR4	4 bottle rack for 24"d (B) ice bin	\$75	4#
-----	----------------------------------	------	----	-----	------------------------------------	------	----


ICE BIN DIVIDERS Stainless steel panel placed inside the ice bin front-to-back to separate different types of ice.

IBD-H-A	Ice bin divider for 19"d (A) ice bin	\$98	4#	IBD-H-B	Ice bin divider for 24"d (B) ice bin	\$125	4#
IBD-H-A-ED	Ice Bin divider for 19"d (A) extra deep ice bin	\$115	4#				



C-CBA-36L

NOTE: Ice bins intended to store potable ice must be ordered with an ice bin cover to maintain the sanitation listing



SIDE ELEVATIONS

PRODUCT INFORMATION

(see C-CB and C-CB-ED Spec Sheets for complete details)

STANDARD FEATURES

- All stainless steel construction
- PVC plastic breaker strip around ice bin liner acts as a thermal barrier to prevent heat transfer
- Extra deep ice bins have 14-1/2" deep liner for extra ice capacity
- Adjustable thermoplastic bullet feet
- Backsplash is an open channel to provide access for beverage lines

What is a cold plate?

Choice ice bins 24" wide and larger are available with a 10-circuit cold plate built into the bottom liner. A cold plate is an aluminum block with ten stainless steel lines or circuits molded within. Soda lines are attached by the soda vendor to the input and output lines of the cold plate and the soda water and syrup are chilled as they pass through the lines. A cold plate is recommended for ice bins used to make cocktails.

19" DEEP COMBO ICE BINS*

MODEL	LIST	LTH	WGT	ICE CAPACITY	BOTTLES STORED
C-CBA-36L or R	\$2,573	36"	100#	67#	6
C-CBA-42L or R	\$2,731	42"	110#	84#	6
C-CBA-48L or R	\$2,889	48"	120#	100#	6
C-CBA-48	\$3,301	48"	120#	67#	12

WITH 10-CIRCUIT COLD PLATE

C-CBA-30L3 or R3-CP10*	\$4,150	30"	160#	67#	3
C-CBA-36L or R-CP10	\$4,286	36"	170#	67#	6
C-CBA-42L or R-CP10	\$4,502	42"	180#	84#	6
C-CBA-48L or R-CP10	\$4,782	48"	200#	100#	6
C-CBA-48-CP10	\$5,083	48"	200#	67#	12

EXTRA DEEP COMBO ICE BINS WITH 10-CIRCUIT COLD PLATE*

C-CBA-30L3 or R3-CP10-ED	\$4,438	30"	170#	92#	3
C-CBA-36L or R-CP10-ED	\$4,574	36"	180#	92#	6
C-CBA-42L or R-CP10-ED	\$4,820	42"	190#	116#	6
C-CBA-48L or R-CP10-ED	\$5,130	48"	210#	139#	6
C-CBA-48-CP10-ED	\$5,443	48"	210#	92#	12

*NOTE: These ice bin models are manufactured to order and are not returnable

COMBO ICE BIN ACCESSORIES

SINGLE SPEED RAILS

MODEL	DESCRIPTION	LIST	WGT
C-SR-30	30" single speed rail	\$210	9#
C-SR-36	36" single speed rail	\$228	10#
C-SR-42	42" single speed rail	\$248	12#
C-SR-48	48" single speed rail	\$266	13#

DOUBLE SPEED RAILS

C-DR-30	30" double speed rail	\$420	16#
C-DR-36	36" double speed rail	\$457	18#
C-DR-42	42" double speed rail	\$495	21#
C-DR-48	48" double speed rail	\$532	24#

CONDIMENT DISPENSER Stainless steel condiment dispenser with hinged plexi-glass lid and six 16 oz. plastic cups.

CCD	Condiment dispenser	\$193	5#
-----	---------------------	-------	----

ICE BIN COVERS Two-piece sliding stainless steel. Ice bins intended to store potable ice must be ordered with an ice bin cover to maintain the sanitation listing.

IBCA-24	24"w ice bin cover for C-CBA-30, C-CBA-36, or C-CBA-48	\$128	7#
IBCA-30	30"w ice bin cover for C-CBA-42	\$160	8#
IBCA-36	36"w ice bin cover for C-CBA-48L or R	\$215	9#

BOTTLE RACK Vinyl-coated wire racks placed inside the bottle well to assist with holding pour and store bottles. Each combo ice bin bottle well may hold two BR3 bottle racks. NOTE: BR3 does not fit in C-CBA-30.

BR3	Bottle rack for 19"d (A) ice bin	\$61	3#
-----	----------------------------------	------	----

ICE BIN DIVIDERS Stainless steel panel placed inside the ice bin front-to-back to separate different types of ice.

IBD-H-A	Ice bin divider for 19"d (A) ice bin	\$98	4#
IBD-H-A-ED	Ice bin divider for 19"d (A) extra deep ice bin	\$115	4#



C-IB-38X24

PRODUCT INFORMATION

(see CB-IB-38x24 Spec Sheet for complete details)

STANDARD FEATURES

- For pass thru design applications allowing both bartender and cocktail server access
- All stainless steel construction
- PVC plastic breaker strip around ice bin liner acts as a thermal barrier to prevent heat transfer
- Adjustable thermoplastic bullet feet

A 24" wide by 38" deep pass-thru ice bin is used to provide the cocktail servers with access to the ice. Pass-thru ice bins have the same features as standard ice bins, except there is no backsplash and the optional sliding cover is double sided. The bartender side of the ice bin lines up with the underbar equipment the same as a standard ice bin. The 38" deep dimension also allows a pass-thru ice bin to line up with back-to-back mounted underbar equipment (see sample drawings).

PASS THRU ICE BIN

<u>MODEL</u>	<u>LIST</u>	<u>WGT</u>	<u>ICECAPACITY</u>
C-IB-38X24*	\$2,908	100#	175#

WITH 10-CIRCUIT COLD PLATE


C-IB-38X24-CP10	\$4,423	190#	175#
-----------------	---------	------	------

*NOTE: This model is manufactured to order and is not returnable

NOTE: Ice bins intended to store potable ice must be ordered with an ice bin cover to maintain the sanitation listing


PASS THRU ICE BIN ACCESSORIES

<u>MODEL</u>	<u>DESCRIPTION</u>	<u>LIST</u>	<u>WGT</u>
C-SR-24	24" single speed rail	\$191	7#
C-DR-24	24" double speed rail	\$381	14#
C-IBC-38X24	Three-piece sliding stainless steel cover	\$366	14#
C-BW6-38X24	Set of two BW3 bottle wells with four-piece stainless steel sliding cover for C-IB-38X24	\$442	20#
CCD	Condiment dispenser, stainless steel with hinged plexi-glass lid and six 16 oz. cups	\$193	5#
IBD-H-P	Ice bin divider for C-IB-38X24	\$164	4#
IBD-H-P-CP	Ice bin divider for C-IB-38X24-CP10	\$176	4#
IBD-H-P-LR	Ice bin divider, left to right, for C-IB-38X24	\$125	4#



BARTENDER SIDE

Underbar Plan View with Pass-Thru Ice Bin and Back-to-Back Mounted Underbar



BARTENDER SIDE

Underbar Plan View with Pass-Thru Ice Bin

Patented. For more information visit:
<https://www.glastender.com/patents>



C-SHA-6

19" DEEP SODA GUN HOLDERS

MODEL	LIST	LENGTH	WEIGHT
C-SHA-4	\$708	4"	22#
C-SHA-4-ED	\$753	4"	24#
C-SHA-6	\$742	6"	25#
C-SHA-6-ED	\$792	6"	27#

24" DEEP SODA GUN HOLDERS

C-SHB-4	\$751	4"	22#
C-SHB-4-ED	\$805	4"	24#
C-SHB-6	\$785	6"	25#
C-SHB-6-ED	\$843	6"	27#

38" DEEP PASS THRU SODA GUN HOLDERS

C-SHP-4	\$1,134	4"	32#
C-SHP-4-ED	\$1,210	4"	34#
C-SHP-6	\$1,201	6"	35#
C-SHP-6-ED	\$1,282	6"	37#

PRODUCT INFORMATION

(see C-SH Spec Sheet for complete details)

STANDARD FEATURES

- All stainless steel construction
- Designed to house the manifold of Wunder-Bar® or Schroeder America™ 8 to 14 button soda guns
- Includes integral drip pan with radius corners for easy cleaning
- Built-in holder for soda gun
- Top cover is removable for access to the soda manifold
- Allows you to dictate the soda gun location
- Eliminates the need for tubing bundles above the work surface
- Designed to mount to at least one other piece of underbar equipment (there is no provision for leg mounting)
- Pre-aligned mounting holes and bolts ensure a secure and exact fit when mounting adjoining units
- Extra deep "-ED" models available to align with extra-deep style ice bins



C-SMHA-6



C-SMHA-6 with top cover removed and soda manifold installed

PRODUCT INFORMATION

(see C-SMH Spec Sheet for complete details)

STANDARD FEATURES

- All stainless steel construction
- Designed to house the manifold of Wunder-Bar® or Schroeder America™ 8 to 14 button soda guns
- Once installed, the top of the housing is 34" high
- Top cover is removable for access to the soda manifold
- Eliminates the need for tubing bundles above the work surface
- Mounts to an adjacent piece of Choice underbar (there is no provision for leg mounting)
- The soda gun drip cup supplied by the soda gun manufacturer mounts to the underside of your bar top
- Extra deep "-ED" models available to align with extra-deep style ice bins

19" DEEP SODA MANIFOLD HOUSINGS

<u>MODEL</u>	<u>LIST</u>	<u>LENGTH</u>	<u>WEIGHT</u>
C-SMHA-4	\$473	4"	20#
C-SMHA-4-ED	\$508	4"	22#
C-SMHA-6	\$507	6"	23#
C-SMHA-6-ED	\$546	6"	25#

24" DEEP SODA MANIFOLD HOUSINGS

C-SMHB-4	\$503	4"	24#
C-SMHB-4-ED	\$564	4"	26#
C-SMHB-6	\$538	6"	28#
C-SMHB-6-ED	\$604	6"	30#

38" DEEP PASS THRU MANIFOLD HOUSING

C-SMHP-4	\$795	4"	35#
C-SMHP-4-ED	\$863	4"	37#
C-SMHP-6	\$856	6"	38#
C-SMHP-6-ED	\$927	6"	40#



UMGH

**UNDERCOUNTER MOUNT GUN HOLDER**

<u>MODEL</u>	<u>LIST</u>	<u>WGT</u>
UMGH	\$138	3#

14 gauge stainless steel with rubber grommet and plastic drip pan. Grommet is specially sized to properly hold both Wunder-Bar® and Schroeder America™ style soda guns. Includes 10' of drain line tube.

Pricing effective February 1, 2022

Choice Tubing Chases



C-TCA

PRODUCT INFORMATION

(see C-TC Spec Sheet for complete details)

STANDARD FEATURES

- All stainless steel construction
- Tubing chase is 5-1/2" x 6" x 4" high
- Mounts between adjacent underbar equipment (there is no provision for leg mounting)
- Can be set in place after beverage lines are installed

TUBING CHASES

<u>MODEL</u>	<u>LIST</u>	<u>LENGTH</u>	<u>DEPTH</u>	<u>WEIGHT</u>
C-TCA	\$489	6"	19"	20#
C-TCB	\$554	6"	24"	24#

PRODUCT INFORMATION

(see C-BS and C-FBS Spec Sheets for complete details)

STANDARD FEATURES

- All stainless steel construction
- One-piece seamless top and backsplash
- Adjustable thermoplastic bullet feet
- Sink models have 9-1/4" by 11-1/2" by 6" deep sink bowl with hot and cold water faucet. A perforated plastic sink strainer is available as an accessory.
- Model C-BSA-12 is available with a foot-operated faucet. Specify accessory number FOF-B.
- Blender shelf features radius interior corners for easy cleaning
- Power cord access hole with grommet located on front skirt, behind the blender
- 24" deep models have a 9" deep shelf
- 29" deep models have a 10" deep shelf
- Junction box for duplex GFI outlet mounted underneath blender shelf (outlet not included)



C-BSA-12



C-FBSA-12

24" DEEP BLENDER STATIONS

MODEL	LIST	LENGTH	WEIGHT
C-BSA-12 ◦	\$1,680	12"	48#
C-BSA-14	\$1,662	14"	50#
C-BSA-18L†	\$1,733	18"	55#
C-BSA-18R†	\$1,733	18"	55#

29" DEEP BLENDER STATIONS

C-BSB-12	\$1,776	12"	53#
C-BSB-14	\$1,812	14"	55#
C-BSB-18	\$1,895	18"	60#

◦ = Foot-operated backsplash faucet accessory option

† Denotes faucet location as left or right



C-BBS-12

Additional blender shelf space can be added to standard underbar units by specifying a Choice Bolt-on Blender Shelf. Choice Bolt-on Blender Shelves are 10" deep and include a junction box for duplex outlet (outlet not included) mounted below the shelf.



Optional foot-operated faucet

FOF-B
• C-BSA-12

CHOICE BOLT-ON BLENDER SHELVES

MODEL	DESCRIPTION	LIST	WGT
C-BBS-12	12" bolt-on blender shelf	\$293	12#
C-BBS-18	18" bolt-on blender shelf	\$317	18#

24" DEEP FILLER BOARD BLENDER STATIONS*

MODEL	LIST	LENGTH	WEIGHT
C-FBSA-12	\$918	12"	40#
C-FBSA-14	\$945	14"	42#
C-FBSA-18	\$1,014	18"	45#

29" DEEP FILLER BOARD BLENDER STATIONS*

C-FBSB-12	\$978	12"	45#
C-FBSB-14	\$1,012	14"	47#
C-FBSB-18	\$1,084	18"	50#

*NOTE: These blender stations are manufactured to order and are not returnable

BLENDER STATIONS ACCESSORIES

MODEL	DESCRIPTION	LIST	WGT
03000483	Wet waste sink strainer	\$55	1#
C-LS15-F	Left side splash for 24"d blender station	\$150	4#
C-RS15-F	Right side splash for 24"d blender station	\$150	4#
C-LSA-F	Left side splash for 29"d blender station	\$150	4#
C-RSA-F	Right side splash for 29"d blender station	\$150	4#
TR	Towel ring	\$20	1#
◦FOF-B	Convert C-BSA-12 to foot-operated backsplash faucet	\$555	3#

WARNING: The plastic wet waste strainer included with this product can expose you to chemicals including Bisphenol A (BPA), which is known to the State of California to cause birth defects or other reproductive harm. For more information, go to www.P65Warnings.ca.gov.
Warning applies to State of California only. Part #03000483



C-FBB-24

PRODUCT INFORMATION

(see C-FB Spec Sheet for complete details)

STANDARD FEATURES

- All stainless steel construction
- Adjustable thermoplastic bullet feet
- One-piece seamless top and backsplash

Choice Filler Boards are constructed of all stainless steel and include a flat work surface for situations where a draining work surface is not desired. Filler boards are not typically used for glass storage, but are more commonly used as a place to set a printer, POS system, or cash drawer.

19" DEEP FILLER BOARDS

MODEL	LIST	LENGTH	WEIGHT
C-FBA-18	\$883	18"	40#
C-FBA-24	\$963	24"	45#

24" DEEP FILLER BOARDS

C-FBB-18	\$989	18"	45#
C-FBB-24	\$1,090	24"	50#

*NOTE: Filler boards are manufactured to order and are not returnable

FILLER BOARD ACCESSORIES

MODEL	DESCRIPTION	LIST	WGT
C-SR-18	18" single speed rail	\$174	6#
C-SR-24	24" single speed rail	\$191	7#
C-DR-18	18" double speed rail	\$344	11#
C-DR-24	24" double speed rail	\$381	14#
C-LSA-F	Left side splash for C-FBA models	\$150	4#
C-RSA-F	Right side splash for C-FBA models	\$150	4#
C-LSB-F	Left side splash for C-FBB models	\$175	5#
C-RSB-F	Right side splash for C-FBB models	\$175	5#

PRODUCT INFORMATION

(see C-RDB Spec Sheet for complete details)

STANDARD FEATURES

- All stainless steel construction
- Adjustable thermoplastic bullet feet
- One-piece seamless top and backsplash featuring 1/4" radius corners for easy cleaning
- Corrugated work surface
- Lift-out stainless steel perforated shelf for stacking glassware


*NOTE: Recessed drainboards are manufactured to order and are not returnable

RECESSED DRAINBOARDS

MODEL	LIST	LENGTH	WEIGHT
C-RDB-12	\$1,035	12"	50#
C-RDB-18	\$1,139	18"	55#
C-RDB-24	\$1,248	24"	60#



C-RDB-18



Recessed drainboards have the same corrugated work surface as normal drainboards except the work surface has been lowered to allow stacking of glassware. A perforated shelf is placed on top of the first level of glassware and a second layer of glassware is stacked on top of it. Recessed drainboards work best when only one style of glassware is being stored.



C-DBB-12

19" DRAINBOARDS

MODEL	LIST	LENGTH	WEIGHT
C-DBA-12	\$821	12"	45#
C-DBA-18	\$884	18"	50#
C-DBA-24	\$949	24"	55#
C-DBA-30	\$1,012	30"	60#
C-DBA-36	\$1,078	36"	65#
C-DBA-42	\$1,141	42"	70#
C-DBA-48	\$1,205	48"	75#

24" DRAINBOARDS

C-DBB-12	\$882	12"	50#
C-DBB-18	\$953	18"	55#
C-DBB-24	\$1,026	24"	60#
C-DBB-30	\$1,099	30"	65#
C-DBB-36	\$1,172	36"	70#
C-DBB-42	\$1,247	42"	75#
C-DBB-48	\$1,318	48"	80#

PRODUCT INFORMATION

(see C-DB Spec Sheet for complete details)

STANDARD FEATURES

- All stainless steel construction
- Adjustable thermoplastic bullet feet
- Corrugated work surface
- One-piece seamless top and backsplash featuring 1/4" radius corners for easy cleaning
- Standard models available in 6" incremental lengths from 12" to 48"
- 24" deep models provide a larger drainboard storage area not just a deck extension on the back of the 19" deep model


DRAINBOARD ACCESSORIES

MODEL	DESCRIPTION	LIST	WEIGHT
C-SR-12	12" single speed rail	\$155	5#
C-SR-18	18" single speed rail	\$174	6#
C-SR-24	24" single speed rail	\$191	7#
C-SR-30	30" single speed rail	\$210	9#
C-SR-36	36" single speed rail	\$228	10#
C-SR-42	42" single speed rail	\$248	12#
C-SR-48	48" single speed rail	\$266	13#
C-DR-12	12" double speed rail	\$305	9#
C-DR-18	18" double speed rail	\$344	11#
C-DR-24	24" double speed rail	\$381	14#
C-DR-30	30" double speed rail	\$420	16#
C-DR-36	36" double speed rail	\$457	18#
C-DR-42	42" double speed rail	\$495	21#
C-DR-48	48" double speed rail	\$532	24#
C-LSA-D	Left side splash for C-DBA models	\$150	4#
C-RSA-D	Right side splash for C-DBA models	\$150	4#
C-LSB-D	Left side splash for C-DBB models	\$175	5#
C-RSB-D	Right side splash for C-DBB models	\$175	5#

Dimensional Full Corner Drainboards are for 90° inside turns only. The dimensions of the corner are specified in the model number. If the dimensions of each side are not the same, the longest dimension is specified second along with its location.

Corner drainboards are designed to mount between two pieces of Choice underbar. However, corner drainboards can be used to mount between any two stable vertical surfaces. Corners should not be mounted to objects that are mobile or on casters.


Because they are intended to mount between two vertical surfaces, corner drainboards do not come with legs. If one side of the corner does not have a vertical surface on which to mount, then a leg set must be ordered as an accessory.



DIMENSIONAL CORNER DRAINBOARDS

MODEL	LIST	LEFT	RIGHT	WEIGHT
C-IFC-19/19	\$814	19"	19"	40#
C-IFC-19/24L	\$877	24"	19"	45#
C-IFC-19/24R	\$877	19"	24"	45#
C-IFC-19/30L	\$953	30"	19"	50#
C-IFC-19/30R	\$953	19"	30"	50#
C-IFC-24/24	\$945	24"	24"	50#
C-IFC-24/30L	\$1,029	30"	24"	55#
C-IFC-24/30R	\$1,029	24"	30"	55#

DIMENSIONAL CORNER DRAINBOARDS WITH CHAMFERED BACK CORNER



DIMENSIONAL CORNER DRAINBOARDS WITH CHAMFERED BACK CORNER

C-IFC-19/19-N	\$814	19"	19"	40#
C-IFC-24/24-N	\$945	24"	24"	50#

PRODUCT INFORMATION

(see C-IFC Spec Sheet for complete details)

STANDARD FEATURES


- All stainless steel construction
- Designed to mount between two adjacent pieces of Choice underbar equipment
- Corrugated work surface features 1/4" radius corners for easy cleaning

DIMENSIONAL CORNER DRAINBOARD ACCESSORY

MODEL	DESCRIPTION	LIST	WEIGHT
C-ULEG-2	Set of two legs for Choice underbar	\$112	6#

Choice Degree Corner Drainboards

Pricing effective February 1, 2022



Degree corner drainboards are all 24" deep and designed to mount between two pieces of Choice underbar. However, corner drainboards can be used to mount between any two stable vertical surfaces. Corners should not be mounted to objects that are mobile or on casters.

Because they are intended to mount between two vertical surfaces, corner drainboards do not come with legs. If one side of the corner does not have a vertical surface on which to mount, then a leg set must be ordered as an accessory.

PRODUCT INFORMATION

(see C-ICC and C-OCC Spec Sheets for complete details)

STANDARD FEATURES

- All stainless steel construction
- Designed to mount between two adjacent pieces of Choice underbar equipment
- Corrugated work surface features 1/4" radius corners for easy cleaning

24" DEEP DEGREE CORNER DRAINBOARDS

MODEL	LIST	DEGREE	TURN	WEIGHT
C-ICC-45	\$864	45°	Inside	38#
C-ICC-90	\$928	90°	Inside	45#
C-OCC-45	\$945	45°	Outside	40#

DEGREE CORNER DRAINBOARD ACCESSORY

MODEL	DESCRIPTION	LIST	WEIGHT
C-ULEG-2	Set of two legs for Choice underbar	\$112	6#

Choice Corner Filler Boards

Pricing effective February 1, 2022



Corner filler boards are all 24" deep and available for small degree inside turns. Corner filler boards are designed to mount between two pieces of Choice underbar. However, corner filler boards can be used to mount between any two stable vertical surfaces. Corners should not be mounted to objects that are mobile or on casters.

Because they are small and intended to mount between two vertical surfaces, corner filler boards do not come with legs or have optional legs available. If one side of the flat top corner filler does not have a vertical surface on which to mount, the end user must ensure the one adjoining surface is secure and stable.

24" DEEP CORNER FILLER BOARDS

MODEL	LIST	DEGREE	WEIGHT
C-FIB-5	\$426	5°	25#
C-FIB-10	\$437	10°	27#
C-FIB-15	\$478	15°	29#
C-FIB-20	\$497	20°	31#
C-FIB-25	\$515	25°	33#
C-FIB-30	\$534	30°	35#

PRODUCT INFORMATION

(see C-FIB Spec Sheet for complete details)

STANDARD FEATURES

- All stainless steel construction
- Designed to mount between two adjacent pieces of Choice underbar equipment

Glassracks are designed to hold racks of glassware stacked on top of each other. The 24" wide model holds 20" by 20" racks and the 18" wide models hold the 16" round racks used with the Glastender GT-18 glasswashers. Optional shelves are available as an accessory.

PRODUCT INFORMATION

(see C-GR Spec Sheet for complete details)

STANDARD FEATURES

- All stainless steel construction
- Adjustable thermoplastic bullet feet
- Full bottom shelf includes drain

19" DEEP OPEN GLASSRACKS*

MODEL	LIST	LENGTH	WEIGHT
C-GRA-18	\$1,241	18"	55#
C-GRA-24	\$1,323	24"	65#

24" DEEP OPEN GLASSRACKS

C-GRB-18	\$1,419	18"	65#
C-GRB-24	\$1,512	24"	75#

*NOTE: 19" deep open glassracks are manufactured to order and are not returnable

OPEN GLASSRACK ACCESSORY

MODEL	DESCRIPTION	LIST	WEIGHT
03013601	Shelf kit for 18" wide model, includes two shelves and eight clips	\$304	7#
03013602	Shelf kit for 24" wide model, includes two shelves and eight clips	\$329	8#



C-GRA-24



24" SHELF



C-DBG3-24

Drainboard Glassracks are designed to hold racks for glassware. All models are 24" deep. The 24" wide model holds 20" by 20" racks and the 18" wide model holds the 16" round racks used with Glastender GT-18 glasswashers.

PRODUCT INFORMATION

(see C-DBG Spec Sheet for complete details)

STANDARD FEATURES

- All stainless steel construction
- Adjustable thermoplastic bullet feet
- One-piece seamless top and backsplash featuring 1/4" radius corners for easy cleaning
- Corrugated work surface
- Includes bottom floor and two sets of rack slides for storing up to three glass racks below the work surface

NOTE: Three racks up to 7" high or two racks up to 10-1/2" high.

24" DEEP DRAINBOARD GLASSRACKS

MODEL	LIST	LENGTH	WEIGHT
C-DBG3-18	\$1,336	18"	70#
C-DBG3-24	\$1,478	24"	80#

DRAINBOARD GLASSRACK ACCESSORIES

MODEL	DESCRIPTION	LIST	WGT
C-LSB-D	Left side splash for 24"d (B) models	\$175	5#
C-RSB-D	Right side splash for 24"d (B) models	\$175	5#

Drainboard Cabinets have a bottom shelf and drainboard work surface. An adjustable intermediate shelf is available as an accessory. They are available with or without doors. The models with doors come with a lock standard. The 12", 18", and 24" wide models only have one door and all other models have two doors.

19" DRAINBOARD CABINETS*

MODEL	LIST	LENGTH	WEIGHT
C-DBCA-12	\$1,442	12"	65#
C-DBCA-18	\$1,615	18"	75#
C-DBCA-24	\$1,787	24"	85#
C-DBCA-30	\$2,075	30"	95#
C-DBCA-36	\$2,246	36"	105#
C-DBCA-42	\$2,418	42"	115#
C-DBCA-48	\$2,591	48"	125#

19" DRAINBOARD CABINETS LESS DOORS*

C-DBCA-12-LD	\$1,042	12"	59#
C-DBCA-18-LD	\$1,153	18"	66#
C-DBCA-24-LD	\$1,264	24"	73#
C-DBCA-30-LD	\$1,375	30"	80#
C-DBCA-36-LD	\$1,487	36"	87#
C-DBCA-42-LD	\$1,597	42"	94#
C-DBCA-48-LD	\$1,708	48"	101#

24" DRAINBOARD CABINETS

C-DBCB-12	\$1,438	12"	75#
C-DBCB-18	\$1,611	18"	85#
C-DBCB-24	\$1,786	24"	95#
C-DBCB-30	\$2,069	30"	105#
C-DBCB-36	\$2,243	36"	115#
C-DBCB-42	\$2,417	42"	125#
C-DBCB-48	\$2,592	48"	135#

24" DRAINBOARD CABINETS LESS DOORS

C-DBCB-12-LD	\$1,061	12"	69#
C-DBCB-18-LD	\$1,180	18"	76#
C-DBCB-24-LD	\$1,298	24"	83#
C-DBCB-30-LD	\$1,416	30"	90#
C-DBCB-36-LD	\$1,532	36"	97#
C-DBCB-42-LD	\$1,648	42"	104#
C-DBCB-48-LD	\$1,768	48"	111#

*NOTE: 19" drainboard cabinets are manufactured to order and are not returnable



C-DBCB-24

PRODUCT INFORMATION

(see C-DBC Spec Sheet for complete details)

STANDARD FEATURES

- All stainless steel construction
- Adjustable thermoplastic bullet feet
- One-piece seamless top and backsplash featuring 1/4" radius corners for easy cleaning
- Corrugated work surface
- Lock(s) standard on models with a door(s)
- Units with a single door come hinged left, but the door is field reversible
- Plumbing connection is made underneath the unit and does not interfere with shelf or floor

DRAINBOARD CABINET ACCESSORIES

MODEL	DESCRIPTION	LIST	WEIGHT
03013585	Shelf kit for C-DBCA-12	\$105	5#
03013586	Shelf kit for C-DBCA-18	\$127	6#
03013587	Shelf kit for C-DBCA-24	\$148	7#
03013588	Shelf kit for C-DBCA-30	\$173	8#
03013589	Shelf kit for C-DBCA-36	\$191	10#
03013590	Shelf kit for C-DBCA-42	\$215	11#
03013591	Shelf kit for C-DBCA-48	\$237	12#
03013592	Shelf kit for C-DBCB-12	\$121	5#
03013593	Shelf kit for C-DBCB-18	\$147	7#
03013594	Shelf kit for C-DBCB-24	\$177	8#
03013595	Shelf kit for C-DBCB-30	\$206	10#
03013596	Shelf kit for C-DBCB-36	\$235	12#
03013597	Shelf kit for C-DBCB-42	\$263	13#
03013598	Shelf kit for C-DBCB-48	\$291	15#
C-LSA-D	Left side splash for 19"d (A) models	\$150	4#
C-RSA-D	Right side splash for 19"d (A) models	\$150	4#
C-LSB-D	Left side splash for 24"d (B) models	\$175	5#
C-RSB-D	Right side splash for 24"d (B) models	\$175	5#



C-HSA-12-D

19" DEEP HAND SINKS

MODEL	LIST	LENGTH	WEIGHT
C-HSA-12	\$1,485	12"	45#
C-HSA-12-D *	\$1,769	12"	50#

19" DEEP WET WASTE SINK

C-SWA-12	\$1,540	12"	47#
----------	---------	-----	-----

24" DEEP HAND SINKS

C-HSB-12	\$1,567	12"	50#
C-HSB-12-D *	\$1,856	12"	55#

24" DEEP WET WASTE SINK

C-SWB-12	\$1,622	12"	52#
----------	---------	-----	-----

* = Foot-operated deck faucet accessory option



03000483



TR



Optional foot-operated faucet

FOF-D
• C-HSA-12-D
• C-HSB-12-D

PRODUCT INFORMATION

(see C-HS Spec Sheet for complete details)

STANDARD FEATURES

- Manufactured with total welded construction to meet NSF® standards
- All stainless steel construction
- One-piece seamless top and backsplash featuring 1/4" radius corners for easy cleaning
- Adjustable thermoplastic feet
- 9-1/4" by 11-1/2" by 6" deep sink bowl with hot and cold water gooseneck faucet with 2.0 GPM aerator
- Models C-HSA-12-D and C-HSB-12-D feature a soap dispenser and front skirt mounted C-fold paper towel dispenser
- Models C-HSA-12-D and C-HSB-12-D are available with a foot-operated faucet. Specify accessory number FOF-D.
- Wet waste sink models C-SWA-12 and C-SWB-12 include a lift-out perforated plastic wet waste strainer

SINGLE BOWL SINK ACCESSORIES

MODEL	DESCRIPTION	LIST	WEIGHT
C-SR-12	12" single speed rail, cannot mount to "-D" models	\$155	5#
C-DR-12	12" double speed rail, cannot mount to "-D" models	\$305	9#
C-DWR-S	Dry waste rail, aligns with single speed rail, cannot mount to "-D" models	\$184	5#
C-DWR-D	Dry waste rail, aligns with double speed rail, cannot mount to "-D" models	\$375	9#
C-LSA-D	Left side splash for 19"deep (A) models	\$150	4#
C-RSA-D	Right side splash for 19"deep (A) models	\$150	4#
C-LSB-D	Left side splash for 24"deep (B) models	\$175	5#
C-RSB-D	Right side splash for 24"deep (B) models	\$175	5#
03000483	Wet waste sink strainer (standard on "SW" models)	\$55	2#
03000511	Wrist handles, set of two	\$47	2#
TR	Towel ring	\$20	1#
DWC	Trash receptacle, stainless steel	\$492	10#
03005491	Trash receptacle, 28½ qt., gray plastic	\$70	5#
TD-C	Paper towel dispenser, C-fold	\$269	5#
03001873	Liquid soap dispenser, hand-pump	\$77	1#
03014739	Aerator, faucet, 1.5 GPM	\$14	1#
03014738	Aerator, faucet, 0.5 GPM	\$14	1#
03014737	Aerator, faucet, 0.2 GPM	\$14	1#
*FOF-D	Convert to foot-operated deck faucet for C-HSA-12-D and C-HSB-12-D models	\$424	3#

WARNING: The plastic wet waste strainer included with this product can expose you to chemicals including Bisphenol A (BPA), which is known to the State of California to cause birth defects or other reproductive harm. For more information, go to www.P65Warnings.ca.gov. **Warning applies to State of California only.** Part #03000483

All Sink Cabinets are 24" deep and available with or without a locking door. The 12" wide chemical storage cabinet holds three 1-gallon chemical containers. The 18" wide dry waste cabinet holds a trash receptacle and has a 6" round trash chute in the work surface. The trash receptacle is not included.

The two 24" wide models include a 12" drainboard section with corrugated work surface. A vertical center divider allows three 1-gallon chemical containers to be stored below the sink with the other side of the cabinet available for additional storage. An intermediate shelf for the cabinet storage below the drainboard is available as an accessory. The sink may be located to the left or right, which is signified by the L or R in the model number.



C-SC-12



C-SC-18



C-SC-24R

12" WIDE X 24" DEEP SINK CABINETS

MODEL	LIST	LTH	WGT
C-SC-12	\$2,244	12"	70#
C-SC-12-LD	\$1,857	12"	64#

18" WIDE X 24" DEEP SINK CABINETS

MODEL	LIST	LTH	WGT
C-SC-18	\$2,383	18"	80#
C-SC-18-LD	\$1,915	18"	71#

24" WIDE X 24" DEEP SINK CABINETS

MODEL	LIST	LTH	WGT
C-SC-24L*	\$2,870	24"	95#
C-SC-24R*	\$2,870	24"	95#
C-SC-24L-LD*	\$2,290	24"	83#
C-SC-24R-LD*	\$2,290	24"	83#

*L = Sink Left, R = Sink Right

WARNING: The plastic wet waste strainer included with this product can expose you to chemicals including Bisphenol A (BPA), which is known to the State of California to cause birth defects or other reproductive harm. For more information, go to www.P65Warnings.ca.gov. **Warning applies to State of California only.** Part #03000483

PRODUCT INFORMATION

(see C-SC Spec Sheet for complete details)

STANDARD FEATURES

- Manufactured with total welded construction to meet NSF® standards
- All stainless steel construction
- One-piece seamless top and backsplash featuring 1/4" radius corners for easy cleaning
- Adjustable thermoplastic feet
- 9-1/4" by 11-1/2" by 6" deep sink bowl with hot and cold water gooseneck faucet
- Cabinet base with front hinged access door (available less door - specify "-LD" suffix in model number)

SINK CABINET ACCESSORIES

MODEL	DESCRIPTION	LIST	WEIGHT
03000483	Wet waste strainer	\$55	2#
C-LSB-D	Left side splash	\$175	5#
C-RSB-D	Right side splash	\$175	5#
DWC	Trash receptacle, stainless steel, for C-SC-18 models	\$492	10#
03005491	Trash receptacle, 28-1/2 qt, plastic, for C-SC-18 models	\$70	5#
TR	Towel ring	\$20	1#
03013600	Shelf kit for storage area below drainboard on C-SC-24 models	\$153	5#
03000511	Wrist handles (set of two)	\$47	2#

All faucets are certified low lead compliant

PRODUCT INFORMATION

(see C-Mixology Units Spec Sheet for complete details)

STANDARD FEATURES

- Manufactured with total welded construction to meet NSF® standards
- All stainless steel construction
- One-piece seamless top and backsplash featuring 1/4" radius corners for easy cleaning
- Adjustable thermoplastic bullet feet (does not include C-MFT-8)
- Backsplash faucet may be converted to foot-operated. Specify accessory number FOF-B (does not include C-MFT-8).

C-MRS-12 MIXOLOGY UNIT

Includes backsplash faucet, push-down rinser faucet to rinse shaker cans, and a lift-out perforated plastic sink strainer

MODEL	LIST	LTH	WGT
C-MRS-12	\$2,164	12"	55#



C-MRS-12

C-MFT-20 MIXOLOGY UNIT

Includes backsplash faucet, push-down rinser faucet to rinse shaker cans, a lift-out perforated plastic sink strainer, a 6" diameter seamless welded draining dipper well and faucet for mixology tools, an 8" x 11" cutting board that is securely mounted but easily removable for cleaning, and an ice scoop well

MODEL	LIST	LTH	WGT
C-MFT-20	\$3,544	20"	65#



C-MFS-12

C-MFS-12 MIXOLOGY UNIT

Includes backsplash faucet, a lift-out perforated plastic sink strainer, and an 8" x 11" cutting board that is securely mounted but easily removable for cleaning

MODEL	LIST	LTH	WGT
C-MFS-12	\$2,037	12"	55#



C-MTS-14

C-MFT-8 MIXOLOGY UNIT

Includes push-down rinser faucet to rinse shaker cans, a 6" diameter seamless welded draining dipper well and faucet for mixology tools, and a 7-1/2" x 7-1/2" cutting board that is securely mounted but easily removable for cleaning. NOTE: No legs. Must mount to adjacent under-bar.


MODEL	LIST	LTH	WGT
C-MFT-8	\$2,176	8"	40#



C-MFT-8

MIXOLOGY SINK ACCESSORIES

MODEL	DESCRIPTION	LIST	WGT
C-LSM	Left side splash, C-MFS-12, C-MFT-8, C-MFT-20	\$150	4#
C-RSM	Right side splash, C-MFS-12, C-MFT-8, C-MFT-20	\$150	4#
C-LSB-D	Left side splash for 24"d models	\$175	5#
C-RSB-D	Right side splash for 24"d models	\$175	5#
FOF-B	Convert to foot-operated backsplash faucet (excludes C-MFT-8 model)	\$555	3#



C-MFT-20

Rinser faucet installation notes:

- Important: Unit must be installed in conformance with applicable federal, state, and local plumbing codes, including adequate backflow when required.
- Must install backflow prevention device conforming to ANSI/ASSE 1022 or ANSI/ASSE 1024 to meet plumbing code (not included).
- Install in-line water regulator (included).
- A separate shut-off valve is recommended (not included).

⚠ WARNING: The plastic wet waste strainer included with this product can expose you to chemicals including Bisphenol A (BPA), which is known to the State of California to cause birth defects or other reproductive harm. For more information, go to www.P65Warnings.ca.gov. **Warning applies to State of California only.** Part #03000483

Two Compartment Sinks

19" DEEP		24" DEEP		OVERALL	SINK	DRAINBOARD	
MODEL	LIST	MODEL	LIST	LENGTH	LOCATION	LENGTH	WEIGHT
C-DSA-24*	\$2,389	C-DSB-24*	\$2,405	24"	Center	N/A	90#
C-DSA-36L*	\$2,522	C-DSB-36L*	\$2,554	36"	Left	12"	100#
C-DSA-36R*	\$2,522	C-DSB-36R*	\$2,554	36"	Right	12"	100#
C-DSA-48*	\$2,653	C-DSB-48*	\$2,703	48"	Center	2 @ 12"	110#

Three Compartment Sinks

C-TSA-36	\$2,705	C-TSB-36	\$2,735	36"	Center	N/A	110#
C-TSA-48L*	\$2,830	C-TSB-48L*	\$2,875	48"	Left	12"	120#
C-TSA-48R*	\$2,830	C-TSB-48R*	\$2,875	48"	Right	12"	120#
C-TSA-60	\$2,983	C-TSB-60	\$3,048	60"	Center	2 @ 12"	130#
C-TSA-72	\$3,103	C-TSB-72	\$3,182	72"	Center	2 @ 18"	145#
C-TSA-84*	\$3,241	C-TSB-84*	\$3,341	84"	Center	2 @ 24"	160#
C-TSA-96*	\$3,361	C-TSB-96*	\$3,478	96"	Center	2 @ 30"	175#

Four Compartment Sinks

C-FSA-48	\$3,286	C-FSB-48	\$3,462	48"	Center	N/A	125#
C-FSA-72	\$3,563	C-FSB-72	\$3,637	72"	Center	2 @ 12"	155#
C-FSA-84*	\$3,702	C-FSB-84*	\$3,796	84"	Center	2 @ 18"	170#
C-FSA-96*	\$3,820	C-FSB-96*	\$3,933	96"	Center	2 @ 24"	185#

Multiple Sink Accessories

MODEL	DESCRIPTION	LIST	WGT
C-SR-24	24" single speed rail	\$191	7#
C-SR-36	36" single speed rail	\$228	10#
C-SR-42	42" single speed rail	\$248	12#
C-SR-48	48" single speed rail	\$266	13#
C-SR-60	60" single speed rail	\$367	18#
C-SR-72	72" single speed rail	\$405	23#
C-DR-24	24" double speed rail	\$381	14#
C-DR-36	36" double speed rail	\$457	18#
C-DR-42	42" double speed rail	\$495	21#
C-DR-48	48" double speed rail	\$532	24#
C-DR-60	60" double speed rail	\$695	32#
C-DR-72	72" double speed rail	\$772	40#

NOTE: For 84" sink order two 42" speed rails or for 96" sink order two 48" speed rails.

C-LSA-D	Left side splash for 19"d (A) models	\$150	4#
C-RSA-D	Right side splash for 19"d (A) models	\$150	4#
C-LSB-D	Left side splash for 24"d (B) models	\$175	5#
C-RSB-D	Right side splash for 24"d (B) models	\$175	5#
TR	Towel ring	\$20	1#
LWS	Large wet waste strainer, plastic	\$144	2#
03002552	Sink cover, perforated, for C-DS models	\$144	5#
03002553	Sink cover, perforated, for C-TS models	\$216	8#
03002554	Sink cover, perforated, for C-FS models	\$290	12#

PRODUCT INFORMATION

(see C-DS, C-TS, and C-FS

Spec Sheets for
complete details)

STANDARD FEATURES

- All stainless steel construction and adjustable thermoplastic bullet feet
- One-piece seamless top and backsplash featuring 1/4" radius corners for easy cleaning
- 20 gauge stainless steel fabricated sink bowls are 70% thicker than the competition's 20 gauge drawn bowls
- 11" by 14" by 10-1/4" deep sink bowl with hot and cold water faucet
- Extra wide sink bowl easily accommodates brush washer
- Perforated stainless steel inserts are available to cover sinks when not in use
- One over-flow tube per sink bowl included



C-TSA-60

Compartment Sinks come in three different varieties: two, three, and four compartment. They feature a one-piece stainless steel top that is seamless all the way through the backsplash. Each variety is offered with or without built-in drainboards on one or both sides of the sink compartment. The corrugated drainboards, where included, are a seamless and integral part of the work surface. The seamless welded bowls are 20 gauge fabricated stainless steel. An 'L' or 'R' suffix in the model number designates the location of the sink compartment as left or right when there is only one drainboard.

*NOTE: These compartment sinks are manufactured to order and are not returnable

PRODUCT INFORMATION

(see C-LD Spec Sheet for complete details)

STANDARD FEATURES


- Easily usable height for storage
- All stainless steel construction and thermoplastic bullet feet
- Five (5) levels of liquor bottle storage
- Integrated bottle retaining rails
- Front rail matches speed rail appearance for design continuity
- Rear step on each model is extra wide (4-3/4") for specialty liquor bottles

24" DEEP LIQUOR STEPS

MODEL	LIST	LENGTH	WEIGHT
C-LD-12	\$1,155	12"	50#
C-LD-18	\$1,254	18"	55#
C-LD-24	\$1,354	24"	60#



C-LD-18



Installation Side Elevation

PRODUCT INFORMATION

(see C-PCB Spec Sheet for complete details)

STANDARD FEATURES

- All stainless steel construction with adjustable thermoplastic bullet feet
- One-piece seamless top and backsplash
- Louvered door for air flow on models with a door
- Lock standard on models with a door
- Special 26" high work surface height to accommodate cash drawer and POS monitor
- Grommated cord access hole in work surface
- Large access hole in back wall of unit



C-PCB-24

24" DEEP POS CABINETS

MODEL	LIST	LENGTH	WEIGHT
C-PCB-18	\$2,101	18"	71#
C-PCB-24	\$2,316	24"	81#


24" DEEP POS CABINETS LESS DOORS

C-PCB-18-LD	\$1,519	18"	62#
C-PCB-24-LD	\$1,676	24"	69#

POS CABINET ACCESSORIES*

MODEL	DESCRIPTION	LIST	WEIGHT
C-LSP-3	Left side splash	\$150	3#
C-RSP-3	Right side splash	\$150	3#

*NOTE: Verify cash drawer width before ordering side splash accessories

C-LSP-3 & C-RSP-3 Accessories
(shown on C-PCB-24)

Installation Side Elevation

Choice Island Oasis® Stand

Pricing effective February 1, 2022

The Choice Island Oasis® Stand is designed for use with the model number SB-3X Island Oasis® machine. The 18" wide by 29" deep stand has a lowered draining work surface and extended front to allow the machine to be stored at a convenient and usable height. In most bar applications, the clear plastic ice container will be visible above the bar top.

PRODUCT INFORMATION

(see C-IOS Spec Sheet for complete details)

STANDARD FEATURES


- All stainless steel construction
- Adjustable thermoplastic bullet feet
- 1" deep drain pan work surface to capture excess moisture
- One-piece seamless top and backsplash featuring 1/4" radius corners for easy cleaning
- Lowered work surface with extended front
- Designed to keep the majority of the Island Oasis® (model #SB-3X) below the bar top with only the clear plastic ice tub visible above the bar top
- Chamfered front to eliminate "knee knockers"

ISLAND OASIS® STAND

MODEL	LIST	LENGTH	WEIGHT
C-IOS-18	\$1,231	18"	50#



C-IOS-18



Installation Side Elevation

Choice Beer Drainers*

Pricing effective February 1, 2022

Beer Drainers have a 26" high, lowered work surface and are designed specifically for use with undercounter mounting beverage dispensers. The work surface includes a drain pan with perforated insert to serve as the drip pan for the dispenser and the backsplash is pulled forward 5" to provide access for beverage lines.

24" DEEP BEER DRAINERS

MODEL	LIST	LENGTH	WEIGHT
C-BD-18	\$963	18"	55#
C-BD-24	\$1,074	24"	60#
C-BD-30	\$1,183	30"	65#
C-BD-36	\$1,293	36"	70#

PRODUCT INFORMATION


(see C-BD Spec Sheet for complete details)

STANDARD FEATURES

- All stainless steel construction
- Designed with lowered work surface to work in conjunction with undercounter mounting beverage dispensers
- Adjustable thermoplastic bullet feet
- Backsplash pulled forward 5" to create large chaseway for beverage line access
- Front drain pan with lift-out stainless steel perforated insert



C-BD-18



Installation Side Elevation

*NOTE: Beer drainers are manufactured to order and are not returnable



C-DW-15L

There are three different Dry Waste Chute models to meet various installation requirements. For all three models, the top lifts up for emptying the trash receptacle. The top also lifts off completely for more thorough cleaning. The C-DW-12 is designed for mounting between two adjacent pieces of Choice underbar. The C-DW-15L and C-DW-15R include a left or right side and leg set, respectively, for mounting to just one piece of Choice underbar. The C-DW-18 is free standing. All models are designed to house a Rubbermaid® Slim Jim™ trash receptacle, which is available from Glastender under part number 03000497.

PRODUCT INFORMATION

(see C-DW Spec Sheet for complete details)

STANDARD FEATURES

- All stainless steel construction
- Top lifts off completely for thorough cleaning
- Matches 30" high work surface profile of adjacent equipment
- Designed to house the Rubbermaid® Slim Jim™ trash receptacle

24" DEEP DRY WASTE CHUTES

MODEL	LIST	LEG POSITION	LENGTH	WEIGHT
C-DW-12	\$538	N/A	12"	30#
C-DW-15L	\$946	Left	15"	45#
C-DW-15R	\$946	Right	15"	45#
C-DW-18*	\$1,420	Left & Right	18"	60#

DRY WASTE CHUTE ACCESSORY

MODEL	DESCRIPTION	LIST	WEIGHT
03000497	Slim Jim trash receptacle	\$238	10#

*NOTE: C-DW-18 dry waste chutes are manufactured to order and are not returnable

Choice Clip-On Dry Waste Rails

PRODUCT INFORMATION

(see C-DWR Spec Sheet for complete details)



C-DWR-S

The C-DWR-S is 5" deep front-to-back and designed to align with adjacent equipment that has a single speed rail.

There are three different Clip-On Dry Waste Rail models to meet various installation requirements. For all three versions, the dry waste chute portion easily lifts off for thorough cleaning.



C-DWR-D

The C-DWR-D model is 10" deep front-to-back and designed to align with adjacent equipment that has a double speed rail. The C-DWR-D has a speed rail step in the back with the dry waste chute at the front.



C-DWR-C

The C-DWR-C model is designed to clip to another speed rail and adds 5" to the front-to-back depth.

STANDARD FEATURES

- All stainless steel construction
- Matches speed rail profile for continuity of design
- Bolts to the front skirt of non-cabinet base underbar equipment or clips to the rail of an underbar speed rails
- Stainless steel chute is removable for cleaning

CLIP-ON DRY WASTE RAILS

MODEL	LIST	LENGTH	DEPTH	WEIGHT
C-DWR-S	\$184	12"	5"	5#
C-DWR-D	\$375	12"	10"	9#
C-DWR-C	\$189	12"	5"	5#

SINGLE SPEED RAILS

MODEL	LIST	LENGTH	WEIGHT
C-SR-12	\$155	12"	5#
C-SR-13 to 18	\$174	13" to 18"	6#
C-SR-19 to 24	\$191	19" to 24"	7#
C-SR-25 to 30	\$210	25" to 30"	9#
C-SR-31 to 36	\$228	31" to 36"	10#
C-SR-37 to 42	\$248	37" to 42"	12#
C-SR-43 to 48	\$266	43" to 48"	13#
C-SR-49 to 54	\$350	49" to 54"	16#
C-SR-55 to 60	\$367	55" to 60"	18#
C-SR-61 to 66	\$386	61" to 66"	21#
C-SR-67 to 72	\$405	67" to 72"	23#

DOUBLE SPEED RAILS

MODEL	LIST	LENGTH	WEIGHT
C-DR-12	\$305	12"	9#
C-DR-13 to 18	\$344	13" to 18"	11#
C-DR-19 to 24	\$381	19" to 24"	14#
C-DR-25 to 30	\$420	25" to 30"	16#
C-DR-31 to 36	\$457	31" to 36"	18#
C-DR-37 to 42	\$495	37" to 42"	21#
C-DR-43 to 48	\$532	43" to 48"	24#
C-DR-49 to 54	\$657	49" to 54"	28#
C-DR-55 to 60	\$695	55" to 60"	32#
C-DR-61 to 66	\$733	61" to 66"	36#
C-DR-67 to 72	\$772	67" to 72"	40#



C-SR-18



C-DR-24

PRODUCT INFORMATION

(see C-SR and C-DR Spec Sheets for complete details)

STANDARD FEATURES

- All stainless steel construction
- Available in single and double step models
- Available in custom lengths up to 72".
NOTE: Custom lengths are manufactured to order and are not returnable.
- Locking covers are available in custom lengths up to 48". For longer speed rails order two covers at half the length. For double speed rails order two times the number of covers.



C-SRC-18



C-SRC-18
Shown installed
on speed rail

LOCKING SPEED RAIL COVERS

MODEL	LIST	LENGTH	WEIGHT
C-SRC-12	\$291	12"	7#
C-SRC-13 to 18	\$315	13" to 18"	9#
C-SRC-19 to 24	\$338	19" to 24"	11#
C-SRC-25 to 30	\$362	25" to 30"	13#
C-SRC-31 to 36	\$389	31" to 36"	16#
C-SRC-37 to 42	\$412	37" to 42"	18#
C-SRC-43 to 48	\$437	43" to 48"	21#

Model number C-MD-41 Choice modular bar die has an overall height of 41", which provides the appropriate overall height for most bar applications. However, some interior designs require an extra thick bar top, so Choice modular bar die is also available with an overall height of 38". See model C-MD-38.

With the Choice Modular Bar Die, underbar equipment is mounted to and supported on the bar die. All the underbar equipment is pre-assembled and mounted to the bar die at the factory, then broken down into shippable sections. Installation of the bar die is very simple - easier than a conventional style underbar with a millwork bar die. The result is a beautiful, innovative underbar line up that is sealed to the floor, stainless from floor to bar top, eliminates all underbar leg sets, and hides the soda, beer, electrical, and plumbing lines.

PRODUCT INFORMATION

(see C-MD Spec Sheet for complete details)

FEATURES

- 16 gauge galvanized steel structure with stainless steel bartender side finishing
- 20A GFI outlets built into bar die wall based on customer preference (wiring not provided)
- LED lights built into bar die wall above underbar equipment (wiring not provided)
- Built in chaseways for beer, soda, plumbing, and electrical lines


The total Number of feet required is calculated by determining the overall outside dimension of the bar die wall. Please round up to the nearest whole foot.

BENEFITS

- Stainless steel from floor to bar top on bartender side
- Floor can be sealed to the bar die to prevent moisture from seeping from the bartender side to the customer side of the bar
- Galvanized steel structure will not rot
- Built-in chaseways hide beer, soda, plumbing, and electrical lines for a cleaner, more attractive bar
- Arrives pre-assembled from factory in sections up to 10 feet for easy installation - lowers installation costs. Just bolt the sections together, level, and attach the floor.
- Pre-engineered to exact dimensions to ensure a precise fit
- Can be used in conjunction with removable front millwork finishing panels to provide easy access to soda, beer, plumbing, and electrical lines for future modification, maintenance, or repair
- Millwork bar top and front panels can be pre-fabricated and easily attached
- Eliminates all underbar legs for easy cleaning




SIDE ELEVATIONS



41" HIGH MODULAR BAR DIE

MODEL	DESCRIPTION	LIST	WEIGHT
C-MD-41	Price per foot	\$406	15#




38" HIGH MODULAR BAR DIE

MODEL	DESCRIPTION	LIST	WEIGHT
C-MD-38	Price per foot	\$406	15#



C1FB60 with compressor right, stainless doors/drawers, and stainless top



PRODUCT INFORMATION

(see C1FB Spec Sheet for complete details)

STANDARD FEATURES:


- Self-contained
- All stainless steel interior construction
- Draft beverage compatible - see page 86
- Listed to NSF Standard 7 for open food as a storage refrigerator

COOLERS - ONE ZONE, FRONT SERVICED, BAR PROFILE


MODEL	LIST	LENGTH	DOORS	DOOR OPENING	WEIGHT	AMPS	HP	LONGNECK CASES	750ML WINE BOTTLES**	1/2 BARREL KEGS	1/6 BARREL KEGS
C1FB32	\$5,651	32"	1	16" W	245#	3.0	1/8	5.8	57	N/A	2 †
C1FB36	\$5,704	36"	1	20" W	255#	3.0	1/8	7.8	70	1	4
C1FB52	\$7,470	52"	2	16" W	350#	7.0	1/4	13.3	116	N/A	7
C1FB60	\$7,668	60"	2	20" W	360#	7.0	1/4	17.3	164	2	8
C1FB72	\$8,875	72"	3	16" W	460#	7.0	1/4	21.1	188	N/A	11
C1FB84	\$9,231	84"	3	20" W	475#	7.0	1/4	27.1	248	4	14 †
C1FB92	\$10,692	92"	4	16" W	570#	7.0	1/4	28.8	260	N/A	15
C1FB108	\$11,032	108"	4	20" W	590#	7.0	1/4	36.8	332	5	18

Base price only. See next page for configurable options.

The CO-RR shelf retention rail should be used on all shelves adjacent to drawers and/or kegs. (CO-RR shown installed on shelf)



CWS-20
Wine rack shelf for
20" door opening




06009785

In a typical cooler, only the front row of bottles is easy to access. Glastender's rotary wine shelf increases access by 270% (16 vs. 6 bottles).


The rotary wine shelf is for use with C1FB36, C1FB60, C1FB84, and C1FB108 model coolers. Two rotary shelves can be used behind each 20" cooler door opening, where they sit on two standard cooler shelves. Each rotary shelf holds up to 29 wine bottles (750ml).

**Wine bottle capacity is based on adjustable shelves. Drawers will hold less. NOTE: Coolers with drawers are not returnable.

† If CO₂ tank is stored internally, reduce capacity by one keg



DICF-20B



DICP-20B

Front covers removed for illustrative purposes

ACCESSORIES

MODEL	DESCRIPTION	LIST
06009785	Rotary wine shelf (20" door opening ONLY)	\$231
CO-RR	Shelf retention rail	\$58
CWS-16	Wine rack shelf for 16" door opening, 5 bottle	\$144
CWS-20	Wine rack shelf for 20" door opening, 7 bottle	\$163
DICF-16B	Drawer insert, condiments, full, 16" door opening, bar-profile cooler, 12 cups	\$496
DICP-16B	Drawer insert, condiments, partial, 16" door opening, bar-profile cooler, 8 cups	\$374
DICF-20B	Drawer insert, condiments, full, 20" door opening, bar-profile cooler 15 cups	\$583
DICP-20B	Drawer insert, condiments, partial, 20" door opening, bar-profile cooler, 10 cups	\$432
DIP-20	Drawer insert for food pans	\$229
06010158	Clip-on shelf divider for middle and top shelf	\$32
06006013	Clip-on shelf divider for bottom shelf only	\$32

Draft Beverage
Compatible

Select Configurable Options:

VOLTAGE

120V/60HZ	No charge
220V/50HZ (export voltage)	\$245

TEMPERATURE

Beer / Food, 34° to 40°, standard	No charge
White wine, 50° to 55°	No charge
Red wine, 60° to 65°	No charge

REFRIGERATION COMPARTMENT LOCATION

Left	No charge
Right	No charge

REFRIGERATION COMPARTMENT COVER FINISH

Black vinyl-clad	No charge
Unlaminated	No charge
Stainless steel	\$32
Jeweled stainless steel	\$185
Laminated	\$215

DOOR/DRAWER OPTIONS

NOTE: Select options for EACH Door/Drawer Section

STYLE AND FINISH - SPECIFY & ADD FOR EACH SECTION

Door - Black vinyl-clad	No charge
Door - Unlaminated	No charge
Door - Stainless steel	\$38
Door - Jeweled stainless	\$201
Door - Laminated	\$230
Door - Glass, black vinyl-clad	\$445
Door - Glass, stainless steel	\$483
Door - Glass, jeweled stainless	\$646
Door - Glass, laminated	\$675
Drawers* - Black vinyl-clad	\$1,841
Drawers* - Unlaminated	\$1,841
Drawers* - Stainless steel	\$1,879
Drawers* - Jeweled stainless	\$2,041
Drawers* - Laminated	\$2,072

*NOTE: Units with drawers are manufactured to order and are not returnable.

DOOR HINGE LOCATION - SPECIFY & ADD FOR EACH DOOR

Left	No charge
Right	No charge

SHELVING - SPECIFY & ADD FOR EACH DOOR

Three adjustable shelves	No charge
Keg rack (deduct shelves)	(\$87)

Pull-out wine shelves:

• w/upright & horizontal storage	\$2,036
• w/upright storage	\$1,359
• w/horizontal storage*	\$2,546

*NOTE: Not available for door next to compressor compartment

DOOR HANDLE - SPECIFY & ADD FOR EACH DOOR

NOTE: Drawers come with a stainless pull tab handle	
Polished stainless w/lock	No charge
Stainless pull tab w/lock	No charge
Polished brass w/lock	\$190

TOP STYLE

	32"	36"	52"	60"	72"	84"	92"	108"
No finished top	No charge							
Stainless top	\$392	\$413	\$500	\$543	\$608	\$673	\$716	\$804
Laminated top	\$775	\$791	\$857	\$890	\$940	\$989	\$1,024	\$1,089

LEFT SIDE FINISH

Black vinyl-clad	No charge
Stainless Steel	\$38
Laminated	\$230

RIGHT SIDE FINISH

Black vinyl-clad	No charge
Stainless Steel	\$38
Laminated	\$230

BACK FINISH

	32"	36"	52"	60"	72"	84"	92"	108"
Galvanized steel	No charge							
Stainless steel*	\$312	\$321	\$366	\$388	\$420	\$452	\$475	\$518

*NOTE: Stainless steel back option also includes stainless steel sides.

LED LIGHTING STYLE

Bright white (7,000k), standard	No charge
Warm white (3,500k)	No charge
Amber (2,700k)	No charge
Blue	No charge

LEG AND STAINLESS STEEL KICK RAILS

NOTE: Legs are required if kick rails are ordered.

	32"	36"	52"	60"	72"	84"	92"	108"
6" legs	\$202	\$202	\$162	\$162	\$243	\$243	\$243	\$243
Front kick rail	\$109	\$113	\$129	\$138	\$151	\$162	\$171	\$186
Left side kick rail	\$101	\$101	\$101	\$101	\$101	\$101	\$101	\$101
Right side kick rail	\$101	\$101	\$101	\$101	\$101	\$101	\$101	\$101

CASTERS

	32"	36"	52"	60"	72"	84"	92"	108"
4-1/8" casters	\$177	\$177	\$145	\$145	\$218	\$218	\$218	\$218
2-7/8" casters	\$175	\$175	\$140	\$140	\$210	\$210	\$210	\$210

Stainless pull
tab handlePolished
stainless
handle20" wide drawer
opening shownOptional
pull-out wine
shelves
Upright and
horizontal
storage shown

Optional Drawers*

Glastender's refrigerated drawers include adjustable divider walls.


*NOTE: All coolers with drawers are manufactured to order and are not returnable.

Draft Beverage
Compatible**PRODUCT INFORMATION**

(see C2FB Spec Sheet for complete details)

STANDARD FEATURES:

- Self-contained
- Available in three different configurations: beer/white wine, beer/red wine, or white/red wine
- The warmer compartment is always a single door located opposite the compressor end
- All stainless steel interior construction
- Draft beverage compatible - see page 86
- Listed to NSF Standard 7 for closed container products

C2FB60 with compressor
right, stainless doors/
drawers, and stainless top

Side Elevation


*NOTE: C2FB coolers are manufactured to order and are not returnable.

COOLERS - TWO ZONE, FRONT SERVICED, BAR PROFILE

MODEL	LIST	LENGTH	DOORS	DOOR OPENING	WEIGHT	AMPS	HP	LONGNECK CASES	750MLWINE BOTTLES**	1/2BARREL KEGS	1/6BARREL KEGS
C2FB52*	\$8,738	52"	2	16" W	365#	7.0	1/4	11.8	117	N/A	4
C2FB60*	\$8,934	60"	2	20" W	375#	7.0	1/4	15.8	141	2	8 †
C2FB72*	\$10,145	72"	3	16" W	475#	7.0	1/4	19.3	176	N/A	9
C2FB84*	\$10,412	84"	3	20" W	490#	7.0	1/4	25.3	234	3	12
C2FB92*	\$11,959	92"	4	16" W	585#	7.0	1/4	27.1	246	N/A	13
C2FB108*	\$12,299	108"	4	20" W	605#	7.0	1/4	35.1	318	5	18 †

Base price only. See next page for configurable options.


**Wine bottle capacity is based on adjustable shelves. Drawers will hold less.

† If CO₂ tank is stored internally, reduce capacity by one kegCWS-20
Wine rack shelf for
20" door opening06010158
Clip-on shelf divider
for middle and top shelf

06009785

In a typical cooler, only the front row of bottles is easy to access. Glastender's rotary wine shelf increases access by 270% (16 vs. 6 bottles).

The rotary wine shelf is for use with C2FB60, C2FB84, and C2FB108 model coolers. Two rotary shelves can be used behind each 20" cooler door opening, where they sit on two standard cooler shelves. Each rotary shelf holds up to 29 wine bottles (750ml).



CO-RR

The CO-RR shelf retention rail should be used on all shelves adjacent to drawers and/or kegs. (CO-RR shown installed on shelf)

ACCESSORIES

MODEL	DESCRIPTION	LIST
06009785	Rotary wine shelf (20" door opening ONLY)	\$231
CO-RR	Shelf retention rail	\$58
CWS-16	Wine rack shelf for 16" door opening, 5 bottle	\$144
CWS-20	Wine rack shelf for 20" door opening, 7 bottle	\$163
06010158	Clip-on shelf divider for middle and top shelf	\$32
06006013	Clip-on shelf divider for bottom shelf only	\$32

Draft Beverage
Compatible

*NOTE: C2FB coolers are manufactured to order and are not returnable.

Select Configurable Options:

VOLTAGE

120V/60HZ	No charge
220V/50HZ (export voltage)	\$245

TEMPERATURE

Beer/White wine - 34° to 40°/ 50° to 55°	No charge
Beer/Red wine - 34° to 40°/ 60° to 65°	No charge
White/Red wine - 50° to 55°/ 60° to 65°	No charge

REFRIGERATION COMPARTMENT LOCATION

Left	No charge
Right	No charge

REFRIGERATION COMPARTMENT COVER FINISH

Black vinyl-clad	No charge
Unlaminated	No charge
Stainless steel	\$32
Jeweled stainless steel	\$185
Laminated	\$215

DOOR/DRAWER OPTIONS

NOTE: Select options for EACH Door/Drawer Section

STYLE AND FINISH - SPECIFY & ADD FOR EACH SECTION

Door - Black vinyl-clad	No charge
Door - Unlaminated	No charge
Door - Stainless steel	\$38
Door - Jeweled stainless	\$201
Door - Laminated	\$230
Door - Glass, black vinyl-clad	\$445
Door - Glass, stainless steel	\$483
Door - Glass, jeweled stainless	\$646
Door - Glass, laminated	\$675
Drawers - Black vinyl-clad	\$1,841
Drawers - Unlaminated	\$1,841
Drawers - Stainless steel	\$1,879
Drawers - Jeweled stainless	\$2,041
Drawers - Laminated	\$2,072

DOOR HINGE LOCATION - SPECIFY & ADD FOR EACH DOOR

Left	No charge
Right	No charge

SHELVING - SPECIFY & ADD FOR EACH DOOR

Three adjustable shelves	No charge
Keg rack (deduct shelves)	(\$87)
Pull-out wine shelves:	
• w/upright & horizontal storage	\$2,036
• w/upright storage	\$1,359
• w/horizontal storage*	\$2,546

*NOTE: Not available for door next to compressor compartment

DOOR HANDLE - SPECIFY & ADD FOR EACH DOOR

NOTE: Drawers come with a stainless pull tab handle

Polished stainless w/lock	No charge
Stainless pull tab w/lock	No charge
Polished brass w/lock	\$190

Stainless pull
tab handle**TOP STYLE**

	52"	60"	72"	84"	92"	108"
No finished top	No charge					
Stainless top	\$500	\$543	\$608	\$673	\$716	\$804
Laminated top	\$857	\$890	\$940	\$989	\$1,024	\$1,089

LEFT SIDE FINISH

Black vinyl-clad	No charge
Stainless Steel	\$38
Laminated	\$230

RIGHT SIDE FINISH

Black vinyl-clad	No charge
Stainless Steel	\$38
Laminated	\$230

BACK FINISH

	52"	60"	72"	84"	92"	108"
Galvanized steel	No charge					
Stainless steel*	\$366	\$388	\$420	\$452	\$475	\$518

*NOTE: Stainless steel back option also includes stainless steel sides.

LED LIGHTING STYLE

Bright white (7,000k), standard	No charge
Warm white (3,500k)	No charge
Amber (2,700k)	No charge
Blue	No charge

LEG AND STAINLESS STEEL KICK RAILS

NOTE: Legs are required if kick rails are ordered.

	52"	60"	72"	84"	92"	108"
6" legs	\$162	\$162	\$243	\$243	\$243	\$243
Front kick rail	\$129	\$138	\$151	\$162	\$171	\$186
Left side kick rail	\$101	\$101	\$101	\$101	\$101	\$101
Right side kick rail	\$101	\$101	\$101	\$101	\$101	\$101

CASTERS

	52"	60"	72"	84"	92"	108"
4-1/8" casters	\$145	\$145	\$218	\$218	\$218	\$218
2-7/8" casters	\$140	\$140	\$210	\$210	\$210	\$210



Polished stainless handle




20" wide drawer opening shown

Optional pull-out wine shelves
Upright and horizontal
storage shown**Optional Drawers**Glastender's refrigerated
drawers include adjustable
divider walls.



C1RB60 with refrigeration hook up right, black vinyl-clad glass doors, and stainless top

Side Elevation



Draft Beverage Compatible



PRODUCT INFORMATION

(see C1RB Spec Sheet for complete details)

STANDARD FEATURES:


- Remote unit
- All stainless steel interior construction
- Draft beverage compatible - see page 86
- Listed to NSF Standard 7 for open food as a storage refrigerator

COOLERS - ONE ZONE, REMOTE, BAR PROFILE

MODEL	LIST	LENGTH	DOORS	DOOR		BTU /Hr	LONG NECK 750ML WINE				1/2 BARREL	1/6 BARREL
				OPENING	WEIGHT		CASES	BOTTLES	KEGS	KEGS		
C1RB24	\$4,007	24" W	1	20"	175#	800	7.0	60	1	2		
C1RB40*	\$5,314	40" W	2	16"	275#	1,000	12.3	116	N/A	6		
C1RB48	\$5,567	48" W	2	20"	285#	1,200	16.2	148	2	7		
C1RB60*	\$7,055	60" W	3	16"	390#	1,300	19.9	188	N/A	10		
C1RB72	\$7,324	72" W	3	20"	405#	1,500	25.9	234	4	11		
C1RB80*	\$8,969	80" W	4	16"	500#	1,600	27.7	260	N/A	14		
C1RB96	\$9,255	96" W	4	20"	520#	1,900	35.7	318	5	17		

Base price only. See next page for configurable options.

*C1RB40, C1RB60, AND C1RB80 are manufactured to order and are not returnable.



CO-RR

The CO-RR shelf retention rail should be used on all shelves adjacent to kegs. (CO-RR shown installed on shelf)



CWS-20 Wine rack shelf for 20" door opening



CWS-16 Wine rack shelf for 16" door opening



06010158
Clip-on shelf divider for middle and top shelf

ACCESSORIES

MODEL	DESCRIPTION	LIST
CO-RR	Shelf retention rail	\$58
CWS-16	Wine rack shelf for 16" door opening, 5 bottle	\$144
CWS-20	Wine rack shelf for 20" door opening, 7 bottle	\$163
06010158	Clip-on shelf divider for middle and top shelf	\$32
06006013	Clip-on shelf divider for bottom shelf only	\$32

CONDENSING UNITS AND INSTALLATION KITS**

MODEL	DESCRIPTION	LIST	WT
06006621**	1/3 HP R134a condensing unit kit, includes filter dryer, sight glass, and defrost timer. 2800 BTU/hr rated cooling capacity at 15°F evaporator temperature and 85°F ambient temperature. (13-1/2"W x 17"D x 9"H)	\$1,526	60#
06006622**	1/2 HP R134a condensing unit kit, includes filter dryer, sight glass, and defrost timer. 4100 BTU/hr rated cooling capacity at 15°F evaporator temperature and 85°F ambient temperature. (13-1/2"W x 18-1/4"D x 9-1/2"H)	\$2,264	60#
06009006**	1/3 HP R404A condensing unit kit, includes filter dryer, sight glass, and defrost timer. 2750 BTU/hr rated cooling capacity at 15°F evaporator temperature and 85°F ambient temperature. (13-1/2"W x 17"D x 9"H)	\$2,424	60#
06009007**	1/2 HP R404A condensing unit kit, includes filter dryer, sight glass, and defrost timer. 4500 BTU/hr rated cooling capacity at 15°F evaporator temperature and 85°F ambient temperature. (13-1/2"W x 18-1/4"D x 9-1/2"H)	\$2,857	60#

****NOTE: Consult the applicable remote refrigerator specification sheet and your refrigeration installer to select the correct condensing unit for your installation. Standard piping practices and local codes should be employed to size and install refrigerant gas and liquid lines.**

ACCESSORY FOR CONDENSING UNIT

06001413	Switch, low pressure control, for remote condensing unit	\$451	3#
----------	--	-------	----

ACCESSORY FOR REMOTE COOLER CABINET

SVC	Solenoid valve and coil kit, for remote unit	\$252	6#
SVC-L	Solenoid valve and coil kit with factory installation, for remote unit	\$711	6#



*NOTE: C1RB40, C1RB60, and C1RB80 coolers are manufactured to order and are not returnable.

Select Configurable Options:

VOLTAGE

120V/60HZ	No charge
220V/50HZ (export voltage)	\$124

TEMPERATURE

Beer / Food, 34° to 40°, standard	No charge
White wine, 50° to 55°	No charge
Red wine, 60° to 65°	No charge

EXPANSION VALVE TYPE

R134a	No charge
R404a	No charge
R407a/R422D	No charge
R448a	No charge

REFRIGERATION HOOK-UP LOCATION

Left	No charge
Right	No charge

DOOR OPTIONS

NOTE: Select options for EACH Door Section

STYLE AND FINISH - SPECIFY & ADD FOR EACH DOOR

Door - Black vinyl-clad	No charge
Door - Unlaminated	No charge
Door - Stainless steel	\$38
Door - Jeweled stainless	\$201
Door - Laminated	\$230
Door - Glass, black vinyl-clad	\$445
Door - Glass, stainless steel	\$483
Door - Glass, jeweled stainless	\$646
Door - Glass, laminated	\$675

DOOR HINGE LOCATION - SPECIFY & ADD FOR EACH DOOR

Left	No charge
Right	No charge

SHELVING - SPECIFY & ADD FOR EACH DOOR

Three adjustable shelves	No charge
Keg rack (deduct shelving)	(\$87)
Pull-out wine shelves w/upright & horizontal storage	\$1,932

DOOR HANDLE - SPECIFY & ADD FOR EACH DOOR

Polished stainless w/lock	No charge
Stainless pull tab w/lock	No charge
Polished brass w/lock	\$190

TOP STYLE

	24"	40"	48"	60"	72"	80"	96"
No finished top	No charge						
Stainless top	\$350	\$434	\$478	\$543	\$608	\$652	\$738
Laminated top	\$742	\$807	\$842	\$890	\$940	\$974	\$1,040

LEFT SIDE FINISH

Black vinyl-clad	No charge
Stainless Steel	\$38
Laminated	\$230

RIGHT SIDE FINISH

Black vinyl-clad	No charge
Stainless Steel	\$38
Laminated	\$230

BACK FINISH

	24"	40"	48"	60"	72"	80"	96"
Galvanized steel	No charge						
Stainless steel*	\$290	\$332	\$355	\$388	\$420	\$442	\$485

*NOTE: Stainless steel back option also includes stainless steel sides.

LED LIGHTING STYLE

Bright white (7,000k), standard	No charge
Warm white (3,500k)	No charge
Amber (2,700k)	No charge
Blue	No charge

LEG AND STAINLESS STEEL KICK RAILS

NOTE: Legs are required if kick rails are ordered.

	24"	40"	48"	60"	72"	80"	96"
6" legs	\$162	\$162	\$162	\$243	\$243	\$243	\$243
Front kick rail	\$101	\$116	\$125	\$138	\$151	\$159	\$175
Left side kick rail	\$101	\$101	\$101	\$101	\$101	\$101	\$101
Right side kick rail	\$101	\$101	\$101	\$101	\$101	\$101	\$101

Stainless pull tab handle




Polished stainless handle

Optional pull-out wine shelves w/upright and horizontal storage





C1SB24 with compressor left, stainless drawers, and stainless top



PRODUCT INFORMATION

(see C1SB Spec Sheet for complete details)

STANDARD FEATURES:

- Self-contained
- All stainless steel interior construction
- Draft beverage compatible - see page 86
- Listed to NSF Standard 7 for open food as a storage refrigerator

COOLERS - ONE ZONE, SIDE SERVICED, BAR PROFILE

MODEL	LIST	LENGTH	DOOR		WEIGHT	AMPS	HP	LONGNECK CASES	750MLWINE BOTTLES**	1/2BARREL KEGS	1/6BARREL KEGS
			DOORS	OPENING							
C1SB24	\$5,058	24"	1	17.5" W	213#	2.75	1/8	5.8	50	1	3 Δ
C1SB28*	\$5,312	28"	1	20" W	236#	2.75	1/8	6.6	60	1	4 \dagger Δ
C1SB36*	\$7,068	36"	2	12" W	302#	2.75	1/8	8.9	92	N/A	5 Δ
C1SB44*	\$7,375	44"	2	16" W	332#	2.75	1/8	12.0	116	N/A	7 Δ
C1SB48	\$7,530	48"	2	18" W	345#	2.75	1/8	13.2	137	2	8 \dagger Δ

Base price only. See next page for configurable options.

*NOTE: C1SB28, C1SB36, and C1SB44 coolers are manufactured to order and are not returnable.

** Wine bottle capacity is based on adjustable shelves.

Drawers will hold fewer. NOTE: Coolers with drawers are not returnable.


\dagger If CO₂ tank is stored internally, reduce capacity by one keg

Δ Requires one 05001026 low profile Sanke keg tap - see page 86

Δ Requires two 05001026 low profile Sanke keg taps - see page 86

ACCESSORIES


MODEL	DESCRIPTION	LIST
CO-RR	Shelf retention rail	\$58
CWS-12	Wine rack shelf for 12" door opening, 3 bottle	\$124
CWS-16	Wine rack shelf for 16" door opening, 5 bottle	\$144
CWS-17	Wine rack shelf for 17.5" door opening, 5 bottle	\$154
CWS-18	Wine rack shelf for 18" door opening, 5 bottle	\$156
CWS-20	Wine rack shelf for 20" door opening, 7 bottle	\$163
DICF-12B	Drawer insert, condiments, full, 12" door opening, bar-profile cooler, 8 cups	\$386
DICP-12B	Drawer insert, condiments, partial, 12" door opening, bar-profile cooler, 6 cups	\$311
DICF-16B	Drawer insert, condiments, full, 16" door opening, bar-profile cooler, 12 cups	\$496
DICP-16B	Drawer insert, condiments, partial, 16" door opening, bar-profile cooler, 8 cups	\$374
DICF-17B	Drawer insert, condiments, full, 17.5" door opening, bar-profile cooler, 12 cups	\$498
DICP-17B	Drawer insert, condiments, partial, 17.5" door opening, bar-profile cooler, 8 cups	\$376
DICF-18B	Drawer insert, condiments, full, 18" door opening, bar-profile cooler, 12 cups	\$501
DICP-18B	Drawer insert, condiments, partial, 18" door opening, bar-profile cooler, 8 cups	\$378
DICF-20B	Drawer insert, condiments, full, 20" door opening, bar-profile cooler, 15 cups	\$583
DICP-20B	Drawer insert, condiments, partial, 20" door opening, bar-profile cooler, 10 cups	\$432
DIP-17	Drawer insert for fractional stainless pans, 17.5" door opening (pans not included)	\$205
DIP-18	Drawer insert for fractional stainless pans, 18" door opening (pans not included)	\$210
DIP-20	Drawer insert for fractional stainless pans, 20" door opening (pans not included)	\$229
06010158	Clip-on shelf divider for middle and top shelf	\$32
06006013	Clip-on shelf divider for bottom shelf only	\$32




The CO-RR shelf retention rail should be used on all shelves adjacent to kegs. (CO-RR shown installed on shelf)




CWS-20 Wine rack shelf for 20" door opening



06010158 Clip-on shelf divider for middle and top shelf



DICP-17B



DICF-17B Front covers removed for illustrative purposes



DIP-18 Pans not included

Draft Beverage
Compatible

Select Configurable Options:

VOLTAGE

120V/60HZ	No charge
220V/50HZ (export voltage)	\$245

TEMPERATURE

Beer / Food, 34° to 40°, standard	No charge
White wine, 50° to 55°	No charge
Red wine, 60° to 65°	No charge

REFRIGERATION COMPARTMENT LOCATION

Left	No charge
Right	No charge

REFRIGERATION COMPARTMENT COVER FINISH

Black vinyl-clad	No charge
Stainless steel	\$32
Jeweled stainless steel	\$185

DOOR/DRAWER OPTIONS

NOTE: Select options for EACH Door/Drawer Section

STYLE AND FINISH - SPECIFY & ADD FOR EACH SECTION

Door - Black vinyl-clad	No charge
Door - Unlaminated	No charge
Door - Stainless steel	\$38
Door - Jeweled stainless	\$201
Door - Laminated	\$230
Door - Glass, black vinyl-clad	\$445
Door - Glass, stainless steel	\$483
Door - Glass, jeweled stainless	\$646
Door - Glass, laminated	\$675
Drawers* - Black vinyl-clad	\$1,841
Drawers* - Unlaminated	\$1,841
Drawers* - Stainless steel	\$1,879
Drawers* - Jeweled stainless	\$2,041
Drawers* - Laminated	\$2,072

*NOTE: Units with drawers are manufactured to order and are not returnable.

DOOR HINGE LOCATION - SPECIFY & ADD FOR EACH DOOR

Left	No charge
Right	No charge

SHELVING - SPECIFY & ADD FOR EACH DOOR

Three adjustable shelves	No charge
Keg rack (deduct shelves)	(\$87)
Pull-out wine shelves:	
• w/upright & horizontal storage*	\$2,036
• w/upright storage*	\$1,359
• w/horizontal storage*	\$2,546

*NOTE: Not available for 12" door opening models

DOOR HANDLE - SPECIFY & ADD FOR EACH DOOR

NOTE: Drawers come with a stainless pull tab handle	
Polished stainless w/lock	No charge
Stainless pull tab w/lock	No charge
Polished brass w/lock	\$190

*NOTE: C1SB28, C1SB36, and C1SB44 coolers are manufactured to order and are not returnable.

TOP STYLE

	24"	28"	36"	44"	48"
No finished top	No charge				
Stainless top	\$350	\$370	\$413	\$457	\$478
Laminated top	\$742	\$758	\$791	\$825	\$842

LEFT SIDE FINISH

Black vinyl-clad	No charge
Stainless Steel	\$38
Laminated	\$230

RIGHT SIDE FINISH

Black vinyl-clad	No charge
Stainless Steel	\$38
Laminated	\$230

BACK FINISH

	24"	28"	36"	44"	48"
Galvanized steel	No charge				
Stainless steel*	\$290	\$300	\$321	\$343	\$355

*NOTE: Stainless steel back option also includes stainless steel sides.

LED LIGHTING STYLE

Bright white (7,000k), standard	No charge
Warm white (3,500k)	No charge
Amber (2,700k)	No charge
Blue	No charge

LEG AND STAINLESS STEEL KICK RAILS

NOTE: Legs are required if kick rails are ordered.

	24"	28"	36"	44"	48"
6" legs	\$162	\$162	\$162	\$162	\$162
Front kick rail	\$101	\$105	\$113	\$121	\$125
Left side kick rail	\$101	\$101	\$101	\$101	\$101
Right side kick rail	\$101	\$101	\$101	\$101	\$101

CASTERS

	24"	28"	36"	44"	48"
4-1/8" casters	\$145	\$145	\$145	\$145	\$145
2-7/8" casters	\$140	\$140	\$140	\$140	\$140

Stainless pull
tab handlePolished
stainless
handle20" wide drawer
opening shownOptional pull-out
wine shelves
Upright and
horizontal storage
shown**Optional Drawers***

Glastender's refrigerated drawers include adjustable divider walls.

*NOTE: All coolers with drawers are manufactured to order and are not returnable.



C2SB48 with
compressor left,
stainless drawers,
and stainless top



PRODUCT INFORMATION

(see C2SB Spec Sheet for complete details)

STANDARD FEATURES:

- Self-contained
- All stainless steel interior construction
- Available in three different configurations: beer/white wine, beer/red wine, or white/red wine
- The warmer compartment is always a single door located opposite the compressor end
- Draft beverage compatible - see page 86
- Listed to NSF Standard 7 for closed container products

*NOTE: C2SB coolers are manufactured to order and are not returnable.

COOLERS - TWO ZONE, SIDE SERVICED, BAR PROFILE


MODEL	LIST	LENGTH	DOORS	DOOR		WEIGHT	AMPS	HP	LONGNECK	750MLWINE	1/2BARREL	1/6BARREL
				OPENING					CASES	BOTTLES**	KEGS	KEGS
C2SB36	\$8,198	36"	2	12" W		317#	2.75	1/8	6.5	63	N/A	4† ♠
C2SB44	\$8,516	44"	2	16" W		347#	2.75	1/8	9.7	109	N/A	4 ♠
C2SB48	\$8,676	48"	2	18" W		360#	2.75	1/8	12.5	109	2	6 ♠

Base price only. See next page for configurable options.

**Wine bottle capacity is based on adjustable shelves. Drawers will hold fewer.

† If CO₂ tank is stored internally, reduce capacity by one keg

♠ Requires one 05001026 low profile Sanke keg tap - see page 86



06010158
Clip-on shelf divider
for middle and top shelf




Optional Drawers

Glastender's refrigerated drawers include adjustable divider walls.

20" wide drawer opening shown



CWS-16
Wine rack shelf for
16" door opening



Side Elevation

ACCESSORIES

MODEL	DESCRIPTION	LIST
CWS-12	Wine rack shelf for 12" door opening, 3 bottle	\$124
CWS-16	Wine rack shelf for 16" door opening, 5 bottle	\$144
CWS-18	Wine rack shelf for 18" door opening, 5 bottle	\$156
06010158	Clip-on shelf divider for middle and top shelf	\$32
06006013	Clip-on shelf divider for bottom shelf only	\$32


**Draft Beverage
Compatible**

*NOTE: C2SB coolers are manufactured to order and are not returnable.

Select Configurable Options:**VOLTAGE**

120V/60HZ	No charge
220V/50HZ (export voltage)	\$245

TEMPERATURE

Beer/White wine - 34° to 40°/ 50° to 55°	No charge
Beer/Red wine - 34° to 40°/ 60° to 65°	No charge
White/Red wine - 50° to 55°/ 60° to 65°	No charge

REFRIGERATION COMPARTMENT LOCATION

Left	No charge
Right	No charge

REFRIGERATION COMPARTMENT COVER FINISH

Black vinyl-clad	No charge
Stainless steel	\$32
Jeweled stainless steel	\$185

DOOR/DRAWER OPTIONS

NOTE: Select options for EACH Door/Drawer Section

STYLE AND FINISH - SPECIFY & ADD FOR EACH SECTION

Door - Black vinyl-clad	No charge
Door - Unlaminated	No charge
Door - Stainless steel	\$38
Door - Jeweled stainless	\$201
Door - Laminated	\$230
Door - Glass, black vinyl-clad	\$445
Door - Glass, stainless steel	\$483
Door - Glass, jeweled stainless	\$646
Door - Glass, laminated	\$675
Drawers - Black vinyl-clad	\$1,841
Drawers - Unlaminated	\$1,841
Drawers - Stainless steel	\$1,879
Drawers - Jeweled stainless	\$2,041
Drawers - Laminated	\$2,072

DOOR HINGE LOCATION - SPECIFY & ADD FOR EACH DOOR

Left	No charge
Right	No charge

SHELVING - SPECIFY & ADD FOR EACH DOOR

Three adjustable shelves	No charge
Keg rack (deduct shelves)	(\$87)
Pull-out wine shelves:	
• w/upright & horizontal storage*	\$2,036
• w/upright storage*	\$1,359
• w/horizontal storage*	\$2,546

*NOTE: Not available for 12" door opening models

DOOR HANDLE - SPECIFY & ADD FOR EACH DOOR

NOTE: Drawers come with a stainless pull tab handle

Polished stainless w/lock	No charge
Stainless pull tab w/lock	No charge
Polished brass w/lock	\$190

Stainless pull
tab handle**TOP STYLE**

	36"	44"	48"
No finished top	No charge		
Stainless top	\$413	\$457	\$478
Laminated top	\$791	\$825	\$842

LEFT SIDE FINISH

Black vinyl-clad	No charge
Stainless Steel	\$38
Laminated	\$230

RIGHT SIDE FINISH

Black vinyl-clad	No charge
Stainless Steel	\$38
Laminated	\$230

BACK FINISH

	36"	44"	48"
Galvanized steel	No charge		
Stainless steel*	\$321	\$343	\$355

*NOTE: Stainless steel back option also includes stainless steel sides.

LED LIGHTING STYLE

Bright white (7,000k), standard	No charge
Warm white (3,500k)	No charge
Amber (2,700k)	No charge
Blue	No charge

LEG AND STAINLESS STEEL KICK RAILS

NOTE: Legs are required if kick rails are ordered.

	36"	44"	48"
6" legs	\$162	\$162	\$162
Front kick rail	\$113	\$121	\$125
Left side kick rail	\$101	\$101	\$101
Right side kick rail	\$101	\$101	\$101

CASTERS

	36"	44"	48"
4-1/8" casters	\$145	\$145	\$145
2-7/8" casters	\$140	\$140	\$140

Polished stainless handle

Optional pull-out wine shelves
Upright and horizontal storage
shown



KC72

**Draft Beverage
Compatible**




PRODUCT INFORMATION

(see KC72 Spec Sheet for complete details)

STANDARD FEATURES:

- Self-contained
- Galvanized interior construction with stainless steel floor
- Stainless steel keg racks and 1/2" thick high-impact polypropylene threshold scuff plates
- Wide center mullion provides additional storage capacity
- Blower hose off evaporator for cooling tower
- Listed to NSF Standard 7 for closed container products



Side Elevation

72" KEG COOLER

MODEL	LIST	LENGTH	DOORS	DOOR OPENING	WEIGHT	AMPS	HP	1/2BARREL KEGS	1/6BARREL KEGS
KC72	\$7,775	72"	2	20" W	410#	7.0	1/4	3	11

Base price only. See below for configurable options.

Select Configurable Options:

VOLTAGE

120V/60HZ	No charge
220V/50HZ (export voltage)	\$245

TEMPERATURE

Beer, 34° to 40°, standard	No charge
White wine, 50° to 55°	No charge
Red wine, 60° to 65°	No charge

REFRIGERATION COMPARTMENT LOCATION

Left	No charge
Right	No charge

FRONT FINISH

Black vinyl-clad	No charge
Stainless steel	\$139

DOOR OPTIONS

NOTE: Select options for EACH Door Section

DOOR HINGE LOCATION - SPECIFY & ADD FOR EACH DOOR

Left	No charge
Right	No charge

DOOR HANDLE - SPECIFY & ADD FOR EACH DOOR

Polished stainless w/lock	No charge
Stainless pull tab w/lock	No charge
Polished brass w/lock	\$190

TOP STYLE

No finished top	No charge
Stainless top	\$608
Laminated top	\$940

LEFT SIDE FINISH

Black vinyl-clad	No charge
Stainless Steel	\$38
Laminated	\$230

RIGHT SIDE FINISH

Black vinyl-clad	No charge
Stainless Steel	\$38
Laminated	\$230

BACK FINISH

Galvanized steel	No charge
Stainless steel*	\$420

*NOTE: Stainless steel back option also includes stainless steel sides.

LEG AND STAINLESS STEEL KICK RAILS

NOTE: Legs are required if kick rails are ordered.

6" legs	\$243
Front kick rail	\$151
Left side kick rail	\$101
Right side kick rail	\$101

CASTERS

4-1/8" casters	\$218
2-7/8" casters	\$210



Stainless pull
tab handle



Polished stainless
handle

Configuring Bar Profile Coolers for Draft Beverage Dispensing

All Glastender bar profile coolers can be configured for draft beverage dispensing. Please note that a minimum 17" wide door opening is required for full size (i.e., 16" diameter) 1/2 barrel kegs. Refer to the capacity statements in the Product Directory or Specification Sheet for the sizes and quantities of kegs each unit will hold.

Direct Draw Draft Beverage Towers

Glastender Beverage Towers come standard with the stainless steel faucets and shanks necessary to dispense keg beer, wine, soda, coffee, or cocktails. See individual price pages for complete information.

Look for the Draft Beer
Compatible logo




CT-3-SS

Column Towers
See page 125 for
complete information



BT-4-SS

Tee Towers
See page 126 for
complete information



BRT-18-SS

Bridge Towers
See page 127 for
complete information



CBT-4-MF

Cobra Towers
See page 129 for
complete information

Tower Cooling Kits

Direct draw beverage towers are chilled by air from inside the host cooler. This is especially important for draft beer, as warm faucets cause the beer to foam.

TOWER COOLING KITS

MODEL	DESCRIPTION	LIST	WGT
TCK12-1	For 1 & 2-door coolers w/ one tower column	\$213	3#
TCK12-2	For 1 & 2-door coolers w/ two tower columns	\$426	6#
TCK34-1	For 3 & 4-door coolers w/ one tower column	\$362	8#
TCK34-2	For 3 & 4-door coolers w/ two tower columns	\$467	11#
TCKR-1	For remote coolers w/ one tower column	\$213	3#
TCKR-2	For remote coolers w/ two tower columns	\$426	6#

PRIMARY REGULATOR KITS

Primary regulators are used to step down the CO₂ or nitrogen pressure from the main source. A tank mount CO₂ primary regulator attaches directly to the CO₂ tank. A bulk or in-line CO₂ primary regulator is used to splice into a CO₂ line when the CO₂ tank is shared by more than one system. A tank mount nitrogen primary regulator is used with pre-blended nitrogen and CO₂ or pure nitrogen gas. Each primary regulator kit includes 50 feet of nylon braided hose.

MODEL	DESCRIPTION	LIST	WGT
PRK-TC	Tank mount CO ₂ primary regulator kit	\$253	15#
PRK-BC	Bulk CO ₂ primary regulator kit	\$296	15#
PRK-TN	Tank mount nitrogen primary regulator kit	\$342	15#


SECONDARY REGULATOR KITS

The REG-CO2-LP1 secondary regulator kit is normally mounted inside the direct draw cooler and connects to the gas line coming from the externally mounted primary regulator. For installations with more than one keg on tap, also order the appropriate manifold kit(s). When no external source of CO₂ is available, a 5 pound CO₂ cylinder may be stored inside the cooler, which will require the REG-CO2-HP regulator. A manifold kit will also be required if there is more than one keg on tap.

MODEL	DESCRIPTION	LIST	WGT
REG-CO2-LP1	Secondary regulator kit	\$268	7#
REG-CO2-HP	Primary regulator kit for use with 5# CO ₂ tank	\$225	7#
MAN2	Two product manifold kit	\$198	2#
MAN3	Three product manifold kit	\$244	3#
MAN4	Four product manifold kit	\$299	4#
MAN5	Five product manifold kit	\$365	5#
MAN6	Six product manifold kit	\$431	6#

ADDITIONAL ACCESSORIES

MODEL	DESCRIPTION	LIST	WGT
03004240	1/2" ID black drain line, per foot	\$2.43	N/A
05000400	5/16" ID red vinyl air line, per foot	\$2.20	N/A
05000386	1/4" ID nylon braided air line, per foot	\$1.14	N/A
05001066	Sanke keg tap, stainless steel probe	\$98.00	2#
05001026	Sanke keg tap, low profile	\$367.00	2#
05002019	U system keg coupler w/ss probe for Guinness and Harp	\$288.00	2#
05000368	Lock for beer faucet	\$114.00	2#
05000636	5# CO ₂ tank (unfilled)	\$327.00	15#
LCK	Line cleaning kit	\$222.00	
06007084	Drain bottle	\$46.00	





CS1FB60 with compressor right, stainless doors and top

COOLERS - SHALLOW DEPTH, ONE ZONE, FRONT SERVICED, BAR PROFILE

MODEL	LIST	LENGTH	DOORS	DOOR OPENING	WEIGHT	AMPS	HP	LONGNECK CASES	750MLWINE BOTTLES
CS1FB52	\$7,236	52"	2	16" W	300#	3.5	1/8	8.1	77
CS1FB60	\$7,435	60"	2	20" W	325#	3.5	1/8	10.6	102
CS1FB72	\$8,605	72"	3	16" W	370#	3.5	1/8	12.8	121
CS1FB84	\$8,963	84"	3	20" W	410#	3.5	1/8	16.6	162

Base price only. See next page for configurable options.


*NOTE: CS1FB units are manufactured to order and are not returnable.

PRODUCT INFORMATION

(see CS1FB Spec Sheet for complete details)

STANDARD FEATURES:

- Self contained
- All stainless steel interior construction
- Three adjustable coated shelves per door included
- Listed as NSF Standard 7 for open food as a display refrigerator



Side Elevation

*NOTE: CS1FB units are manufactured to order and are not returnable.

Select Configurable Options:

VOLTAGE	
120V/60HZ	No charge
220V/50HZ (export voltage)	\$245
TEMPERATURE	
Beer / Food, 34° to 40°, standard	No charge
White wine, 50° to 55°	No charge
Red wine, 60° to 65°	No charge
REFRIGERATION COMPARTMENT LOCATION	
Left	No charge
Right	No charge
REFRIGERATIONCOMPARTMENTCOVERFINISH	
Black vinyl-clad	No charge
Unlaminated	No charge
Stainless steel	\$32
Jeweled stainless steel	\$185
Laminated	\$215
DOOR OPTIONS	
NOTE: Select options for EACH Door Section	
STYLE AND FINISH - SPECIFY & ADD FOR EACH SECTION	
Door - Black vinyl-clad	No charge
Door - Unlaminated	No charge
Door - Stainless steel	\$38
Door - Jeweled stainless	\$201
Door - Laminated	\$230
Door - Glass, black vinyl-clad	\$445
Door - Glass, stainless steel	\$483
Door - Glass, jeweled stainless	\$646
Door - Glass, laminated	\$675
DOOR HINGE LOCATION - SPECIFY & ADD FOR EACH DOOR	
Left	No charge
Right	No charge
DOOR HANDLE - SPECIFY & ADD FOR EACH DOOR	
Polished stainless w/lock	No charge
Stainless pull tab w/lock	No charge
Polished brass w/lock	\$190

TOP STYLE					
	52"	60"	72"	84"	
No finished top		No charge			
Stainless top	\$500	\$543	\$608	\$673	
Laminated top	\$857	\$890	\$940	\$989	
LEFT SIDE FINISH					
Black vinyl-clad				No charge	
Stainless Steel				\$38	
Laminated				\$230	
RIGHT SIDE FINISH					
Black vinyl-clad				No charge	
Stainless Steel				\$38	
Laminated				\$230	
BACK FINISH					
	52"	60"	72"	84"	
Galvanized steel		No charge			
Stainless steel*	\$366	\$388	\$420	\$452	
*NOTE: Stainless steel back option also includes stainless steel sides.					
LED LIGHTING STYLE					
Bright white (7,000k), standard				No charge	
Warm white (3,500k)				No charge	
Amber (2,700k)				No charge	
Blue				No charge	
LEG AND STAINLESS STEEL KICK RAILS					
NOTE: Legs are required if kick rails are ordered.					
	52"	60"	72"	84"	
6" legs	\$162	\$162	\$243	\$243	
Front kick rail	\$129	\$138	\$151	\$162	
Left side kick rail	\$101	\$101	\$101	\$101	
Right side kick rail	\$101	\$101	\$101	\$101	
CASTERS					
	52"	60"	72"	84"	
4-1/8" casters	\$145	\$145	\$218	\$218	
2-7/8" casters	\$140	\$140	\$210	\$210	



Stainless pull tab handle

Polished stainless handle





CS1RB40 with refrigeration
hook up left, vinyl-clad doors,
and stainless steel top

PRODUCT INFORMATION

(see CS1RB Spec Sheet for complete details)

STANDARD FEATURES:


- DOE 2017 compliant
- Remote unit
- All stainless steel interior construction
- Three adjustable coated shelves per door included
- Listed to NSF Standard 7 for open food as a storage refrigerator

COOLERS - SHALLOW DEPTH, ONE ZONE, REMOTE, BAR PROFILE*

MODEL	LIST	LENGTH	DOORS	WEIGHT	BTU/HR	LONG NECK 750ML WINE	
						CASES	BOTTLES
CS1RB40*	\$5,062	40"	2	260#	975	7.1	66
CS1RB60*	\$6,721	60"	3	370#	1,250	11.8	110
CS1RB80*	\$8,542	80"	4	475#	1,550	16.4	152

Base price only. See next page for configurable options.

*NOTE: CS1RB units are manufactured to order and are not returnable.



Side Elevation

CONDENSING UNITS AND INSTALLATION KITS**

MODEL	DESCRIPTION	LIST	WT
06006621**	1/3 HP R134a condensing unit kit, includes filter dryer, sight glass, and defrost timer. 2800 BTU/hr rated cooling capacity at 15°F evaporator temperature and 85°F ambient temperature. (13-1/2"W x 17"D x 9"H)	\$1,526	60#
06006622**	1/2 HP R134a condensing unit kit, includes filter dryer, sight glass, and defrost timer. 4100 BTU/hr rated cooling capacity at 15°F evaporator temperature and 85°F ambient temperature. (13-1/2"W x 18-1/4"D x 9-1/2"H)	\$2,264	60#
06009006**	1/3 HP R404A condensing unit kit, includes filter dryer, sight glass, and defrost timer. 2750 BTU/hr rated cooling capacity at 15°F evaporator temperature and 85°F ambient temperature. (13-1/2"W x 17"D x 9"H)	\$2,424	60#
06009007**	1/2 HP R404A condensing unit kit, includes filter dryer, sight glass, and defrost timer. 4500 BTU/hr rated cooling capacity at 15°F evaporator temperature and 85°F ambient temperature. (13-1/2"W x 18-1/4"D x 9-1/2"H)	\$2,857	60#

****NOTE: Consult the applicable remote refrigerator specification sheet and your refrigeration installer to select the correct condensing unit for your installation. Standard piping practices and local codes should be employed to size and install refrigerant gas and liquid lines.**

ACCESSORY FOR CONDENSING UNIT

06001413	Switch, low pressure control, for remote condensing unit	\$451	3#
----------	--	-------	----

ACCESSORY FOR REMOTE COOLER CABINET

SVC	Solenoid valve and coil kit, for remote unit	\$252	6#
SVC-L	Solenoid valve and coil kit with factory installation, for remote unit	\$711	6#

*NOTE: CS1RB units are manufactured to order and are not returnable.

Select Configurable Options:

VOLTAGE

120V/60HZ	No charge
220V/50HZ (export voltage)	\$124

TEMPERATURE

Beer / Food, 34° to 40°, standard	No charge
White wine, 50° to 55°	No charge
Red wine, 60° to 65°	No charge

EXPANSION VALVE TYPE

R134a	No charge
R404a	No charge
R407a/R422D	No charge
R448a	No charge

REFRIGERATION HOOK-UP LOCATION

Left	No charge
Right	No charge

DOOR OPTIONS

NOTE: Select options for EACH Door Section

STYLE AND FINISH - SPECIFY & ADD FOR EACH DOOR

Door - Black vinyl-clad	No charge
Door - Unlaminated	No charge
Door - Stainless steel	\$38
Door - Jeweled stainless	\$201
Door - Laminated	\$230
Door - Glass, black vinyl-clad	\$445
Door - Glass, stainless steel	\$483
Door - Glass, jeweled stainless	\$646
Door - Glass, laminated	\$675

DOOR HINGE LOCATION - SPECIFY & ADD FOR EACH DOOR

Left	No charge
Right	No charge

DOOR HANDLE - SPECIFY & ADD FOR EACH DOOR

Polished stainless w/lock	No charge
Stainless pull tab w/lock	No charge
Polished brass w/lock	\$190

Stainless pull
tab handle



TOP STYLE

	40"	60"	80"
No finished top	No charge		
Stainless top	\$434	\$543	\$652
Laminated top	\$807	\$890	\$974

LEFT SIDE FINISH

Black vinyl-clad	No charge
Stainless Steel	\$38
Laminated	\$230

RIGHT SIDE FINISH

Black vinyl-clad	No charge
Stainless Steel	\$38
Laminated	\$230

BACK FINISH

	40"	60"	80"
Galvanized steel	No charge		
Stainless steel*	\$332	\$388	\$442

*NOTE: Stainless steel back option also includes stainless steel sides.

LED LIGHTING STYLE

Bright white (7,000k), standard	No charge
Warm white (3,500k)	No charge
Amber (2,700k)	No charge
Blue	No charge

LEG AND STAINLESS STEEL KICK RAILS

NOTE: Legs are required if kick rails are ordered.

	40"	60"	80"
6" legs	\$162	\$243	\$243
Front kick rail	\$116	\$138	\$159
Left side kick rail	\$101	\$101	\$101
Right side kick rail	\$101	\$101	\$101



Polished stainless handle



C1FL60 with compressor left, stainless doors and top, and stainless pull tab handle

PRODUCT INFORMATION

(see C1FL Spec Sheet for complete details)

STANDARD FEATURES:



- Self-contained
- All stainless steel interior construction
- Listed to NSF Standard 7 for open food as a storage refrigerator

*NOTE: C1FL units are manufactured to order and are not returnable.

COOLERS - ONE ZONE, FRONT SERVICED, LOW PROFILE*

MODEL	LIST	LENGTH	DOORS	DOOR		WEIGHT	AMPS	HP	LONGNECK	750MLWINE
				OPENING					CASES	BOTTLES
C1FL32*	\$5,441	32"	1	16" W		240#	3.0	1/8	3.8	30
C1FL36*	\$5,495	36"	1	20" W		250#	3.0	1/8	5.2	36
C1FL52*	\$7,136	52"	2	16" W		340#	7.0	1/4	8.8	60
C1FL60*	\$7,282	60"	2	20" W		350#	7.0	1/4	11.5	84
C1FL72*	\$8,580	72"	3	16" W		445#	7.0	1/4	14.0	96
C1FL84*	\$8,756	84"	3	20" W		460#	7.0	1/4	18.0	126
C1FL92*	\$10,302	92"	4	16" W		550#	7.0	1/4	19.2	132
C1FL108*	\$10,512	108"	4	20" W		570#	7.0	1/4	24.5	168

Base price only. See next page for configurable options.

CWS-20
Wine rack shelf for
20" door openingCWS-16
Wine rack shelf for
16" door opening06010158
Clip-on shelf
divider

Side Elevation

ACCESSORIES

MODEL	DESCRIPTION	LIST
CWS-16	Wine rack shelf for 16" door opening, 5 bottle	\$144
CWS-20	Wine rack shelf for 20" door opening, 7 bottle	\$163
06010158	Clip-on shelf divider	\$32

*NOTE: C1FL units are manufactured to order and are not returnable.

Select Configurable Options:**VOLTAGE**

120V/60HZ	No charge
220V/50HZ (export voltage)	\$245

TEMPERATURE

Beer / Food, 34° to 40°, standard	No charge
White wine, 50° to 55°	No charge
Red wine, 60° to 65°	No charge

REFRIGERATION COMPARTMENT LOCATION

Left	No charge
Right	No charge

REFRIGERATION COMPARTMENT COVER FINISH

Black vinyl-clad	No charge
Unlaminated	No charge
Stainless steel	\$32
Jeweled stainless steel	\$185
Laminated	\$215

DOOR OPTIONS

NOTE: Select options for EACH Door Section

STYLE AND FINISH - SPECIFY & ADD FOR EACH SECTION

Door - Black vinyl-clad	No charge
Door - Unlaminated	No charge
Door - Stainless steel	\$38
Door - Jeweled stainless	\$201
Door - Laminated	\$230
Door - Glass, black vinyl-clad	\$445
Door - Glass, stainless steel	\$483
Door - Glass, jeweled stainless	\$646
Door - Glass, laminated	\$675

DOOR HINGE LOCATION - SPECIFY & ADD FOR EACH DOOR

Left	No charge
Right	No charge

SHELVING - SPECIFY & ADD FOR EACH DOOR

Two adjustable shelves	No charge
Pull-out wine shelves:	
• w/upright and horizontal storage	\$1,672
• w/horizontal storage*	\$2,229

*Note: Not available for door next to the compressor compartment

DOOR HANDLE - SPECIFY & ADD FOR EACH DOOR

Polished stainless w/lock	No charge
Stainless pull tab w/lock	No charge
Polished brass w/lock	\$190



Stainless pull tab handle

TOP STYLE

	32"	36"	52"	60"	72"	84"	92"	108"
No finished top	No charge							
Stainless top	\$392	\$413	\$500	\$543	\$608	\$673	\$716	\$804
Laminated top	\$775	\$791	\$857	\$890	\$940	\$989	\$1,024	\$1,089
Drainboard top	\$652	\$691	\$842	\$918	\$1,029	\$1,143	\$1,219	\$1,370

4" HIGH STAINLESS SPLASHES

	32"	36"	52"	60"	72"	84"	92"	108"
NOTE: Can only be ordered with stainless steel top								
Backsplash	\$139	\$147	\$173	\$184	\$204	\$223	\$236	\$261
Left side splash	\$128	\$128	\$128	\$128	\$128	\$128	\$128	\$128
Right side splash	\$128	\$128	\$128	\$128	\$128	\$128	\$128	\$128

LEFT SIDE FINISH

Black vinyl-clad	No charge
Stainless Steel	\$38
Laminated	\$230

RIGHT SIDE FINISH

Black vinyl-clad	No charge
Stainless Steel	\$38
Laminated	\$230

BACK FINISH

	32"	36"	52"	60"	72"	84"	92"	108"
Galvanized steel	No charge							
Stainless steel*	\$312	\$321	\$366	\$388	\$420	\$452	\$475	\$518

*NOTE: Stainless steel back option also includes stainless steel sides.

LED LIGHTING STYLE

Bright white (7,000k), standard	No charge
Warm white (3,500k)	No charge
Amber (2,700k)	No charge
Blue	No charge

LEG AND STAINLESS STEEL KICK RAILS

NOTE: Legs are required if kick rails are ordered.

	32"	36"	52"	60"	72"	84"	92"	108"
6" legs	\$202	\$202	\$162	\$162	\$243	\$243	\$243	\$243
Front kick rail	\$109	\$113	\$129	\$138	\$151	\$162	\$171	\$186
Left side kick rail	\$101	\$101	\$101	\$101	\$101	\$101	\$101	\$101
Right side kick rail	\$101	\$101	\$101	\$101	\$101	\$101	\$101	\$101


CASTERS

	32"	36"	52"	60"	72"	84"	92"	108"
4-1/8" casters	\$177	\$177	\$145	\$145	\$218	\$218	\$218	\$218
2-7/8" casters	\$175	\$175	\$140	\$140	\$210	\$210	\$210	\$210

Optional pull-out wine shelves
Upright and horizontal storage shown

Polished stainless handle





C1RL40 with refrigeration hook up left, black vinyl-clad doors, and laminated top



C1RL48 with refrigeration hook up left, black vinyl-clad doors, and laminated top

PRODUCT INFORMATION

(see C1RL Spec Sheets for complete details)

STANDARD FEATURES:


- Remote unit
- All stainless steel interior construction
- Listed to NSF Standard 7 for open food as a storage refrigerator

COOLERS - ONE ZONE, REMOTE, LOW PROFILE*

MODEL	LIST	LENGTH	DOORS	DOOR OPENING	WEIGHT	BTU /HR	LONGNECK CASES	750MLWINE BOTTLES
C1RL24*	\$4,122	24" W	1	20"	170#	800	4.3	36
C1RL40*	\$5,105	40" W	2	16"	270#	1,000	8.2	60
C1RL48*	\$5,210	48" W	2	20"	275#	1,000	10.3	84
C1RL60*	\$6,822	60" W	3	16"	380#	1,300	12.8	96
C1RL72*	\$6,962	72" W	3	20"	390#	1,300	16.8	126
C1RL80*	\$8,464	80" W	4	16"	485#	1,600	18.0	132
C1RL96*	\$8,637	96" W	4	20"	500#	1,600	23.3	168


Base price only. See next page for configurable options.

*C1RL coolers are manufactured to order and are not returnable.



Side Elevation

Bar Refrigeration



ACCESSORIES

MODEL	DESCRIPTION	LIST
CWS-16	Wine rack shelf for 16" door opening, 5 bottle	\$144
CWS-20	Wine rack shelf for 20" door opening, 7 bottle	\$163
06010158	Clip-on shelf divider	\$32

CONDENSING UNITS AND INSTALLATION KITS**

MODEL	DESCRIPTION	LIST	WT
06006621**	1/3 HP R134a condensing unit kit, includes filter dryer, sight glass, and defrost timer. 2800 BTU/hr rated cooling capacity at 15°F evaporator temperature and 85°F ambient temperature. (13-1/2"W x 17"D x 9"H)	\$1,526	60#
06006622**	1/2 HP R134a condensing unit kit, includes filter dryer, sight glass, and defrost timer. 4100 BTU/hr rated cooling capacity at 15°F evaporator temperature and 85°F ambient temperature. (13-1/2"W x 18-1/4"D x 9-1/2"H)	\$2,264	60#
06009006**	1/3 HP R404A condensing unit kit, includes filter dryer, sight glass, and defrost timer. 2750 BTU/hr rated cooling capacity at 15°F evaporator temperature and 85°F ambient temperature. (13-1/2"W x 17"D x 9"H)	\$2,424	60#
06009007**	1/2 HP R404A condensing unit kit, includes filter dryer, sight glass, and defrost timer. 4500 BTU/hr rated cooling capacity at 15°F evaporator temperature and 85°F ambient temperature. (13-1/2"W x 18-1/4"D x 9-1/2"H)	\$2,857	60#

****NOTE:** Consult the applicable remote refrigerator specification sheet and your refrigeration installer to select the correct condensing unit for your installation. Standard piping practices and local codes should be employed to size and install refrigerant gas and liquid lines.

ACCESSORY FOR CONDENSING UNIT

06001413	Switch, low pressure control, for remote condensing unit	\$451	3#
----------	--	-------	----

ACCESSORY FOR REMOTE COOLER CABINET

SVC	Solenoid valve and coil kit, for remote unit	\$252	6#
SVC-L	Solenoid valve and coil kit with factory installation, for remote unit	\$711	6#

*NOTE: C1RL coolers are manufactured to order and are not returnable.

Select Configurable Options:**VOLTAGE**

120V/60HZ	No charge
220V/50HZ (export voltage)	\$124

TEMPERATURE

Beer / Food, 34° to 40°, standard	No charge
White wine, 50° to 55°	No charge
Red wine, 60° to 65°	No charge

EXPANSION VALVE TYPE

R134a	No charge
R404a	No charge
R407a/R422D	No charge
R448a	No charge

REFRIGERATION HOOK-UP LOCATION

Left	No charge
Right	No charge

DOOR OPTIONS

NOTE: Select options for EACH Door Section

STYLE AND FINISH - SPECIFY & ADD FOR EACH DOOR

Door - Black vinyl-clad	No charge
Door - Unlaminated	No charge
Door - Stainless steel	\$38
Door - Jeweled stainless	\$201
Door - Laminated	\$230
Door - Glass, black vinyl-clad	\$445
Door - Glass, stainless steel	\$483
Door - Glass, jeweled stainless	\$646
Door - Glass, laminated	\$675

DOOR HINGE LOCATION - SPECIFY & ADD FOR EACH DOOR

Left	No charge
Right	No charge

SHELVING - SPECIFY & ADD FOR EACH DOOR

Two adjustable shelves	No charge
Pull-out wine shelves w/upright and horizontal storage	\$1,535

DOOR HANDLE - SPECIFY & ADD FOR EACH DOOR

Polished stainless w/lock	No charge
Stainless pull tab w/lock	No charge
Polished brass w/lock	\$190

TOP STYLE

	24"	40"	48"	60"	72"	80"	96"
No finished top	No charge						
Stainless top	\$350	\$434	\$478	\$543	\$608	\$652	\$738
Laminated top	\$742	\$807	\$842	\$890	\$940	\$974	\$1,040

4" HIGH STAINLESS SPLASHES

	24"	40"	48"	60"	72"	80"	96"
NOTE: Can only be ordered with stainless steel top							
Backsplash	\$128	\$153	\$164	\$184	\$204	\$216	\$242
Left side splash	\$128	\$128	\$128	\$128	\$128	\$128	\$128
Right side splash	\$128	\$128	\$128	\$128	\$128	\$128	\$128

LEFT SIDE FINISH

Black vinyl-clad	No charge
Stainless Steel	\$38
Laminated	\$230

RIGHT SIDE FINISH

Black vinyl-clad	No charge
Stainless Steel	\$38
Laminated	\$230

BACK FINISH

	24"	40"	48"	60"	72"	80"	96"
Galvanized steel	No charge						
Stainless steel*	\$290	\$332	\$355	\$388	\$420	\$442	\$485

*NOTE: Stainless steel back option also includes stainless steel sides.

LED LIGHTING STYLE

Bright white (7,000k), standard	No charge
Warm white (3,500k)	No charge
Amber (2,700k)	No charge
Blue	No charge

LEG AND STAINLESS STEEL KICK RAILS

NOTE: Legs are required if kick rails are ordered.

	24"	40"	48"	60"	72"	80"	96"
6" legs	\$162	\$162	\$162	\$243	\$243	\$243	\$243
Front kick rail	\$101	\$116	\$125	\$138	\$151	\$159	\$175
Left side kick rail	\$101	\$101	\$101	\$101	\$101	\$101	\$101
Right side kick rail	\$101	\$101	\$101	\$101	\$101	\$101	\$101



Polished stainless handle



Stainless pull tab handle



Optional pull-out wine shelves w/upright and horizontal storage




C1SL48
with compressor right, black
vinyl-clad doors, and stainless top

PRODUCT INFORMATION

(see C1SL Spec Sheet for complete details)

STANDARD FEATURES:

- Self-contained
- All stainless steel interior construction
- Listed to NSF Standard 7 for open food as a storage refrigerator



Side Elevation

COOLERS - ONE ZONE, SIDE SERVICED, LOW PROFILE

MODEL	LIST	LENGTH	DOORS	DOOR OPENING	WEIGHT	AMPS	HP	LONGNECK CASES	750MLWINE BOTTLES**
C1SL24	\$4,917	24"	1	17.5" W	208#	2.75	1/8	4.5	30
C1SL28	\$5,103	28"	1	20" W	231#	2.75	1/8	5.1	36
C1SL36	\$6,655	36"	2	12" W	292#	2.75	1/8	6.9	53
C1SL44	\$6,921	44"	2	16" W	322#	2.75	1/8	8.9	66
C1SL48	\$7,055	48"	2	18" W	335#	2.75	1/8	10.3	77


Base price only. See next page for configurable options.

**Wine bottle capacity is based on adjustable shelves. Drawers are not intended for upright storage of wine bottles.

*NOTE: C1SL units are manufactured to order and are not returnable.

ACCESSORIES

MODEL	DESCRIPTION	LIST
CO-RR	Shelf retention rail	\$58
CWS-12	Wine rack shelf for 12" door opening, 3 bottle	\$124
CWS-16	Wine rack shelf for 16" door opening, 5 bottle	\$144
CWS-17	Wine rack shelf for 17.5" door opening, 5 bottle	\$154
CWS-18	Wine rack shelf for 18" door opening, 5 bottle	\$156
CWS-20	Wine rack shelf for 20" door opening, 7 bottle	\$163
DICF-12L	Drawer insert, condiments, full, 12" door opening, low-profile cooler, 6 cups	\$307
DICP-12L	Drawer insert, condiments, partial, 12" door opening, low-profile cooler, 4 cups	\$231
DICF-16L	Drawer insert, condiments, full, 16" door opening, low-profile cooler, 12 cups	\$452
DICP-16L	Drawer insert, condiments, partial, 16" door opening, low-profile cooler, 8 cups	\$328
DICF-17L	Drawer insert, condiments, full, 17.5" door opening, low-profile cooler, 12 cups	\$455
DICP-17L	Drawer insert, condiments, partial, 17.5" door opening, low-profile cooler, 8 cups	\$330
DICF-18L	Drawer insert, condiments, full, 18" door opening, low-profile cooler, 12 cups	\$460
DICP-18L	Drawer insert, condiments, partial, 18" door opening, low-profile cooler, 8 cups	\$332
DICF-20L	Drawer insert, condiments, full, 20" door opening, low-profile cooler, 15 cups	\$532
DICP-20L	Drawer insert, condiments, partial, 20" door opening, low-profile cooler, 10 cups	\$380
DIP-17	Drawer insert for fractional stainless pans, 17.5" door opening (pans not included)	\$205
DIP-18	Drawer insert for fractional stainless pans, 18" door opening (pans not included)	\$210
DIP-20	Drawer insert for fractional stainless pans, 20" door opening (pans not included)	\$229
06010158	Clip-on shelf divider	\$32




CO-RR

The CO-RR shelf retention rail should be used on all shelves adjacent to kegs. (CO-RR shown installed on shelf)




CWS-20 Wine rack shelf
for 20" door opening



06010158
Clip-on shelf
divider for middle
and top shelf




DICP-17L



DICF-17L

Front covers removed
for illustrative purposes



DIP-18
Pans not included

Select Configurable Options:

VOLTAGE

120V/60HZ	No charge
220V/50HZ (export voltage)	\$245

TEMPERATURE

Beer / Food, 34° to 40°, standard	No charge
White wine, 50° to 55°	No charge
Red wine, 60° to 65°	No charge

REFRIGERATION COMPARTMENT LOCATION

Left	No charge
Right	No charge

REFRIGERATION COMPARTMENT COVER FINISH

Black vinyl-clad	No charge
Stainless steel	\$32
Jeweled stainless steel	\$185

DOOR/DRAWER OPTIONS

NOTE: Select options for EACH Door/Drawer Section

STYLE AND FINISH - SPECIFY & ADD FOR EACH SECTION

Door - Black vinyl-clad	No charge
Door - Unlaminated	No charge
Door - Stainless steel	\$38
Door - Jeweled stainless	\$201
Door - Laminated	\$230
Door - Glass, black vinyl-clad	\$445
Door - Glass, stainless steel	\$483
Door - Glass, jeweled stainless	\$646
Door - Glass, laminated	\$675
Drawers - Black vinyl-clad	\$1,841
Drawers - Unlaminated	\$1,841
Drawers - Stainless steel	\$1,879
Drawers - Jeweled stainless	\$2,041
Drawers - Laminated	\$2,072

DOOR HINGE LOCATION - SPECIFY & ADD FOR EACH DOOR

Left	No charge
Right	No charge

SHELVING - SPECIFY & ADD FOR EACH DOOR

Two adjustable shelves	No charge
Pull-out wine shelves:	
• w/upright and horizontal storage*	\$1,672
• w/horizontal storage*	\$2,229

*Note: Not available for 12" door opening models

DOOR HANDLE - SPECIFY & ADD FOR EACH DOOR

NOTE: Drawers come with a stainless pull tab handle	
Polished stainless w/lock	No charge
Stainless pull tab w/lock	No charge
Polished brass w/lock	\$190

Stainless pull
tab handle



*NOTE: C1SL units are manufactured to order and are not returnable.

TOP STYLE

	24"	28"	36"	44"	48"
No finished top	No charge				
Stainless top	\$350	\$370	\$413	\$457	\$478
Laminated top	\$742	\$758	\$791	\$825	\$842
Drainboard top	\$577	\$614	\$691	\$766	\$804

4" HIGH STAINLESS SPLASHES

	24"	28"	36"	44"	48"
NOTE: Can only be ordered with stainless steel top					
Backsplash	\$128	\$135	\$147	\$160	\$164
Left side splash	\$128	\$128	\$128	\$128	\$128
Right side splash	\$128	\$128	\$128	\$128	\$128

LEFT SIDE FINISH

Black vinyl-clad	No charge
Stainless Steel	\$38
Laminated	\$230

RIGHT SIDE FINISH

Black vinyl-clad	No charge
Stainless Steel	\$38
Laminated	\$230

BACK FINISH

	24"	28"	36"	44"	48"
Galvanized steel	No charge				
Stainless steel*	\$290	\$300	\$321	\$343	\$355

*NOTE: Stainless steel back option also includes stainless steel sides.

LED LIGHTING STYLE

Bright white (7,000k), standard	No charge
Warm white (3,500k)	No charge
Amber (2,700k)	No charge
Blue	No charge

LEG AND STAINLESS STEEL KICK RAILS

NOTE: Legs are required if kick rails are ordered.

	24"	28"	36"	44"	48"
6" legs	\$162	\$162	\$162	\$162	\$162
Front kick rail	\$101	\$105	\$113	\$121	\$125
Left side kick rail	\$101	\$101	\$101	\$101	\$101
Right side kick rail	\$101	\$101	\$101	\$101	\$101

CASTERS

	24"	28"	36"	44"	48"
4-1/8" casters	\$145	\$145	\$145	\$145	\$145
2-7/8" casters	\$140	\$140	\$140	\$140	\$140

Polished stainless
handle



20" wide drawer
opening shown

Optional Drawers


Glastender's refrigerated drawers include adjustable divider walls.



Optional pull-out wine shelves
Upright and horizontal
storage shown



CP1FB60 with compressor left, laminated and glass doors, and stainless top




CP1FB52 with compressor left, black vinyl-clad doors, and stainless top

COOLERS - PASS-THRU, ONE ZONE, FRONT SERVICED, BAR PROFILE*


MODEL	LIST	LENGTH	DOORS	DOOR OPENING	WEIGHT	AMPS	HP	LONGNECK CASES	750ML WINE BOTTLES
CP1FB32*	\$7,467	32"	2	16" w	320#	3.0	1/8	6.6	67
CP1FB36*	\$7,543	36"	2	20" w	325#	3.0	1/8	8.8	79
CP1FB52*	\$9,893	52"	4	16" w	435#	7.0	1/4	14.6	129
CP1FB60*	\$10,198	60"	4	20" w	445#	7.0	1/4	19.1	177
CP1FB72*	\$12,915	72"	6	16" w	580#	7.0	1/4	23.1	209
CP1FB84*	\$13,315	84"	6	20" w	595#	7.0	1/4	29.9	271

Base price only. See next page for configurable options.


*NOTE: CP1FB coolers are manufactured to order and are not returnable.



Bar Refrigeration



06010159
Clip-on shelf divider,
pass thru cooler, for
middle and top shelf



06009785

In a typical cooler, only the front row of bottles is easy to access. Glastender's rotary wine shelf increases access by 270% (16 vs. 6 bottles).

The rotary wine shelf is for use with CP1FB36, CP1FB60, and CP1FB84 model coolers. Two rotary shelves can be used behind each 20" door opening, where they sit on two standard cooler shelves. Each rotary shelf holds up to 29 wine bottles (750ml).

PRODUCT INFORMATION

(see CP1FB Spec Sheet for complete details)

STANDARD FEATURES:

- Self-contained
- All stainless steel interior construction
- Three adjustable coated shelves per section
- Listed to NSF Standard 7 for open food as a storage refrigerator

ACCESSORIES

MODEL	DESCRIPTION	LIST
06009785	Rotary wine shelf (20" door opening ONLY)	\$231
CWS-16P	Wine rack shelf for 16" door opening, 5 bottle	\$156
CWS-20P	Wine rack shelf for 20" door opening, 7 bottle	\$177
06010159	Clip-on shelf divider for middle and top shelf	\$32
06006013	Clip-on shelf divider for bottom shelf only	\$32

Select Configurable Options:

*NOTE: CP1FB coolers are manufactured to order and are not returnable.

VOLTAGE

120V/60HZ	No charge
220V/50HZ (export voltage)	\$245

TEMPERATURE

Beer / Food, 34° to 40°, standard	No charge
White wine, 50° to 55°	No charge
Red wine, 60° to 65°	No charge

REFRIGERATION COMPARTMENT LOCATION

Left	No charge
Right	No charge

REFRIGERATION COMPARTMENT COVER FINISH

NOTE: Specify and add for both the front and the back

Black vinyl-clad	No charge
Unlaminated	No charge
Stainless steel	\$32
Jeweled stainless steel	\$185
Laminated	\$215

DOOR OPTIONS

NOTE: Select options for EACH Door

STYLE AND FINISH - SPECIFY & ADD FOR EACH DOOR

Door - Black vinyl-clad	No charge
Door - Unlaminated	No charge
Door - Stainless steel	\$38
Door - Jeweled stainless	\$201
Door - Laminated	\$230
Door - Glass, black vinyl-clad	\$445
Door - Glass, stainless steel	\$483
Door - Glass, jeweled stainless	\$646
Door - Glass, laminated	\$675

DOOR HINGE LOCATION - SPECIFY & ADD FOR EACH DOOR

Left	No charge
Right	No charge

DOOR HANDLE - SPECIFY & ADD FOR EACH DOOR

Polished stainless w/lock	No charge
Stainless pull tab w/lock	No charge
Polished brass w/lock	\$190

TOP STYLE

	32"	36"	52"	60"	72"	84"
No finished top	No charge					
Stainless top	\$447	\$473	\$580	\$631	\$711	\$789
Laminated top	\$775	\$791	\$857	\$890	\$940	\$989

LEFT SIDE FINISH

Black vinyl-clad	No charge
Stainless Steel	\$38
Laminated	\$230

RIGHT SIDE FINISH

Black vinyl-clad	No charge
Stainless Steel	\$38
Laminated	\$230

LED LIGHTING STYLE

Bright white (7,000k), standard	No charge
Warm white (3,500k)	No charge
Amber (2,700k)	No charge
Blue	No charge

LEG AND STAINLESS STEEL KICK RAILS

NOTE: Legs are required if kick rails are ordered.

	32"	36"	52"	60"	72"	84"
6" legs	\$202	\$202	\$162	\$162	\$243	\$243
Front kick rail	\$109	\$113	\$129	\$138	\$151	\$162
Back kick rail	\$109	\$113	\$129	\$138	\$151	\$162
Left side kick rail	\$101	\$101	\$101	\$101	\$101	\$101
Right side kick rail	\$101	\$101	\$101	\$101	\$101	\$101

CASTERS


	32"	36"	52"	60"	72"	84"
4-1/8" casters	\$177	\$177	\$145	\$145	\$218	\$218
2-7/8" casters	\$175	\$175	\$140	\$140	\$210	\$210



Polished stainless handle



Stainless pull tab handle



CP1RB40 with refrigeration hook up left, black vinyl-clad doors, and laminated top



CP1RB48 with refrigeration hook up left, stainless doors, and no finished top

COOLERS - PASS-THRU, ONE ZONE, REMOTE, BAR PROFILE*

MODEL	LIST	LENGTH	DOORS	DOOR OPENING	WEIGHT	BTU /HR	LONGNECK CASES	750MLWINE BOTTLES**
CP1RB24*	\$5,360	24"	2	20"	225#	950	7.7	72
CP1RB40*	\$6,778	40"	4	16"	355#	1,600	13.1	114
CP1RB48*	\$6,990	48"	4	20"	365#	1,600	17.6	156
CP1RB60*	\$9,674	60"	6	16"	495#	2,000	21.6	194
CP1RB72*	\$9,972	72"	6	20"	510#	2,000	28.3	253


Base price only. See next page for configurable options.

PRODUCT INFORMATION

(see CP1RB Spec Sheet for complete details)

STANDARD FEATURES:

- Remote unit
- All stainless steel interior construction
- Three adjustable coated shelves per section
- Listed to NSF Standard 7 for open food as a storage refrigerator



ACCESSORIES

MODEL	DESCRIPTION	LIST
CWS-16P	Wine rack shelf for 16" door opening, 5 bottles	\$156
CWS-20P	Wine rack shelf for 20" door opening, 7 bottles	\$177
06010159	Clip-on shelf divider for middle and top shelf	\$32
06006013	Clip-on shelf divider for bottom shelf only	\$32

CONDENSING UNITS AND INSTALLATION KITS**

MODEL	DESCRIPTION	LIST	WT
06006621**	1/3 HP R134a condensing unit kit, includes filter dryer, sight glass, and defrost timer. 2800 BTU/hr rated cooling capacity at 15°F evaporator temperature and 85°F ambient temperature. (13-1/2"W x 17"D x 9"H)	\$1,526	60#
06006622**	1/2 HP R134a condensing unit kit, includes filter dryer, sight glass, and defrost timer. 4100 BTU/hr rated cooling capacity at 15°F evaporator temperature and 85°F ambient temperature. (13-1/2"W x 18-1/4"D x 9-1/2"H)	\$2,264	60#
06009006**	1/3 HP R404A condensing unit kit, includes filter dryer, sight glass, and defrost timer. 2750 BTU/hr rated cooling capacity at 15°F evaporator temperature and 85°F ambient temperature. (13-1/2"W x 17"D x 9"H)	\$2,424	60#
06009007**	1/2 HP R404A condensing unit kit, includes filter dryer, sight glass, and defrost timer. 4500 BTU/hr rated cooling capacity at 15°F evaporator temperature and 85°F ambient temperature. (13-1/2"W x 18-1/4"D x 9-1/2"H)	\$2,857	60#

****NOTE:** Consult the applicable remote refrigerator specification sheet and your refrigeration installer to select the correct condensing unit for your installation. Standard piping practices and local codes should be employed to size and install refrigerant gas and liquid lines.

ACCESSORY FOR CONDENSING UNIT

06001413	Switch, low pressure control, for remote condensing unit	\$451	3#
----------	--	-------	----

ACCESSORY FOR REMOTE COOLER CABINET

SVC	Solenoid valve and coil kit, for remote unit	\$252	6#
SVC-L	Solenoid valve and coil kit with factory installation, for remote unit	\$711	6#

*NOTE: CP1RB coolers are manufactured to order and are not returnable.

Select Configurable Options:**VOLTAGE**

120V/60HZ	No charge
220V/50HZ (export voltage)	\$124

TEMPERATURE

Beer / Food, 34° to 40°, standard	No charge
White wine, 50° to 55°	No charge
Red wine, 60° to 65°	No charge

EXPANSION VALVE TYPE

R134a	No charge
R404a	No charge
R407a/R422D	No charge
R448a	No charge

REFRIGERATION HOOK-UP LOCATION

Left	No charge
Right	No charge

DOOR OPTIONS

NOTE: Select options for EACH Door Section

STYLE AND FINISH - SPECIFY & ADD FOR EACH DOOR

Door - Black vinyl-clad	No charge
Door - Unlaminated	No charge
Door - Stainless steel	\$38
Door - Jeweled stainless	\$201
Door - Laminated	\$230
Door - Glass, black vinyl-clad	\$445
Door - Glass, stainless steel	\$483
Door - Glass, jeweled stainless	\$646
Door - Glass, laminated	\$675

DOOR HINGE LOCATION - SPECIFY & ADD FOR EACH DOOR

Left	No charge
Right	No charge

DOOR HANDLE - SPECIFY & ADD FOR EACH DOOR

Polished stainless w/lock	No charge
Stainless pull tab w/lock	No charge
Polished brass w/lock	\$190

TOP STYLE

	24"	40"	48"	60"	72"
No finished top	No charge				
Stainless top	\$394	\$500	\$553	\$631	\$711
Laminated top	\$742	\$807	\$842	\$890	\$940

LEFT SIDE FINISH

Black vinyl-clad	No charge
Stainless Steel	\$38
Laminated	\$230

RIGHT SIDE FINISH

Black vinyl-clad	No charge
Stainless Steel	\$38
Laminated	\$230

LED LIGHTING STYLE

Bright white (7,000k), standard	No charge
Warm white (3,500k)	No charge
Amber (2,700k)	No charge
Blue	No charge

LEG AND STAINLESS STEEL KICK RAILS

NOTE: Legs are required if kick rails are ordered.


	24"	40"	48"	60"	72"
6" legs	\$162	\$162	\$162	\$243	\$243
Front kick rail	\$101	\$116	\$125	\$138	\$151
Back kick rail	\$101	\$116	\$125	\$138	\$151
Left side kick rail	\$101	\$101	\$101	\$101	\$101
Right side kick rail	\$101	\$101	\$101	\$101	\$101




Polished stainless handle



Stainless pull tab handle



CP1FL52 with compressor left, black vinyl-clad doors, and laminated top



CP1FL60 with compressor left, black vinyl-clad doors, and laminated top

COOLERS - PASS-THRU, ONE ZONE, FRONT SERVICED, LOW PROFILE*


MODEL	LIST	LENGTH	DOORS	DOOR OPENING	WEIGHT	AMPS	HP	LONGNECK CASES	750MLWINE BOTTLES
CP1FL32*	\$7,240	32"	2	16" W	315#	3.0	1/8	4.4	35
CP1FL36*	\$7,316	36"	2	20" W	320#	3.0	1/8	5.8	42
CP1FL52*	\$9,485	52"	4	16" W	425#	7.0	1/4	9.7	66
CP1FL60*	\$9,690	60"	4	20" W	435#	7.0	1/4	12.7	90
CP1FL72*	\$12,381	72"	6	16" W	565#	7.0	1/4	15.4	106
CP1FL84*	\$12,649	84"	6	20" W	580#	7.0	1/4	19.9	137

Base price only. See next page for configurable options.


*NOTE: CP1FL units are manufactured to order and are not returnable.

Bar Refrigeration

ADD 1" TO HEIGHT FOR
FACTORY INSTALLED TOP



Side Elevation



06010159
Clip-on shelf divider



PRODUCT INFORMATION

(see CP1FL Spec Sheet for complete details)

STANDARD FEATURES:

- Self-contained
- All stainless steel interior construction
- Two adjustable coated shelves per section
- Listed to NSF Standard 7 for open food as a storage refrigerator

ACCESSORIES

MODEL	DESCRIPTION	LIST
CWS-16P	Wine rack shelf for 16" door opening, 5 bottle	\$156
CWS-20P	Wine rack shelf for 20" door opening, 7 bottle	\$177
06010159	Clip-on shelf divider	\$32

*NOTE: CP1FL units are manufactured to order and are not returnable.

Select Configurable Options:

VOLTAGE

120V/60HZ	No charge
220V/50HZ (export voltage)	\$245

TEMPERATURE

Beer / Food, 34° to 40°, standard	No charge
White wine, 50° to 55°	No charge
Red wine, 60° to 65°	No charge

REFRIGERATION COMPARTMENT LOCATION

Left	No charge
Right	No charge

REFRIGERATION COMPARTMENT COVER FINISH

NOTE: Specify and add for both the front and the back

Black vinyl-clad	No charge
Unlaminated	No charge
Stainless steel	\$32
Jeweled stainless steel	\$185
Laminated	\$215

DOOR OPTIONS

NOTE: Select options for EACH Door Section

STYLE AND FINISH - SPECIFY & ADD FOR EACH SECTION

Door - Black vinyl-clad	No charge
Door - Unlaminated	No charge
Door - Stainless steel	\$38
Door - Jeweled stainless	\$201
Door - Laminated	\$230
Door - Glass, black vinyl-clad	\$445
Door - Glass, stainless steel	\$483
Door - Glass, jeweled stainless	\$646
Door - Glass, laminated	\$675

DOOR HINGE LOCATION - SPECIFY & ADD FOR EACH DOOR

Left	No charge
Right	No charge

DOOR HANDLE - SPECIFY & ADD FOR EACH DOOR

Polished stainless w/lock	No charge
Stainless pull tab w/lock	No charge
Polished brass w/lock	\$190

TOP STYLE

	32"	36"	52"	60"	72"	84"
No finished top	No charge					
Stainless top	\$447	\$473	\$580	\$631	\$711	\$789
Laminated top	\$775	\$791	\$857	\$890	\$940	\$989

LEFT SIDE FINISH

Black vinyl-clad	No charge
Stainless Steel	\$38
Laminated	\$230

RIGHT SIDE FINISH

Black vinyl-clad	No charge
Stainless Steel	\$38
Laminated	\$230

LED LIGHTING STYLE

Bright white (7,000k), standard	No charge
Warm white (3,500k)	No charge
Amber (2,700k)	No charge
Blue	No charge

LEG AND STAINLESS STEEL KICK RAILS

NOTE: Legs are required if kick rails are ordered.

	32"	36"	52"	60"	72"	84"
6" legs	\$202	\$202	\$162	\$162	\$243	\$243
Front kick rail	\$109	\$113	\$129	\$138	\$151	\$162
Back kick rail	\$109	\$113	\$129	\$138	\$151	\$162
Left side kick rail	\$101	\$101	\$101	\$101	\$101	\$101
Right side kick rail	\$101	\$101	\$101	\$101	\$101	\$101

CASTERS


	32"	36"	52"	60"	72"	84"
4-1/8" casters	\$177	\$177	\$145	\$145	\$218	\$218
2-7/8" casters	\$175	\$175	\$140	\$140	\$210	\$210




Polished stainless handle



Stainless pull tab handle



CP1RL40 with
refrigeration hook up left,
black vinyl-clad doors,
and laminated top



CP1RL48 with
refrigeration hook up left,
black vinyl-clad doors,
and laminated top

COOLERS - PASS-THRU, ONE ZONE, REMOTE, LOW PROFILE*

MODEL	LIST	LENGTH	DOORS	DOOR OPENING	WEIGHT	BTU /HR	LONGNECK CASES	750MLWINE BOTTLES**
CP1RL24*	\$5,199	24"	2	20"	220#	850	4.7	42
CP1RL40*	\$6,500	40"	4	16"	350#	1,600	8.2	66
CP1RL48*	\$6,640	48"	4	20"	355#	1,600	11.8	90
CP1RL60*	\$9,274	60"	6	16"	485#	2,000	13.8	106
CP1RL72*	\$9,474	72"	6	20"	495#	2,000	18.3	137

Base price only. See next page for configurable options.

*NOTE:


CP1RL coolers are
manufactured to order
and are not returnable.

PRODUCT INFORMATION

(see CP1RL Spec Sheet for complete details)

STANDARD FEATURES:

- Remote unit
- All stainless steel interior construction
- Two adjustable coated shelves per section
- Listed to NSF Standard 7 for open food as a storage refrigerator



CONDENSING UNITS AND INSTALLATION KITS**

MODEL	DESCRIPTION	LIST	WT
06006621**	1/3 HP R134a condensing unit kit, includes filter dryer, sight glass, and defrost timer. 2800 BTU/hr rated cooling capacity at 15°F evaporator temperature and 85°F ambient temperature. (13-1/2"W x 17"D x 9"H)	\$1,526	60#
06006622**	1/2 HP R134a condensing unit kit, includes filter dryer, sight glass, and defrost timer. 4100 BTU/hr rated cooling capacity at 15°F evaporator temperature and 85°F ambient temperature. (13-1/2"W x 18-1/4"D x 9-1/2"H)	\$2,264	60#
06009006**	1/3 HP R404A condensing unit kit, includes filter dryer, sight glass, and defrost timer. 2750 BTU/hr rated cooling capacity at 15°F evaporator temperature and 85°F ambient temperature. (13-1/2"W x 17"D x 9"H)	\$2,424	60#
06009007**	1/2 HP R404A condensing unit kit, includes filter dryer, sight glass, and defrost timer. 4500 BTU/hr rated cooling capacity at 15°F evaporator temperature and 85°F ambient temperature. (13-1/2"W x 18-1/4"D x 9-1/2"H)	\$2,857	60#

****NOTE:** Consult the applicable remote refrigerator specification sheet and your refrigeration installer to select the correct condensing unit for your installation. Standard piping practices and local codes should be employed to size and install refrigerant gas and liquid lines.

ACCESSORIES

MODEL	DESCRIPTION	LIST
CWS-16P	Wine rack shelf for 16" door opening, 5 bottle	\$156
CWS-20P	Wine rack shelf for 20" door opening, 7 bottle	\$177
06010159	Clip-on shelf divider	\$32

ACCESSORY FOR CONDENSING UNIT

06001413	Switch, low pressure control, for remote condensing unit	\$451	3#
----------	--	-------	----

ACCESSORY FOR REMOTE COOLER CABINET

SVC	Solenoid valve and coil kit, for remote unit	\$252	6#
SVC-L	Solenoid valve and coil kit with factory installation, for remote unit	\$711	6#

*NOTE: CP1RL coolers are manufactured to order and are not returnable.

Select Configurable Options:

VOLTAGE

120V/60HZ	No charge
220V/50HZ (export voltage)	\$124

TEMPERATURE

Beer / Food, 34° to 40°, standard	No charge
White wine, 50° to 55°	No charge
Red wine, 60° to 65°	No charge

EXPANSION VALVE TYPE

R134a	No charge
R404a	No charge
R407a/R422D	No charge
R448a	No charge

REFRIGERATION HOOK-UP LOCATION

Left	No charge
Right	No charge

DOOR OPTIONS

NOTE: Select options for EACH Door Section

STYLE AND FINISH - SPECIFY & ADD FOR EACH DOOR

Door - Black vinyl-clad	No charge
Door - Unlaminated	No charge
Door - Stainless steel	\$38
Door - Jeweled stainless	\$201
Door - Laminated	\$230
Door - Glass, black vinyl-clad	\$445
Door - Glass, stainless steel	\$483
Door - Glass, jeweled stainless	\$646
Door - Glass, laminated	\$675

DOOR HINGE LOCATION - SPECIFY & ADD FOR EACH DOOR

Left	No charge
Right	No charge

DOOR HANDLE - SPECIFY & ADD FOR EACH DOOR

Polished stainless w/lock	No charge
Stainless pull tab w/lock	No charge
Polished brass w/lock	\$190

TOP STYLE

	24"	40"	48"	60"	72"
No finished top	No charge				
Stainless top	\$394	\$500	\$553	\$631	\$711
Laminated top	\$742	\$807	\$842	\$890	\$940

LEFT SIDE FINISH

Black vinyl-clad	No charge
Stainless Steel	\$38
Laminated	\$230

RIGHT SIDE FINISH

Black vinyl-clad	No charge
Stainless Steel	\$38
Laminated	\$230

LED LIGHTING STYLE

Bright white (7,000k), standard	No charge
Warm white (3,500k)	No charge
Amber (2,700k)	No charge
Blue	No charge

LEG AND STAINLESS STEEL KICK RAILS

NOTE: Legs are required if kick rails are ordered.

	24"	40"	48"	60"	72"
6" legs	\$162	\$162	\$162	\$243	\$243
Front kick rail	\$101	\$116	\$125	\$138	\$151
Back kick rail	\$101	\$116	\$125	\$138	\$151
Left side kick rail	\$101	\$101	\$101	\$101	\$101
Right side kick rail	\$101	\$101	\$101	\$101	\$101



Stainless pull tab handle

Polished stainless handle




F1FB36 with compressor left and stainless steel door and top

PRODUCT INFORMATION

(see F1FB Spec Sheet for complete details)

STANDARD FEATURES:

- Self-contained
- All stainless steel interior construction
- Models with door include three coated adjustable shelves
- Listed to NSF Standard 7



*NOTE: F1FB units are manufactured to order and are not returnable.

FROSTERS - ONE ZONE, FRONT SERVICED, BAR PROFILE

MODEL	LIST	LENGTH	DOORS	DOOR OPENING	WEIGHT	AMPS	HP	10 Oz. MUGS	6" High PINT GLASSES
F1FB32	\$6,102	32"	1	16" W	245#	6.5	1/3	120	96
F1FB36	\$6,170	36"	1	20" W	255#	6.5	1/3	168	120

Base price only. See next page for configurable options.

Bar Refrigeration



DIP-18 shown
Pans not included

ACCESSORIES

MODEL	DESCRIPTION	LIST
DIP-20	Drawer insert for fractional stainless pans, 20" door opening (pans not included)	\$229



Capable of
storing specialty
cocktail ice

*NOTE: FIFB units are manufactured to order and are not returnable.

Select Configurable Options:**VOLTAGE**

120V/60HZ	No charge
220V/50HZ (export voltage)	\$245

REFRIGERATION COMPARTMENT LOCATION

Left	No charge
Right	No charge

REFRIGERATION COMPARTMENT COVER FINISH

Black vinyl-clad	No charge
Unlaminated	No charge
Stainless steel	\$32
Jeweled stainless steel	\$185
Laminated	\$215

DOOR/DRAWER OPTIONS

NOTE: Select options for EACH Door/Drawer Section

STYLE AND FINISH - SPECIFY & ADD FOR EACH SECTION

Door - Black vinyl-clad	No charge
Door - Unlaminated	No charge
Door - Stainless steel	\$38
Door - Jeweled stainless	\$201
Door - Laminated	\$230
Door - Glass, black vinyl-clad	\$583
Door - Glass, stainless steel	\$621
Door - Glass, jeweled stainless	\$784
Door - Glass, laminated	\$813
Drawers - Black vinyl-clad	\$1,895
Drawers - Unlaminated	\$1,895
Drawers - Stainless steel	\$1,933
Drawers - Jeweled stainless	\$2,096
Drawers - Laminated	\$2,125

DOOR HINGE LOCATION - SPECIFY & ADD FOR EACH DOOR

Left	No charge
Right	No charge

DOOR HANDLE - SPECIFY & ADD FOR EACH DOOR

NOTE: Drawers come with a stainless steel pull tab handle

Polished stainless w/lock	No charge
Stainless pull tab w/lock	No charge
Polished brass w/lock	\$190

TOP STYLE

	32"	36"
No finished top		No charge
Stainless top	\$392	\$413
Laminated top	\$775	\$791

LEFT SIDE FINISH

Black vinyl-clad	No charge
Stainless Steel	\$38
Laminated	\$230

RIGHT SIDE FINISH

Black vinyl-clad	No charge
Stainless Steel	\$38
Laminated	\$230

BACK FINISH

	32"	36"
Galvanized steel		No charge
Stainless steel*	\$312	\$321

*NOTE: Stainless steel back option also includes stainless steel sides.

LED LIGHTING STYLE

Bright white (7,000k), standard	No charge
Warm white (3,500k)	No charge
Blue	No charge

LEG AND STAINLESS STEEL KICK RAILS

NOTE: Legs are required if kick rails are ordered.

	32"	36"
6" legs	\$202	\$202
Front kick rail	\$109	\$113
Left side kick rail	\$101	\$101
Right side kick rail	\$101	\$101

CASTERS

	32"	36"
4-1/8" casters	\$177	\$177
2-7/8" casters	\$175	\$175

**Optional Drawers**

Glastender's refrigerated drawers include adjustable divider walls.



Polished stainless handle



Stainless pull tab handle




F1FL36 with compressor left
and stainless steel door and top

PRODUCT INFORMATION

(see F1FL Spec Sheet for complete details)

STANDARD FEATURES:

- Self-contained
- All stainless steel interior construction
- Includes three adjustable coated shelves
- Listed to NSF Standard 7



*NOTE: F1FL units are manufactured to order and are not returnable.

FROSTERS - ONE ZONE, FRONT SERVICED, LOW PROFILE

MODEL	LIST	LENGTH	DOORS	DOOR OPENING	WEIGHT	AMPS	HP	10 Oz. MUGS	6" High PINT GLASSES
F1FL32	\$5,929	32"	1	16" W	240#	6.5	1/3	90	72
F1FL36	\$5,996	36"	1	20" W	250#	6.5	1/3	126	90

Base price only. See next page for configurable options.



Capable of
storing specialty
cocktail ice

*NOTE: FIFL units are manufactured to order and are not returnable.

Select Configurable Options:

VOLTAGE

120V/60HZ	No charge
220V/50HZ (export voltage)	\$245

REFRIGERATION COMPARTMENT LOCATION

Left	No charge
Right	No charge

REFRIGERATION COMPARTMENT COVER FINISH

Black vinyl-clad	No charge
Unlaminated	No charge
Stainless steel	\$32
Jeweled stainless steel	\$185
Laminated	\$215

DOOR OPTIONS**STYLE AND FINISH**

Door - Black vinyl-clad	No charge
Door - Unlaminated	No charge
Door - Stainless steel	\$38
Door - Jeweled stainless	\$201
Door - Laminated	\$230
Door - Glass, black vinyl-clad	\$583
Door - Glass, stainless steel	\$621
Door - Glass, jeweled stainless	\$784
Door - Glass, laminated	\$813

DOOR HINGE LOCATION

Left	No charge
Right	No charge

DOOR HANDLE

Polished stainless w/lock	No charge
Stainless pull tab w/lock	No charge
Polished brass w/lock	\$190

TOP STYLE

	32"	36"
No finished top	No charge	
Stainless top	\$392	\$413
Laminated top	\$775	\$791
Drainboard top	\$652	\$691

LEFT SIDE FINISH

Black vinyl-clad	No charge
Stainless Steel	\$38
Laminated	\$230

RIGHT SIDE FINISH

Black vinyl-clad	No charge
Stainless Steel	\$38
Laminated	\$230

BACK FINISH

	32"	36"
Galvanized steel	No charge	
Stainless steel*	\$312	\$321

*NOTE: Stainless steel back option also includes stainless steel sides.

LED LIGHTING STYLE

Bright white (7,000k), standard	No charge
Warm white (3,500k)	No charge
Blue	No charge

LEG AND STAINLESS STEEL KICK RAILS

NOTE: Legs are required if kick rails are ordered.

	32"	36"
6" legs	\$202	\$202
Front kick rail	\$109	\$113
Left side kick rail	\$101	\$101
Right side kick rail	\$101	\$101

CASTERS

	32"	36"
4-1/8" casters	\$177	\$177
2-7/8" casters	\$175	\$175



Polished stainless handle

Stainless pull tab handle






PRODUCT INFORMATION

(see F1SB Spec Sheet for complete details)

STANDARD FEATURES:

- Self-contained
- All stainless steel interior construction
- Models with doors include three adjustable coated shelves per door
- Listed to NSF Standard 7

F1SB48 with compressor left, black vinyl-clad glass doors, and stainless steel top



*NOTE: F1SB28, F1SB36, and F1SB44 frosters and all units with drawers are manufactured to order and are not returnable.

FROSTERS - ONE ZONE, SIDE SERVICED, BAR PROFILE

MODEL	LIST	LENGTH	DOORS	DOOR OPENING	WEIGHT	AMPS	HP	10 Oz. MUGS	6" HIGH PINT GLASSES
F1SB24	\$5,683	24"	1	17.5" W	213#	5.0	1/3	132	97
F1SB28*	\$5,950	28"	1	20" W	236#	5.0	1/3	160	100
F1SB36*	\$7,782	36"	2	12" W	302#	5.0	1/3	223	155
F1SB44*	\$8,183	44"	2	16" W	332#	5.0	1/3	299	200
F1SB48	\$8,389	48"	2	18" W	345#	5.0	1/3	339	214

Base price only. See below for configurable options.

ACCESSORIES

MODEL	DESCRIPTION	LIST
DIP-17	Drawer insert for fractional stainless pans, 17.5" door opening (pans not included)	\$205
DIP-18	Drawer insert for fractional stainless pans, 18" door opening (pans not included)	\$210
DIP-20	Drawer insert for fractional stainless pans, 20" door opening (pans not included)	\$229



DIP-18
Pans not included



Capable of
storing specialty
cocktail ice

*NOTE: F1SB28, F1SB36, and F1SB44 frosters and all units with drawers are manufactured to order and are not returnable.

Select Configurable Options:

VOLTAGE

120V/60HZ	No charge
220V/50HZ (export voltage)	\$245

REFRIGERATION COMPARTMENT LOCATION

Left	No charge
Right	No charge

REFRIGERATION COMPARTMENT COVER FINISH

Black vinyl-clad	No charge
Stainless steel	\$32
Jeweled stainless steel	\$185

DOOR/DRAWER OPTIONS

NOTE: Select options for EACH Door/Drawer Section

STYLE AND FINISH - SPECIFY & ADD FOR EACH SECTION

Door - Black vinyl-clad	No charge
Door - Unlaminated	No charge
Door - Stainless steel	\$38
Door - Jeweled stainless	\$201
Door - Laminated	\$230
Door - Glass, black vinyl-clad	\$583
Door - Glass, stainless steel	\$621
Door - Glass, jeweled stainless	\$784
Door - Glass, laminated	\$813
Drawers* - Black vinyl-clad	\$1,895
Drawers* - Unlaminated	\$1,895
Drawers* - Stainless steel	\$1,933
Drawers* - Jeweled stainless	\$2,096
Drawers* - Laminated	\$2,125

*NOTE: Units with drawers are manufactured to order and are not returnable.

DOOR HINGE LOCATION - SPECIFY & ADD FOR EACH DOOR

Left	No charge
Right	No charge

DOOR HANDLE - SPECIFY & ADD FOR EACH DOOR

NOTE: Drawers come with a stainless steel pull tab handle

Polished stainless w/lock	No charge
Stainless pull tab w/lock	No charge
Polished brass w/lock	\$190

TOP STYLE

	24"	28"	36"	44"	48"
No finished top	No charge				
Stainless top	\$350	\$370	\$413	\$457	\$478
Laminated top	\$742	\$758	\$791	\$825	\$842

LEFT SIDE FINISH

Black vinyl-clad	No charge
Stainless Steel	\$38
Laminated	\$230

RIGHT SIDE FINISH

Black vinyl-clad	No charge
Stainless Steel	\$38
Laminated	\$230

BACK FINISH

	24"	28"	36"	44"	48"
Galvanized steel	No charge				
Stainless steel*	\$290	\$300	\$321	\$343	\$355

*NOTE: Stainless steel back option also includes stainless steel sides.

LED LIGHTING STYLE

Bright white (7,000k), standard	No charge
Warm white (3,500k)	No charge
Blue	No charge

LEG AND STAINLESS STEEL KICK RAILS

NOTE: Legs are required if kick rails are ordered.

	24"	28"	36"	44"	48"
6" legs	\$162	\$162	\$162	\$162	\$162
Front kick rail	\$101	\$105	\$113	\$121	\$125
Left side kick rail	\$101	\$101	\$101	\$101	\$101
Right side kick rail	\$101	\$101	\$101	\$101	\$101

CASTERS

	24"	28"	36"	44"	48"
4-1/8" casters	\$145	\$145	\$145	\$145	\$145
2-7/8" casters	\$140	\$140	\$140	\$140	\$140



Optional Drawers

Glastender's refrigerated drawers include adjustable divider walls.



Polished stainless handle



Stainless pull tab handle




PRODUCT INFORMATION

(see F1SL Spec Sheet for complete details)

STANDARD FEATURES:

- Self-contained
- All stainless steel interior construction
- Models with doors include three adjustable coated shelves per door
- Listed to NSF Standard 7

F1SL24 with compressor right, black vinyl-clad glass door, and stainless steel top



Side Elevation

*NOTE: F1SL units are manufactured to order and are not returnable.

FROSTERS - ONE ZONE, SIDE SERVICED, LOW PROFILE*

MODEL	LIST	LENGTH	DOORS	DOOR OPENING	WEIGHT	AMPS	HP	10 Oz. MUGS	6" High PINT GLASSES
F1SL24	\$5,641	24"	1	17.5" W	208#	5.0	1/3	101	72
F1SL28	\$5,820	28"	1	20" W	231#	5.0	1/3	123	75
F1SL36	\$7,488	36"	2	12" W	292#	5.0	1/3	171	115
F1SL44	\$7,845	44"	2	16" W	322#	5.0	1/3	231	151
F1SL48	\$8,032	48"	2	18" W	335#	5.0	1/3	261	169

Base price only. See below for configurable options.

ACCESSORIES

MODEL	DESCRIPTION	LIST
DIP-17	Drawer insert for fractional stainless pans, 17.5" door opening (pans not included)	\$205
DIP-18	Drawer insert for fractional stainless pans, 18" door opening (pans not included)	\$210
DIP-20	Drawer insert for fractional stainless pans, 20" door opening (pans not included)	\$229



DIP-18
Pans not included



Capable of
storing specialty
cocktail ice

*NOTE: F1SL units are manufactured to order and are not returnable.

Select Configurable Options:

VOLTAGE

120V/60HZ	No charge
220V/50HZ (export voltage)	\$245

REFRIGERATION COMPARTMENT LOCATION

Left	No charge
Right	No charge

REFRIGERATION COMPARTMENT COVER FINISH

Black vinyl-clad	No charge
Stainless steel	\$32
Jeweled stainless steel	\$185

DOOR/DRAWER OPTIONS

NOTE: Select options for EACH Door/Drawer Section

STYLE AND FINISH - SPECIFY & ADD FOR EACH SECTION

Door - Black vinyl-clad	No charge
Door - Unlaminated	No charge
Door - Stainless steel	\$38
Door - Jeweled stainless	\$201
Door - Laminated	\$230
Door - Glass, black vinyl-clad	\$583
Door - Glass, stainless steel	\$621
Door - Glass, jeweled stainless	\$784
Door - Glass, laminated	\$813
Drawers - Black vinyl-clad	\$1,895
Drawers - Unlaminated	\$1,895
Drawers - Stainless steel	\$1,933
Drawers - Jeweled stainless	\$2,096
Drawers - Laminated	\$2,125

DOOR HINGE LOCATION - SPECIFY & ADD FOR EACH DOOR

Left	No charge
Right	No charge

DOOR HANDLE - SPECIFY & ADD FOR EACH DOOR

NOTE: Drawers come with a stainless steel pull tab handle

Polished stainless w/lock	No charge
Stainless pull tab w/lock	No charge
Polished brass w/lock	\$190

**Optional Drawers**

Glastender's refrigerated drawers include adjustable divider walls.

20" wide drawer opening shown

TOP STYLE

	24"	28"	36"	44"	48"
No finished top	No charge				
Stainless top	\$350	\$370	\$413	\$457	\$478
Laminated top	\$742	\$758	\$791	\$825	\$842
Drainboard top	\$577	\$614	\$691	\$766	\$804

4" HIGH STAINLESS SPLASHES

	24"	28"	36"	44"	48"
NOTE: Can only be ordered with stainless steel top					
Backsplash	\$128	\$135	\$147	\$160	\$164
Left side splash	\$128	\$128	\$128	\$128	\$128
Right side splash	\$128	\$128	\$128	\$128	\$128

LEFT SIDE FINISH

Black vinyl-clad	No charge
Stainless Steel	\$38
Laminated	\$230

RIGHT SIDE FINISH

Black vinyl-clad	No charge
Stainless Steel	\$38
Laminated	\$230

BACK FINISH

	24"	28"	36"	44"	48"
Galvanized steel	No charge				
Stainless steel*	\$290	\$300	\$321	\$343	\$355

*NOTE: Stainless steel back option also includes stainless steel sides.

LED LIGHTING STYLE

Bright white (7,000k), standard	No charge
Warm white (3,500k)	No charge
Blue	No charge

LEG AND STAINLESS STEEL KICK RAILS

NOTE: Legs are required if kick rails are ordered.

	24"	28"	36"	44"	48"
6" legs	\$162	\$162	\$162	\$162	\$162
Front kick rail	\$101	\$105	\$113	\$121	\$125
Left side kick rail	\$101	\$101	\$101	\$101	\$101
Right side kick rail	\$101	\$101	\$101	\$101	\$101

CASTERS


	24"	28"	36"	44"	48"
4-1/8" casters	\$145	\$145	\$145	\$145	\$145
2-7/8" casters	\$140	\$140	\$140	\$140	\$140



Polished stainless handle

Stainless pull tab handle






ST24
Side Elevation



ST48-S



ST36, ST48, ST60, ST72, ST96
Side Elevation

SLIDE TOP COOLERS

BLACK VINYL-CLAD EXTERIOR		STAINLESS STEEL EXTERIOR		LENGTH	DIVIDER RACKS	CASE CAP. BOTTLES	WGT
MODEL	LIST	MODEL	LIST				
ST24-B	\$4,436	ST24-S	\$4,655	24"	1	6.0	180#
ST36-B	\$5,122	ST36-S	\$5,358	36"	2	9.4	230#
ST48-B	\$6,531	ST48-S	\$6,780	48"	3	13.8	270#
ST60-B	\$7,434	ST60-S	\$7,696	60"	3	19.9	320#
ST72-B	\$8,402	ST72-S	\$8,683	72"	4	25.4	350#
ST96-B*	\$10,117	ST96-S*	\$10,426	96"	5	34.4	450#

*NOTE: These model Slide Top Coolers are manufactured to order and are not returnable

PRODUCT INFORMATION

(see ST Spec Sheet for complete details)

STANDARD FEATURES:

- Self-contained refrigeration
- All stainless steel interior with radius corners is easy to keep clean
- Easy to plan exterior dimensions: 24" front to back and 24", 36", 48", 60", 72", or 96" left to right
- Foamed-in-place insulation
- Six-foot grounded cord and plug provided (exits at rear)
- Automatic defrost timer
- Door lock(s)

ELECTRICAL:

- Dedicated 15 amp circuit is required
- 120V, 1 phase, 60 Hz, 4.5 full load amps
- Includes 9-foot grounded cord

REFRIGERATION:

- 1/6 HP, R290 refrigerant

PLUMBING:

Automatic condensate evaporator. No drain connection required.


ACCESSORIES

MODEL	DESCRIPTION	LIST	WT	MODEL	DESCRIPTION	LIST	WT
C-4X4-1/8	4-1/8"H caster, set of four (ST24, ST36, ST48, ST60)	\$145	4#	STKR-60	60" kick rail	\$138	5#
C-6X4-1/8	4-1/8"H caster, set of six (ST72, ST96)	\$218	6#	STKR-72	72" kick rail	\$151	6#
C-4X2-7/8	2-7/8"H caster, set of four (ST24, ST36, ST48, ST60)	\$140	4#	STKR-96	96" kick rail	\$175	9#
C-6X2-7/8	2-1/2"H caster, set of six (ST72, ST96)	\$210	8#	STBS-24	24" slide top backsplash	\$128	4#
STLS-4	Legs (set of 4), 6" (ST24)	\$162	5#	STBS-36	36" slide top backsplash	\$147	6#
CLS-4	Legs (set of 4), 6" (ST36, 48, 60)	\$162	5#	STBS-48	48" slide top backsplash	\$164	8#
CLS-6	Legs (set of 6), 6" (ST72, 96)	\$243	7#	STBS-60	60" slide top backsplash	\$184	10#
BO/CC	Bottle opener/cap catcher	\$81	5#	STBS-72	72" slide top backsplash	\$204	12#
STKR-24	24" kick rail	\$101	2#	STBS-96	96" slide top backsplash	\$242	16#
STKR-36	36" kick rail	\$113	3#	08000512	Chrome divider rack (extra) for ST36, 48, 60, 72, and 96	\$77	4#
STKR-48	48" kick rail	\$125	4#	08000519	Stainless steel divider wall (extra) for ST24	\$85	5#
				CE-220/50S	Convert self-contained unit to 220V/50Hz electrical	\$245	N/A



MF48-S2

NOTE: Units come standard with bottom rack, which is recommended for chilling stacked plates. Two additional layers of shelves are optional, which is recommended for chilling glassware.

MF24
Side Elevation**24" MODELS**


BLACK VINYL-CLAD EXTERIOR		STAINLESS STEEL EXTERIOR		NUMBER OF SHELVES	WGT
MODEL	LIST	MODEL	LIST		
MF24-B	\$5,236	MF24-S	\$5,454	0	195#
MF24-B2	\$5,387	MF24-S2	\$5,604	2	205#

36" MODELS

BLACK VINYL-CLAD EXTERIOR		STAINLESS STEEL EXTERIOR		NUMBER OF SHELVES	WGT
MODEL	LIST	MODEL	LIST		
MF36-B	\$5,879	MF36-S	\$6,111	0	235#
MF36-B2	\$6,110	MF36-S2	\$6,345	2	255#

48" MODELS

BLACK VINYL-CLAD EXTERIOR		STAINLESS STEEL EXTERIOR		NUMBER OF SHELVES	WGT
MODEL	LIST	MODEL	LIST		
MF48-B	\$6,632	MF48-S	\$6,882	0	280#
MF48-B2	\$6,949	MF48-S2	\$7,198	2	300#

MF36, MF48
Side Elevation**ACCESSORIES**

MODEL	DESCRIPTION	LIST	WT
C-4X4-1/8	4-1/8"H caster, set of four	\$145	4#
C-4X2-7/8	2-7/8"H caster, set of four	\$140	4#
MFLS	Legs (set of 4), 6" (MF24)	\$162	5#
CLS-4	Legs (set of 4), 6" (MF36, 48)	\$162	5#
MFKR-24	24" kick rail	\$101	2#
MFKR-36	36" kick rail	\$113	3#
MFKR-48	48" kick rail	\$125	4#
SSR-24	24" single speed rail	\$253	7#
SSR-36	36" single speed rail	\$294	12#
SSR-48	48" single speed rail	\$338	22#
MFBS-24	24" backsplash	\$128	4#
MFBS-36	36" backsplash	\$147	6#
MFBS-48	48" backsplash	\$164	8#
CE-220/50S	Convert self-contained unit to 220V/50Hz electrical	\$245	N/A

PRODUCT INFORMATION

(see MF Spec Sheet for complete details)

STANDARD FEATURES: All stainless steel interior construction

- Units come standard with bottom rack, which is recommended for chilling stacked plates. Two additional layers of shelves are optional, which is recommended for chilling glassware.
- Two Defrost Cycles: *Automatic* - occurs every eight hours without affecting normal operation, *Manual* - user initiated button for complete six-hour defrost with automatic restart

ELECTRICAL: 120V, 1 phase, 60 Hz, 6.0 full load amps. Includes 9-foot grounded cord.

REFRIGERATION: 1/3 HP, R290 refrigerant, operating range: 12°F to 35°F

PLUMBING: No drain connection required

CAPACITY: Pint glasses - 24" Model = 55♦, 36" Model = 87♦, 48" Model = 147♦

♦ Based on models with two additional layers of shelves and filled with 3-1/2" diameter by 5-7/8" high pint glasses

12" DEEP GLASS ICE DISPLAY UNITS

MODEL	LIST	WEIGHT	LENGTH
GDU-12X24	\$1,896	60#	24"
GDU-12X30	\$1,984	65#	30"
GDU-12X36	\$2,070	70#	36"
GDU-12X42	\$2,159	75#	42"
GDU-12X48	\$2,244	80#	48"
GDU-12X54	\$2,332	85#	54"
GDU-12X60	\$3,198	90#	60"
GDU-12X66	\$3,317	95#	66"
GDU-12X72	\$3,439	100#	72"
GDU-12X78	\$3,557	105#	78"
GDU-12X84	\$3,678	110#	84"
GDU-12X90	\$3,797	115#	90"
GDU-12X96	\$3,917	120#	96"
GDU-12X102	\$4,038	125#	102"
GDU-12X108	\$4,156	130#	108"



NOTE: Cooler top is 1-1/2" high NOT the standard 1"

GDU-16x48
Factory mounted on cooler cabinet



GDU-18x42
For field installation

16" DEEP GLASS ICE DISPLAY UNITS

16" Deep Glass Display Units factory installed on cooler tops are perfect for use with Glasterder Lighted Liquor Displays.

MODEL	LIST	WEIGHT	LENGTH
GDU-16X24	\$2,099	70#	24"
GDU-16X30	\$2,187	75#	30"
GDU-16X36	\$2,275	80#	36"
GDU-16X42	\$2,362	85#	42"
GDU-16X48	\$2,451	90#	48"
GDU-16X54	\$2,538	95#	54"
GDU-16X60	\$3,403	100#	60"
GDU-16X66	\$3,524	105#	66"
GDU-16X72	\$3,642	110#	72"
GDU-16X78	\$3,762	115#	78"
GDU-16X84	\$3,881	120#	84"
GDU-16X90	\$4,000	125#	90"
GDU-16X96	\$4,120	130#	96"
GDU-16X102	\$4,240	135#	102"
GDU-16X108	\$4,360	140#	108"

18" DEEP GLASS ICE DISPLAY UNITS

MODEL	LIST	WEIGHT	LENGTH
GDU-18X24	\$2,099	70#	24"
GDU-18X30	\$2,187	75#	30"
GDU-18X36	\$2,275	80#	36"
GDU-18X42	\$2,362	85#	42"
GDU-18X48	\$2,451	90#	48"
GDU-18X54	\$2,538	95#	54"
GDU-18X60	\$3,403	100#	60"
GDU-18X66	\$3,524	105#	66"
GDU-18X72	\$3,642	110#	72"
GDU-18X78	\$3,762	115#	78"
GDU-18X84	\$3,881	120#	84"
GDU-18X90	\$4,000	125#	90"
GDU-18X96	\$4,120	130#	96"
GDU-18X102	\$4,240	135#	102"
GDU-18X108	\$4,360	140#	108"

*NOTE: Glass Ice Display Units are manufactured to order and are not returnable

See page 118 for LLD model Lighted Liquor Displays that are specifically designed for use with Glasterder Glass Ice Display Units.

24" DEEP GLASS ICE DISPLAY UNITS

MODEL	LIST	WEIGHT	LENGTH
GDU-24X24	\$2,303	75#	24"
GDU-24X30	\$2,391	80#	30"
GDU-24X36	\$2,479	85#	36"
GDU-24X42	\$2,567	90#	42"
GDU-24X48	\$2,653	95#	48"
GDU-24X54	\$2,742	100#	54"
GDU-24X60	\$3,602	110#	60"
GDU-24X66	\$3,721	115#	66"
GDU-24X72	\$3,842	120#	72"
GDU-24X78	\$3,961	125#	78"
GDU-24X84	\$4,081	130#	84"
GDU-24X90	\$4,201	135#	90"
GDU-24X96	\$4,321	140#	96"
GDU-24X102	\$4,440	145#	102"
GDU-24X108	\$4,561	150#	108"


PRODUCT INFORMATION

(see GDU Spec Sheet for complete details)

STANDARD FEATURES

- Stainless steel foamed-in-place insulated end panels (units larger than 54" include center partition)
- Field installed units include a stainless steel insulated drain pan to mount to existing counter top
- Factory installed units include a special stainless steel insulated cooler top with built-in drain pan
- Double pane glass front and back panels with stainless steel trim
- Stainless steel perforated bottom inserts (1/2" tall)

NOTE: Glass ice display units merchandise bottled beverages and may be factory mounted to the top of most Glasterder coolers. Glass Ice Display Units ordered for field installation include a special insulated stainless steel drain pan that mounts to a countertop.



IDU-24x48
For field installation

STANDARD FEATURES

- All stainless steel construction
- PVC "Breaker Strip" around ice bins acts as thermal barrier to prevent heat transfer
- Foamed-in-place insulation
- Stainless steel front, back, and sides are standard; black vinyl-clad is optional
- 1/2" tall perforated stainless steel bottom inserts
- Available as factory installed on top of a cooler cabinet or as field installed on a countertop
- 7" high with 6" deep liner

PRODUCT INFORMATION

(see IDU Spec Sheet for complete details)

Ice display units merchandise bottled beverages and may be factory mounted to the top of most Glastender coolers.

Ice display unit may also be field installed to an existing countertop. A \$500 list deduct applies to field installed units.

12" DEEP ICE DISPLAY UNITS

MODEL	LIST	WEIGHT	LENGTH
IDU-12X24	\$1,702	35#	24"
IDU-12X30	\$1,820	40#	30"
IDU-12X36	\$1,942	45#	36"
IDU-12X42	\$2,061	50#	42"
IDU-12X48	\$2,180	55#	48"
IDU-12X54	\$2,301	60#	54"
IDU-12X60	\$2,420	65#	60"


18" DEEP ICE DISPLAY UNITS

MODEL	LIST	WEIGHT	LENGTH
IDU-18X24	\$1,922	45#	24"
IDU-18X30	\$2,091	50#	30"
IDU-18X36	\$2,260	58#	36"
IDU-18X42	\$2,428	66#	42"
IDU-18X48	\$2,597	74#	48"
IDU-18X54	\$2,766	82#	54"
IDU-18X60	\$2,933	90#	60"



24" DEEP ICE DISPLAY UNITS

MODEL	LIST	WEIGHT	LENGTH
IDU-24X24	\$2,124	55#	24"
IDU-24X30	\$2,345	65#	30"
IDU-24X36	\$2,569	75#	36"
IDU-24X42	\$2,792	85#	42"
IDU-24X48	\$3,014	95#	48"
IDU-24X54	\$3,236	105#	54"
IDU-24X60	\$3,458	115#	60"


*NOTE: Ice Display Units are manufactured to order and are not returnable



SIDE VIEW - LLD2
(if power cord right)



SIDE VIEW - LLD3
(if power cord right)



TWO TIER LIGHTED LIQUOR DISPLAYS

MODEL	LIST	LENGTH	WEIGHT
LLD2-24	\$850	24"	25#
LLD2-30	\$948	30"	29#
LLD2-36	\$1,037	36"	33#
LLD2-42	\$1,126	42"	37#
LLD2-48	\$1,222	48"	41#
LLD2-54	\$1,337	54"	45#
LLD2-60	\$1,426	60"	58#

Base price only. See below for configurable options.

THREE TIER LIGHTED LIQUOR DISPLAYS

MODEL	LIST	LENGTH	WEIGHT
LLD3-24	\$1,190	24"	30#
LLD3-30	\$1,340	30"	35#
LLD3-36	\$1,474	36"	40#
LLD3-42	\$1,608	42"	44#
LLD3-48	\$1,749	48"	49#
LLD3-54	\$1,925	54"	54#
LLD3-60	\$2,059	60"	70#

Base price only. See below for configurable options.

PRODUCT INFORMATION

(see LLD Spec Sheet for complete details)

STANDARD FEATURES: Provides illuminated, stepped liquor bottle storage and display • Black vinyl-clad or stainless steel exterior • On/off switch and 6-foot grounded cord and plug • Includes LED light strips • LED lighting style available as bright white, warm white, or adjustable multi-color • Opaque acrylic step cover

ELECTRICAL: 100-240 VAC, 1 phase, 50/60Hz, less than 2 full load amps • Includes on/off switch and 6-foot grounded cord and plug

*NOTE: Lighted Liquor Displays are manufactured to order and are not returnable

Select Configurable Options:

POWER CORD STYLE

Type B - NEMA 5-15P (Default - North America)	No charge
Type F (Europe)	No charge
Type M (India)	No charge

POWER CORD LOCATION

Left	No charge
Right	No charge

EXTERIOR FINISH

Black vinyl-clad	No charge
Stainless steel	\$49

LED LIGHTING


Bright white	No charge
Warm white	No charge
Adjustable multi-color	\$187



LLDG-48 shown installed with a GDU-16x48
factory mounted on cooler cabinet



LLDG-36



*NOTE: Lighted Liquor Displays are manufactured to order and are not returnable

LLDG model Lighted Liquor Displays are specifically designed for use with Glastender Glass Ice Display Units (see page 115). When mounted on a cooler at the factory, the 16" deep GDU models have an 8-1/4" rear deck space designed to fit the 8" deep LLDG. The 9-1/4" high first step of the LLDG raises the bottles above the back of the GDU. Also, the LLDG has a front light channel to help illuminate the GDU. (See the side view detail.)

GLASS ICE DISPLAY UNIT LIGHTED LIQUOR DISPLAYS

MODEL	LIST	LENGTH	WEIGHT
LLDG-24	\$1,256	24"	25#
LLDG-30	\$1,401	30"	29#
LLDG-36	\$1,530	36"	33#
LLDG-42	\$1,659	42"	37#
LLDG-48	\$1,797	48"	41#
LLDG-54	\$1,970	54"	45#
LLDG-60	\$2,099	60"	58#


Base price only. See below for configurable options.

PRODUCT INFORMATION

(see LLD Spec Sheet for complete details)

STANDARD FEATURES: Provides illuminated, stepped liquor bottle storage and display • Black vinyl-clad or stainless steel exterior • On/off switch and 6-foot grounded cord and plug • Includes LED light strips • LED lighting style available as bright white, warm white, or adjustable multi-color • Opaque acrylic step cover • 9-1/4" high first step and a front light channel for use in conjunction with Glastender Glass Ice Display Units

ELECTRICAL: 100-240 VAC, 1 phase, 50/60Hz, less than 2 full load amps • Includes on/off switch and 6-foot grounded cord and plug



Select Configurable Options:

POWER CORD STYLE

Type B - NEMA 5-15P (Default - North America)	No charge
Type F (Europe)	No charge
Type M (India)	No charge

POWER CORD LOCATION

Left	No charge
Right	No charge

EXTERIOR FINISH


Black vinyl-clad	No charge
Stainless steel	\$49

LED LIGHTING

Bright white	No charge
Warm white	No charge
Adjustable multi-color	\$187



MS20-SS(L)
Shown with CLS-4
leg set accessory



Side Elevation

*NOTE: Margarita Machine Stands are manufactured to order and are not returnable.

PRODUCT INFORMATION

(see MS Spec Sheet for complete details)

STANDARD FEATURES: Galvanized steel interior construction

- Foamed-in-place insulation for extra sturdiness
- Black vinyl-clad steel exterior front and sides
- Stainless steel pull tab handle
- Leg sockets recessed into base
- 180° swinging door(s)
- Stainless steel top with 1" high back and side splashes

ONE DOOR MARGARITA MACHINE STAND

MODEL	LENGTH	DOORFINISH	LIST	WEIGHT
MS20-BS(L)† or (R)†	20"	Black	\$1,892	110#
MS20-SS(L)† or (R)†	20"	Stainless	\$1,930	110#
MS24-BS(L)† or (R)†	24"	Black	\$1,961	115#
MS24-SS(L)† or (R)†	24"	Stainless	\$1,999	115#

†Indicate (L) Left or (R) Right door hinge.

TWO DOOR MARGARITA MACHINE STAND

MODEL	LENGTH	DOORFINISH	LIST	WEIGHT
MS44-BS(LR)	44"	Black	\$3,464	200#
MS44-SS(LR)	44"	Stainless	\$3,540	200#
MS48-BS(LR)	48"	Black	\$3,533	210#
MS48-SS(LR)	48"	Stainless	\$3,609	210#

SET OF FOUR 6" LEGS


MODEL	LIST	WEIGHT
CLS-4	\$162	5#

Low Profile Dry Storage Cabinets*

Pricing effective February 1, 2022



LPDS24-1LL(R)



Side Elevation

ACCESSORIES

MODEL	DESCRIPTION	LIST
DH-PBU	Upgrade to brass handle	\$190
THK	Stainless pull tab w/lock - No charge	
CLS-4	6" leg, set of four	\$162
CKR-24	24" kick rail	\$101
CKR-L	Left side kick rail	\$101
CKR-R	Right side kick rail	\$101
SL/LP-L	Left side lamination	\$230
SL/LP-R	Right side lamination	\$230
SS/LP-L	Left side stainless steel	\$38
SS/LP-R	Right side stainless steel	\$38
C-4X4-1/8	Casters (set of 4), 4-1/8"	\$145

*NOTE: Low Profile Dry Storage Cabinets are manufactured to order and are not returnable.

ONE DOOR LOW PROFILE DRY STORAGE CABINET

Standard List = \$1,749

Weight without top - 120# / with top = 135#

LPDS24- ()

Door Style:
B = Black vinyl clad
U = Unlaminated
L = Laminated - Add \$230
S = Stainless - Add \$38

Door Hinge Location:
(from left to right)
L = Left or R = Right

Top Style:
N = No finished top
L = Laminated - Add \$742
S = Stainless - Add \$399

PRODUCT INFORMATION

(see LPDS Spec Sheet for complete details)

STANDARD FEATURES: Galvanized steel interior construction • Foamed-in-place insulation for extra sturdiness • Black vinyl-clad steel exterior front and sides • Stainless steel die cast handle with lock • Leg sockets recessed into base • 180° swinging door



DS24 with laminated
door and top


PRODUCT INFORMATION

(see Dry Storage Spec Sheet for complete details)

STANDARD FEATURES:

- Galvanized steel interior construction
- Galvanized steel back

*NOTE: DS48 and DS72 model dry storage cabinets are manufactured to order and are not returnable



DRY STORAGE CABINETS

MODEL	LIST	LENGTH	DOORS	WEIGHT
DS24	\$1,922	24"	1	140#
DS48*	\$3,669	48"	2	265#
DS72*	\$4,963	72"	3	380#

Base price only. See below for configurable options.

Select Configurable Options:

DOOR OPTIONS

NOTE: Select options for EACH Door Section

STYLE AND FINISH - SPECIFY & ADD FOR EACH DOOR

Door - Black vinyl-clad	No charge
Door - Unlaminated	No charge
Door - Stainless steel	\$38
Door - Jeweled stainless	\$201
Door - Laminated	\$230

DOOR HINGE LOCATION - SPECIFY & ADD FOR EACH DOOR

Left	No charge
Right	No charge

SHELVING

Two adjustable shelves per door included	No charge
--	-----------

DOOR HANDLE - SPECIFY & ADD FOR EACH DOOR

Polished stainless w/lock	No charge
Stainless pull tab w/lock	No charge
Polished brass w/lock	\$190



Polished stainless
handle



Stainless pull tab handle

TOP STYLE

	24"	48"	72"
No finished top	No charge		
Stainless top	\$399	\$478	\$608
Laminated top	\$742	\$842	\$940

LEFT SIDE FINISH

Black vinyl-clad	No charge
Stainless Steel	\$38
Laminated	\$230

RIGHT SIDE FINISH

Black vinyl-clad	No charge
Stainless Steel	\$38
Laminated	\$230

LEG AND STAINLESS STEEL KICK RAILS

NOTE: Legs are required if kick rails are ordered.

	24"	48"	72"
6" legs	\$162	\$162	\$243
Front kick rail	\$101	\$125	\$151
Left side kick rail	\$101	\$101	\$101
Right side kick rail	\$101	\$101	\$101

CASTERS

	24"	48"	72"
4-1/8" casters	\$145	\$145	\$218
2-7/8" casters	\$140	\$140	\$210

*NOTE: These items are manufactured to order and are not returnable

PRODUCT INFORMATION

(see BGS and BLD Spec Sheets for complete details)

STANDARD FEATURES: Specially designed for the back bar • Stainless steel interior with black-vinyl clad exterior sides • For stainless steel exterior sides add '-S' suffix to model number • Available with stainless steel or laminated finished top • BLD features a built-in light for illuminating bottles • BLD has radius step edges for easy cleaning • BLD features PVC step covers to reduce bottle noise • BGS has radius shelf corners for easy cleaning • BGS has four shelves for maximum storage capacity



BGS-24
shown with TOP-24-S

24" DEEP BACK BAR GLASS STORAGE UNITS

<u>BLACK</u>	<u>LIST</u>	<u>STAINLESS</u>	<u>LIST</u>	<u>LENGTH</u>	<u>WGT</u>
BGS-18	\$2,234	BGS-18-S	\$2,310	18"	110#
BGS-24	\$2,576	BGS-24-S	\$2,652	24"	135#
BGS-30	\$2,918	BGS-30-S	\$2,993	30"	160#



BLD-24
shown with TOP-24-S

24" DEEP BACK BAR LIQUOR DISPLAYS

<u>BLACK</u>	<u>LIST</u>	<u>STAINLESS</u>	<u>LIST</u>	<u>LENGTH</u>	<u>WGT</u>
BLD-18	\$2,094	BLD-18-S	\$2,170	18"	95#
BLD-24	\$2,306	BLD-24-S	\$2,382	24"	105#
BLD-30	\$2,520	BLD-30-S	\$2,596	30"	120#
BLD-36	\$2,732	BLD-36-S	\$2,808	36"	130#
BLD-42	\$2,946	BLD-42-S	\$3,022	42"	145#
BLD-48	\$3,160	BLD-48-S	\$3,236	48"	155#

FINISHED TOPS

<u>STAINLESS</u>	<u>LIST</u>	<u>LAMINATED</u>	<u>LIST</u>	<u>LENGTH</u>	<u>WGT</u>
TOP-18-S	\$354	TOP-18-L	\$734	18"	15#
TOP-24-S	\$399	TOP-24-L	\$742	24"	18#
TOP-30-S	\$444	TOP-30-L	\$766	30"	21#
TOP-36-S	\$489	TOP-36-L	\$791	36"	24#
TOP-42-S	\$532	TOP-42-L	\$814	42"	27#
TOP-48-S	\$577	TOP-48-L	\$842	48"	30#

STAINLESS KICK RAILS

<u>MODEL</u>	<u>LIST</u>	<u>LENGTH</u>	<u>WGT</u>
CKR-18	\$95	18"	2#
CKR-24	\$101	24"	4#
CKR-30	\$106	30"	6#
CKR-36	\$113	36"	8#
CKR-42	\$117	42"	10#
CKR-48	\$125	48"	12#

LOCKING COVERS FOR BACK BAR LIQUOR DISPLAYS

<u>STAINLESS</u>	<u>LIST</u>	<u>BLACK</u>	<u>LIST</u>	<u>LENGTH</u>	<u>WGT</u>
BLC-18-S	\$357	BLC-18	\$288	18"	18#
BLC-24-S	\$401	BLC-24	\$313	24"	20#
BLC-30-S	\$445	BLC-30	\$340	30"	25#
BLC-36-S	\$490	BLC-36	\$366	36"	30#
BLC-42-S	\$534	BLC-42	\$393	42"	35#
BLC-48-S	\$581	BLC-48	\$421	48"	40#

SET OF FOUR 6" LEGS

<u>MODEL</u>	<u>LIST</u>	<u>WEIGHT</u>
CLS-4	\$162	5#

See CS18 Spec Sheet for additional product information

FORCED AIR CROSSOVER & SHAFT ASSEMBLIES

MODEL	DESCRIPTION	LIST	WT
CROSS-RR	30" crossover tube assembly with 100 CFM blower motor from a refrigerator to another	\$1,095	15#
CROSS-WR	30" crossover tube assembly with 100 CFM blower motor from a walk-in cooler to a refrigerator	\$1,103	20#
CROSS-WT	30" crossover tube assembly with 100 CFM blower motor from a walk-in cooler to a wall mount tower	\$1,116	20#
SHAFT-RT	72" air shaft assembly with 100 CFM blower motor from a refrigerator to a beer tower	\$1,125	25#
SHAFT-WT	72" air shaft assembly with 100 CFM blower motor from a walk-in cooler to a beer tower	\$1,153	28#

2" CASTER SETS

MODEL	DESCRIPTION	LIST	WT
C-4X2-7/8	2-7/8"H caster, set of four, for 2-door front-serviced cooler	\$140	4#
C-4X2-7/8-S	2-7/8"H caster, set of four, for side-serviced coolers and frosters	\$140	4#
C-5X2-7/8	2-7/8"H caster, set of five, for 32" and 36" front-serviced coolers	\$175	5#
C-6X2-7/8	2-7/8"H caster, set of six, for coolers with 3 or 4 doors	\$210	6#

4" CASTER SETS


MODEL	DESCRIPTION	LIST	WT
C-4X4-1/8	4-1/8"H caster, set of four, for 2-door front-serviced coolers	\$145	4#
C-4X4-1/8-S	4-1/8"H caster, set of four, for side-serviced coolers and frosters	\$145	4#
C-5X4-1/8	4-1/8"H caster, set of five, for 32" and 36" front-serviced coolers	\$177	5#
C-6X4-1/8	4-1/8"H caster, set of six, for coolers with 3 or 4 doors	\$218	6#

18" CONDENSING UNIT STORAGE CABINET

Standard List = \$1,484

Weight without top = 85# / with top = 105#

CS18-N - N



CS18-N1-SNN

Bar Refrigeration

6" LEG SETS

MODEL	DESCRIPTION	LIST	WT
CLS-4	Set of four legs, for front-serviced and remote coolers up to 2 doors - does not include 32" and 36" front-serviced coolers (see CLS-5)	\$162	5#
CLS-4-S	Set of four legs, for side-serviced coolers and frosters	\$162	6#
CLS-5	Set of five legs, for 32" and 36" front-serviced coolers	\$202	6#
CLS-6	Set of six legs, for coolers with 3 or 4 doors	\$243	7#

PRODUCT INFORMATION

(see BLC Spec Sheet for complete details)

STANDARD FEATURES:

- Glycol connections with flared fittings for easy service access
- Durable black vinyl-clad exterior with 16 gauge galvanized steel base
- Stainless steel, foamed-in-place insulated glycol bath
- High efficiency heat exchanger minimizes glycol bath size to one gallon
- CFC-free R134a refrigerant
- Front located glycol filling port

ADDITIONAL FEATURES ON REMOTE INSTALLABLE CONTROL PANEL MODELS:

- Digital temperature control with LCD display
- Over-sized condenser coil for maximum efficiency
- Clear glycol bath cover for easy visual inspection
- Available with two recirculating pumps

Protected by one or more patents. For more information visit:
<https://www.glastender.com/patents>

ELECTRICAL:

BLC-1/3-E: 120V, 1 phase, 60 Hz, 12.5 full load amps, dedicated 20 amp circuit req'd

BLC-1/3: 120V, 1 phase, 60 Hz, 12.5 full load amps, dedicated 20 amp circuit req'd

BLC-1/3-2: 120V, 1 phase, 60 Hz, 18.6 full load amps, dedicated 30 amp circuit req'd

BLC-1/2: 120V, 1 phase, 60 Hz, 13.5 full load amps, dedicated 20 amp circuit req'd

BLC-1/2-2: 120V, 1 phase, 60 Hz, 19.5 full load amps, dedicated 30 amp circuit req'd

BLC-3/4: 230V, 1 phase, 60 Hz, 10.1 full load amps, dedicated 20 amp circuit req'd

BLC-3/4-2: 230V, 1 phase, 60 Hz, 12.9 full load amps, dedicated 20 amp circuit req'd

NOTE: Available with 220V, 1 phase, 50Hz electrical. See Electrical Accessories.

REFRIGERATION:

BLC-1/3-E, BLC-1/3 and BLC-1/3-2: 1/3 HP, R134a refrigerant

BLC-1/2 and BLC-1/2-2: 1/2 HP, R134a refrigerant

BLC-3/4 and BLC-3/4-2: 3/4 HP, R134a refrigerant

What is a remote installable control panel?

The Glastender patented beverage line chiller design houses the heat exchanger inside the condensing unit compartment. This unique feature allows the control panel with glycol bath and recirculating pump(s) to be easily installed separately from the condensing unit in a more conveniently accessible location. Simply remove the control panel from the condensing unit cabinet and mount it in the desired location. Only glycol and electrical lines need to be run between the control panel and the condensing unit cabinet.

Electrical connection between condensing unit and control panel by local electrician

Glycol line from heat exchanger to bath

Digital temperature control with LCD display

Power cord for unit

Condensing unit and heat exchanger cabinet

Glycol return from beverage tower to heat exchanger


Glycol line from pump to beverage tower

Glycol line from bath to pump

Recirculating pump

One gallon glycol bath

Photo shows BLC-1/3 in an installation setting with the control panel installed remotely from the condensing unit cabinet.



1/3 HP BEVERAGE LINE CHILLER

MODEL	DESCRIPTION	LIST	WT	MAX RUN
BLC-1/3-E	1/3 HP beverage line chiller, one pump	\$4,593	128#	125'

BEVERAGE LINE CHILLERS WITH REMOTE INSTALLABLE CONTROL PANEL


MODEL	DESCRIPTION	LIST	WT	MAX RUN
BLC-1/3	1/3 HP beverage line chiller, one pump	\$5,315	150#	125'
BLC-1/3-2	1/3 HP beverage line chiller, two pumps	\$6,561	163#	125'
BLC-1/2	1/2 HP beverage line chiller, one pump	\$5,841	153#	250'
BLC-1/2-2	1/2 HP beverage line chiller, two pumps	\$7,084	166#	250'
BLC-3/4	3/4 HP beverage line chiller, one pump	\$7,146	175#	400'
BLC-3/4-2	3/4 HP beverage line chiller, two pumps	\$8,389	193#	400'

Patented. For more information visit:
<https://www.glastender.com/patents>


Which line chiller size should you choose? Remote beverage line chillers are sized to handle different length runs. If two separate conduits are involved, then the lengths of the two runs must be added together to determine the total run requirement. The run length is calculated as the distance between the line chiller and the beverage tower in a single pass glycol conduit, including any rise or fall.



BLC-1/3-E



BLC-1/3-2



BLC-3/4-2

Pricing effective February 1, 2022

Beverage Line Chiller Accessories

LCS-G

(see LCS and LCR
Spec Sheets for
complete details)

All stands are 39" high by 25-5/16" deep. LCS-S and LCS-G stands are 26-7/8" wide. LCS-S2 and LCS-G2 stands are 32-7/8" wide to accommodate a line chiller on both the top and bottom shelf. Comes with adjustable feet for leveling. The bottom shelf is at the 8" high level. Pre-drilled mounting holes fit Glastender line chiller models. The four stands are used for all line chiller models.

LINE CHILLER STANDS


MODEL	DESCRIPTION	LIST	WT
LCS-S	Line chiller stand, stainless	\$1,171	70#
LCS-S2	Line chiller stand, stainless	\$1,267	82#
LCS-G	Line chiller stand, galvanized	\$683	70#
LCS-G2	Line chiller stand, galvanized	\$742	82#

ELECTRICAL ACCESSORIES

MODEL	DESCRIPTION	LIST
CE-220/50S	220V, 1Phase, 50 Hz electrical	\$245

A line chiller wall rack is a shelf that is mounted to a structural wall. The shelf has holes that correspond to the line chiller leg set mounting holes, so the line chiller can be bolted to the shelf.


LCR-GE

**LINE CHILLER WALL RACKS**

MODEL	DESCRIPTION	LIST	WT
LCR-SE	Wall rack, stainless steel (BLC-1/3-E)	\$652	33#
LCR-GE	Wall rack, galvanized (BLC-1/3-E)	\$378	33#
LCR-S	Wall rack, stainless steel (BLC-1/3, BLC-1/3-2, BLC-1/2, BLC-1/2-2, BLC-3/4, BLC-3/4-2)	\$735	38#
LCR-G	Wall rack, galvanized (BLC-1/3, BLC-1/3-2, BLC-1/2, BLC-1/2-2, BLC-3/4, BLC-3/4-2)	\$416	38#



CT-3-SS
(handles not included)



NOTE: To convert standard faucet to stout style faucet, specify accessory model number BT-CFG and add \$228 List per faucet.

PRODUCT INFORMATION

(see CT Spec Sheet for complete details)

STANDARD FEATURES

- All stainless steel construction
- Integrated surface mount drain pan with lift-out perforated inserts
- 1/4" shanks with 3/16" restriction lines
- Available in grainline finish, mirror finish, or brass finish
- Available with cold plate assembly and insulated restriction lines for glycol recirculating system (specify suffix 'R' in the model number)
- Available in 1, 2, and 3 faucet sizes
- All models include all stainless steel faucets and shanks to resist corrosion and prevent metallic leaching, making them ideal for both draft beer and wine applications
- Unique internal support system for solid mounting
- Base plate serves as template for hole cutting
- Mounting holes will be pre-drilled at the factory if the host cooler is ordered with a finished top and the tower location is specified

COLUMN TOWERS WITH DRAIN PAN AND 72" RESTRICTION LINES

GRAINLINE FINISH		MIRROR FINISH		BRASS FINISH**		FAUCETS	WGT	WIDTH	SYSTEM TYPE
MODEL	LIST	MODEL	LIST	MODEL	LIST				
CT-1-SS	\$914	CT-1-MF	\$1,099	CT-1-PB*	\$1,704	1	13#	14"	Air Cooled
CT-1-SSR*	\$1,693	CT-1-MFR*	\$1,919	CT-1-PBR*	\$2,279	1	21#	14"	Glycol
CT-2-SS	\$1,228	CT-2-MF	\$1,412	CT-2-PB*	\$2,032	2	15#	14"	Air Cooled
CT-2-SSR*	\$2,006	CT-2-MFR*	\$2,231	CT-2-PBR*	\$2,611	2	23#	14"	Glycol
CT-3-SS	\$1,541	CT-3-MF	\$1,724	CT-3-PB*	\$2,361	3	18#	14"	Air Cooled
CT-3-SSR*	\$2,318	CT-3-MFR*	\$2,546	CT-3-PBR*	\$2,939	3	26#	14"	Glycol

*NOTE: These Column Towers are manufactured to order and are not returnable

**NOTE: Brass finish towers provided with mirror finish drain pan and brass finish perforated insert



RINSER FAUCET EXTENSION

Column tower drain pans can be manufactured with rinser faucet extensions to the left or right of the drain pan. A rinser faucet extension will add 5" to the overall length of the drain pan. Add the RFE upcharge when placing your order.

NOTE: Rinser faucets not intended for use with towers mounted to a refrigerator due to risk of water line freeze up.


Rinser faucet installation notes:

- Important: Unit must be installed in conformance with applicable federal, state, and local plumbing codes, including adequate backflow when required.
- Must install backflow prevention device conforming to ANSI/ASSE 1022 or ANSI/ASSE 1024 to meet plumbing code (not included).
- Install in-line water regulator (included).
- A separate shut-off valve is recommended (not included).


MODEL	DESCRIPTION	LIST
RFE	Rinser faucet extension	\$606



BT-4-SS
(handles not included)



BT-10-MF
(handles not included)



NOTE: To convert standard faucet to stout style faucet, specify accessory model number BT-CFG and add \$228 List per faucet.

TEE TOWERS WITH DRAIN PAN 72" RESTRICTION LINES

GRAINLINE FINISH		MIRROR FINISH		BRASS FINISH**		COLUMNS	FAUCETS	WGT	WIDTH	SYSTEM TYPE
MODEL	LIST	MODEL	LIST	MODEL	LIST					
BT-4-SS	\$1,879	BT-4-MF	\$2,057	BT-4-PB*	\$2,770	1	4	23#	14"	Air Cooled
BT-4-SSR	\$2,528	BT-4-MFR	\$2,683	BT-4-PBR*	\$3,380	1	4	31#	14"	Glycol
BT-5-SS	\$2,236	BT-5-MF	\$2,450	BT-5-PB*	\$3,211	1	5	27#	17"	Air Cooled
BT-5-SSR	\$2,998	BT-5-MFR	\$3,189	BT-5-PBR*	\$3,941	1	5	36#	17"	Glycol
BT-6-SS	\$2,592	BT-6-MF	\$2,841	BT-6-PB*	\$3,648	1	6	31#	20"	Air Cooled
BT-6-SSR	\$3,466	BT-6-MFR	\$3,693	BT-6-PBR*	\$4,499	1	6	41#	20"	Glycol
BT-8-SS*	\$3,448	BT-8-MF*	\$3,765	BT-8-PB*	\$4,822	2	8	39#	26"	Air Cooled
BT-8-SSR*	\$4,551	BT-8-MFR*	\$4,845	BT-8-PBR*	\$6,004	2	8	51#	26"	Glycol
BT-10-SS*	\$4,161	BT-10-MF*	\$4,549	BT-10-PB*	\$5,701	2	10	57#	32"	Air Cooled
BT-10-SSR*	\$5,489	BT-10-MFR*	\$5,854	BT-10-PBR*	\$6,880	2	10	71#	32"	Glycol
BT-12-SS*	\$4,874	BT-12-MF*	\$5,333	BT-12-PB*	\$6,577	2	12	65#	38"	Air Cooled
BT-12-SSR*	\$6,433	BT-12-MFR*	\$6,863	BT-12-PBR*	\$7,758	2	12	81#	38"	Glycol

*NOTE: These Column Towers are manufactured to order and are not returnable

**NOTE: Brass finish towers provided with mirror finish drain pan and brass finish perforated insert

PRODUCT INFORMATION (see BT Spec Sheet for complete details)

STANDARD FEATURES

- All stainless steel construction • Integrated surface mount drain pan with lift-out perforated inserts • 1/4" shanks with 3/16" restriction lines • Available in grainline finish, mirror finish, or brass finish • Available with cold plate assembly and insulated restriction lines for glycol recirculating system (specify suffix 'R' in the model number) • Available in 4, 5, 6, 8, 10, and 12 faucet sizes • All models include all stainless steel faucets and shanks to resist corrosion and prevent metallic leaching, making them ideal for both draft beer and wine applications • Unique internal support system for solid mounting • Base plate serves as template for hole cutting • Mounting holes will be pre-drilled at the factory if the host cooler is ordered with a finished top and the tower location is specified



RINSER FAUCET EXTENSION


Tee tower drain pans can be manufactured with rinser faucet extensions to the left or right of the drain pan. A rinser faucet extension will add 5" to the overall length of the drain pan. Add the REF upcharge when placing your order.

NOTE: Rinser faucets not intended for use with towers mounted to a refrigerator due to risk of water line freeze up.

MODEL	DESCRIPTION	LIST
RFE	Rinser faucet extension	\$606


Rinser faucet installation notes:

- Important: Unit must be installed in conformance with applicable federal, state, and local plumbing codes, including adequate backflow when required.
- Must install backflow prevention device conforming to ANSI/ASSE 1022 or ANSI/ASSE 1024 to meet plumbing code (not included).
- Install in-line water regulator (included).
- A separate shut-off valve is recommended (not included).



BRT-20-SSR
(handles not included)

NOTE: To convert standard faucet to stout style faucet, specify accessory model number BT-CFG and add \$228 List per faucet.



Side Elevation

BRIDGE TOWERS WITH DRAIN PAN AND 72" RESTRICTION LINES

GRAINLINE FINISH		MIRROR FINISH		BRASS FINISH**		COLUMNS	FAUCETS	WGT	WIDTH	SYSTEM TYPE
MODEL	LIST	MODEL	LIST	MODEL	LIST					
BRT-14-SS	\$5,870	BRT-14-MF	\$6,185	BRT-14-PB	\$7,700	2	14	70#	44"	Air Cooled †
BRT-14-SSR	\$7,110	BRT-14-MFR	\$7,426	BRT-14-PBR	\$8,941	2	14	84#	44"	Glycol
BRT-16-SS	\$6,456	BRT-16-MF	\$6,797	BRT-16-PB	\$8,450	2	16	77#	50"	Air Cooled †
BRT-16-SSR	\$7,796	BRT-16-MFR	\$8,136	BRT-16-PBR	\$9,790	2	16	93#	50"	Glycol
BRT-18-SS	\$7,070	BRT-18-MF	\$7,451	BRT-18-PB	\$9,243	2	18	77#	27"	Air Cooled †
BRT-18-SSR	\$8,477	BRT-18-MFR	\$8,857	BRT-18-PBR	\$10,650	2	18	103#	27"	Glycol
BRT-20-SSR	\$9,162	BRT-20-MFR	\$9,599	BRT-20-PBR	\$11,530	2	20	112#	62"	Glycol
BRT-24-SSR	\$11,615	BRT-24-MFR	\$12,122	BRT-24-PBR	\$14,552	3	24	140#	74"	Glycol
BRT-30-SSR	\$13,672	BRT-30-MFR	\$14,324	BRT-30-PBR	\$17,172	3	30	168#	92"	Glycol

PRODUCT INFORMATION (see BRT Spec Sheet for complete details)

STANDARD FEATURES

- All stainless steel construction
- Includes surface mount drain pan with lift-out perforated inserts
- 1/4" shanks with 3/16" restriction lines
- Available in grainline finish, mirror finish, or brass finish
- Available with cold plate assembly and insulated restriction lines for glycol recirculating system (specify suffix 'R' in the model number)
- Available in 14, 16, 18, 20, 24, and 30 faucet sizes
- Direct-draw air-cooled option available for 14, 16, and 18 faucet sizes†

- All models include all stainless steel faucets and shanks to resist corrosion and prevent metallic leaching, making them ideal for both draft beer and wine applications
- Mounting holes will be pre-drilled at the factory if the host cooler is ordered with a finished top and the tower location is specified

*NOTE: Bridge Towers are manufactured to order and are not returnable.

**NOTE: Brass finish towers provided with mirror finish drain pan and brass finish perforated insert.

†NOTE: Product is not intended for remote air-cooled installations

RINSER FAUCET EXTENSION

Bridge tower drain pans can be manufactured with rinsers faucet extensions to the left or right of the drain pan. A rinsers faucet extension will add 5" to the overall length of the drain pan. Add the RFE upcharge when placing your order.


NOTE: Rinsers faucets not intended for use with towers mounted to a refrigerator due to risk of water line freeze up.

Rinsers faucet installation notes:

- Important: Unit must be installed in conformance with applicable federal, state, and local plumbing codes, including adequate backflow when required.
- Must install backflow prevention device conforming to ANSI/ASSE 1022 or ANSI/ASSE 1024 to meet plumbing code (not included).
- Install in-line water regulator (included).
- A separate shut-off valve is recommended (not included).


MODEL	DESCRIPTION	LIST
RFE	Rinsers faucet extension	\$606





DT-20-SSR
(handles not included)

NOTE: To convert standard faucet to stout style faucet, specify accessory model number BT-CFG and add \$228 List per faucet.



Side Elevation

DOUBLE-SIDED TOWERS WITH DRAIN PAN AND 72" RESTRICTION LINES

GRAINLINE FINISH		MIRROR FINISH		BRASS FINISH**		COLUMNS	FAUCETS	WGT	WIDTH	SYSTEM TYPE
MODEL	LIST	MODEL	LIST	MODEL	LIST					
DT-16-SSR	\$7,132	DT-16-MFR	\$7,447	DT-16-PBR	\$8,605	1	16	70#	16"	Glycol
DT-20-SSR	\$8,430	DT-20-MFR	\$8,839	DT-20-PBR	\$10,229	1	20	85#	20"	Glycol
DT-24-SSR	\$11,375	DT-24-MFR	\$11,844	DT-24-PBR	\$13,641	2	24	109#	24"	Glycol
DT-32-SSR*	\$14,090	DT-32-MFR	\$14,713	DT-32-PBR	\$16,894	2	32	140#	32"	Glycol
DT-36-SSR*	\$15,379	DT-36-MFR	\$16,079	DT-36-PBR	\$18,452	2	36	155#	36"	Glycol
DT-40-SSR*	\$16,700	DT-40-MFR	\$17,510	DT-40-PBR	\$20,073	2	40	170#	40"	Glycol

PRODUCT INFORMATION (see DT Spec Sheet for complete details)

STANDARD FEATURES

- All stainless steel construction
- Includes surface mount drain pans with lift-out perforated inserts
- 1/4" shanks with 3/16" restriction lines
- Available in grainline finish, mirror finish, or brass finish
- Includes cold plate assembly and insulated restriction lines for glycol recirculating system
- Available in 16, 20, 24, 32, 36, and 40 faucet sizes

- All models include all stainless steel faucets and shanks to resist corrosion and prevent metallic leaching, making them ideal for both draft beer and wine applications

*NOTE: Double-Sided Towers are manufactured to order and are not returnable.

**NOTE: Brass finish towers provided with mirror finish drain pan and brass finish perforated insert

RINSER FAUCET EXTENSION

Double-Sided tower drain pans can be manufactured with rinser faucet extensions to the left or right of the drain pan. A rinser faucet extension will add 5" to the overall length of the drain pan. Add the RFE upcharge when placing your order.

NOTE: Rinsers are not intended for use with towers mounted to a refrigerator due to risk of water line freeze up.

Rinsers faucet installation notes:

- Important: Unit must be installed in conformance with applicable federal, state, and local plumbing codes, including adequate backflow when required.
- Must install backflow prevention device conforming to ANSI/ASSE 1022 or ANSI/ASSE 1024 to meet plumbing code (not included).
- Install in-line water regulator (included).
- A separate shut-off valve is recommended (not included).

MODEL	DESCRIPTION	LIST
RFE	Rinsers faucet extension	\$606





CBT-4-MFR
(handles not included)

NOTE: To convert standard faucet to stout style faucet, specify accessory model number BT-CFG and add \$228 List per faucet.

*NOTE: Cobra Towers are manufactured to order and are not returnable.

**NOTE: Brass finish towers provided with mirror finish drain pan and brass finish perforated insert

COBRA TOWERS WITH DRAIN PAN AND 72" RESTRICTION LINES

MIRROR FINISH		BRASS FINISH**		FAUCETS	WGT	WIDTH	SYSTEM TYPE
MODEL	LIST	MODEL	LIST				
CBT-1-MF	\$2,159	CBT-1-GF	\$2,272	1	18#	14"	Air Cooled
CBT-1-MFR	\$1,938	CBT-1-GFR	\$2,052	1	18#	14"	Glycol
CBT-2-MF	\$3,107	CBT-2-GF	\$3,494	2	19#	14"	Air Cooled
CBT-2-MFR	\$2,898	CBT-2-GFR	\$3,283	2	19#	14"	Glycol
CBT-3-MF	\$3,904	CBT-3-GF	\$4,233	3	20#	18"	Air Cooled
CBT-3-MFR	\$3,706	CBT-3-GFR	\$4,035	3	20#	18"	Glycol
CBT-4-MF	\$4,599	CBT-4-GF	\$5,174	4	21#	18"	Air Cooled
CBT-4-MFR	\$4,413	CBT-4-GFR	\$4,988	4	21#	18"	Glycol

PRODUCT INFORMATION (see CBT Spec Sheet for complete details)

STANDARD FEATURES

- Integrated surface mount drain pan with lift-out perforated inserts
- 1/4" shanks with 3/16" restriction lines
- Available in mirror finish or gold finish.
- Available with insulated cold plate assembly for recirculating system
- All models include all stainless steel faucets and shanks to resist corrosion and prevent metallic leaching, making them ideal for both draft beer and wine applications
- Available with rinser faucet extension to the left or right of the drain pan. Specify RFE accessory
- Mounting holes will be pre-drilled at the factory if the host cooler is ordered with a finished top and the tower location is specified

COBRA TOWER ACCESSORY

MODEL	DESCRIPTION	LIST
05001951	Mounting kit for extra thick tops	\$85

RINSER FAUCET EXTENSION

COBRA tower drain pans can be manufactured with rinser faucet extensions to the left or right of the drain pan. A rinser faucet extension will add 5" to the overall length of the drain pan. Add the RFE upcharge when placing your order.

NOTE: Rinser faucets not intended for use with towers mounted to a refrigerator due to risk of water line freeze up.

Rinser faucet installation notes:

- Important: Unit must be installed in conformance with applicable federal, state, and local plumbing codes, including adequate backflow when required.
- Must install backflow prevention device conforming to ANSI/ASSE 1022 or ANSI/ASSE 1024 to meet plumbing code (not included).
- Install in-line water regulator (included).
- A separate shut-off valve is recommended (not included).

MODEL	DESCRIPTION	LIST
RFE	Rinser faucet extension	\$606



NOTE: To convert standard faucet to stout style faucet, specify accessory model number BT-CFG and add \$228 List per faucet.



UC-4-SSR
Shown attached to bar
(Handles not included)



UC-5-SSR
Shown installed under bar top
with BDB-18 beer drainer



WT-6-SS
(handles not included)

PRODUCT INFORMATION

(see UC Spec Sheet for complete details)

STANDARD FEATURES: All stainless steel construction • 1/4" shanks with 3/16" restriction lines • Includes cold plate assembly and insulated restriction lines for glycol recirculating system • Includes all stainless steel faucets and shanks to resist corrosion and prevent metallic leaching, making them ideal for both draft beer and wine applications

NOTES:

1. Installation of the undercounter tower requires a minimum bar top overhang of 7".
2. Undercounter towers do not include a drain pan. Glastender offers a free standing underbar beer drainer. See model numbers BDA or BDB for the main line (page 51) or C-BD for the Choice line (page 71).
3. The beverage and glycol lines exit the bottom of the tower and are rigid, so the undercounter tower must be installed prior to installing the beer drainer. The 8, 10, and 12 faucet models have two sets of lines exiting the bottom of the tower.

STAINLESS STEEL UNDERCOUNTER TOWERS

MODEL	LIST	# OF FAUCETS	WT	WIDTH
UC-4-SSR	\$2,463	4	28#	14"
UC-5-SSR	\$2,919	5	30#	17"
UC-6-SSR	\$3,374	6	35#	20"
UC-8-SSR	\$4,419	8	50#	26"
UC-10-SSR	\$5,330	10	65#	32"
UC-12-SSR	\$6,236	12	80#	38"

PRODUCT INFORMATION

(see WT Spec Sheet for complete details)

STANDARD FEATURES: All stainless steel construction • Integrated drain pan with lift-out perforated inserts • 1/4" shanks with 3/16" restriction lines • Available with cold plate assembly and insulated restriction lines for glycol recirculating system (specify suffix 'R' in the model number) • Built-in wall mounting bracket • Removable front cover for access to shanks • Includes all stainless steel faucets and shanks to resist corrosion and prevent metallic leaching, making them ideal for both draft beer and wine applications

STAINLESS STEEL WALL MOUNT TOWERS

MODEL	LIST	# OF FAUCETS	WT	WIDTH
WT-4-SS	\$2,072	4	23#	14"
WT-4-SSR	\$2,744	4	31#	14"
WT-5-SS	\$2,464	5	27#	17"
WT-5-SSR	\$3,255	5	36#	17"
WT-6-SS	\$2,858	6	31#	20"
WT-6-SSR	\$3,771	6	41#	20"
WT-8-SS	\$3,643	8	39#	26"
WT-8-SSR	\$4,947	8	51#	26"
WT-10-SS	\$4,431	10	57#	32"
WT-10-SSR	\$5,973	10	71#	32"
WT-12-SS	\$5,220	12	65#	38"
WT-12-SSR	\$6,999	12	81#	38"

*NOTE: Undercounter and Wall Mount Towers are manufactured to order and are not returnable



WB-6-B
(handles not included)

NOTE: To convert standard faucet to stout style faucet, specify accessory model number BT-CFG and add \$228 List per faucet.




PRODUCT INFORMATION

(see WB Spec Sheet for complete details)

STANDARD FEATURES

- Oak wood barrel construction
- Includes separate 300 series stainless steel surface mount drain pan with lift-out perforated inserts
- 1/4" shanks with 3/16" restriction lines
- Available in flat black or natural unfinished
- Available with cold plate assembly and insulated restriction lines for glycol recirculating system (specify suffix 'R' in the model number)
- Available in three through six faucet models
- Includes wall mounting brackets
- All stainless steel faucets and shanks to resist corrosion and prevent metallic leaching, making them ideal for both draft beer and wine applications

*NOTE: Wood Barrel Towers are manufactured to order and are not returnable



WOOD BARREL TOWERS WITH DRAIN PAN AND 72" RESTRICTION LINES

FLAT BLACK	LIST	NATURAL WOOD	LIST	# OF FAUCETS	WGT
WB-3-B	\$3,441	WB-3-N	\$3,441	3	85#
WB-3-BR	\$4,301	WB-3-NR	\$4,301	3	85#
WB-4-B	\$3,770	WB-4-N	\$3,770	4	90#
WB-4-BR	\$4,631	WB-4-NR	\$4,631	4	90#
WB-5-B	\$4,099	WB-5-N	\$4,099	5	95#
WB-5-BR	\$5,081	WB-5-NR	\$5,081	5	95#
WB-6-B	\$4,428	WB-6-N	\$4,428	6	100#
WB-6-BR	\$5,528	WB-6-NR	\$5,528	6	100#

Decorative towers are available in a variety of styles to add a special look to your draft beverage dispensing system. Contact our sales department for additional information including pricing and availability.

To view all decorative towers visit <https://glastender.com/pl/decorative-draft-dispensers/brochure>



Zeus Towers



Mushroom Towers



Mini Mushroom Towers

Ceramics



Braumeister Ellipse Towers



Braumeister Towers



Black Forest Towers



Vienna Ellipse Towers



Vienna Towers



Rembrandt Towers

Glastender manufactures and diverse line of highly configurable kitchen fabrication products providing you with tailor-made solutions.



CAB-D
18" D by 66" L Dish Cabinet with
1" overhang and rounded nosing profile

DISH CABINETS

PRODUCT INFORMATION

(see CAB-D Spec Sheet for complete details)

All stainless steel construction including fixed mid-shelf and reinforcement channels. Available in lengths from 36" to 108" in one-half inch increments. Models 72" and longer have a center mullion.

Top options include: Depth - 15", or 18" • Front overhang - 1/4", 1", or 2" • Nosing profile - flat, or rounded

Base options include: Feet - bullet or flanged

MODULAR BEVERAGE STATIONS

PRODUCT INFORMATION

(see CAB-MBS Spec Sheet for complete details)

Modular beverage stations are configured and manufactured to your specific requirements. A complete lineup is designed by selecting from the top options and then specifying the module types and sizes to mount below the top. Stations ship complete in lengths up to 144".

Top options include: Depth - 24", 30", or 36" • Front overhang - 1/4", 1", or 2" • Nosing profile - flat, marine, or rounded • Backsplash - none, 5", or 10" • Endsplash - none, left, right, or both • Integrally welded drip trough • Electrical outlets in the backsplash

Module options include: Adjustable shelf • Drawer • Drop-in • Empty space • End wall • Fixed shelf • Glass rack • Open storage • Roll-out shelf • Sink • Urn stand



108" L by 30" D CAB-MBS
Modules left to right: drop-in with solid
apron, roll-out shelf, urn stand, and
adjustable shelf with solid door



CAB-WT
30" D by 54" L Work Table Cabinet with
1/4" overhang, flat nosing profile and
hinged doors

WORK TABLE CABINETS

PRODUCT INFORMATION

(see CAB-WT Spec Sheet for complete details)

All stainless steel construction including reinforcement channels. Available in lengths from 18" to 108". Models 63" and longer have a center wall.

Top options include: Depth - 24", 30", or 36" • Front overhang - 1/4", 1", or 2" • Nosing profile - flat, or rounded • Backsplash - none, upturn, 1" deep, or 2-1/4" deep

Base options include: Mid-shelf - none, fixed, or adjustable (models less than 63" long) • Doors - none or hinged • Feet - bullet or flanged



RCK-WS
42" L Wall-Mount
Sorting Rack

WALL-MOUNT SORTING RACKS

PRODUCT INFORMATION

(see RCK-WS Spec Sheet for complete details)
Configurable Wall-Mount Sorting Racks deliver tailor-made solutions. All stainless steel construction.

Options include: Shelf length - 21", 42", 63", or 84"



SHF-PT
24" D by 48" L Pass-
Thru Shelf with rounded
nosing (gusset bracket
not shown)

PASS-THRU SHELVES

PRODUCT INFORMATION

(see SHF-PT Spec Sheet for complete details)

Brackets are field mounted and allow for variations in wall thickness. Available in 18" or 24" depths and lengths from 36" to 144" in one-half inch increments. 18" deep units ship with "L" brackets, 24" units ship with gusset brackets.

Top options include: Nosing - flat or rounded • Overshelf - with or without • Overshelf structure - standard or heater mountable • Overshelf height - from 12" to 18"



SHF-W
12" D by 24" L Wall-
Mount Shelf with round-
ed nosing profile

WALL-MOUNT SHELVES

PRODUCT INFORMATION

(see SHF-W Spec Sheet for complete details)

All stainless steel construction. Units available in lengths from 24" to 144" in one-half inch increments. Units 72" and longer have (3) support brackets.

Top options include: Nosing - flat or rounded
• Top depth - from 10", 12", 15" or 18"



SHF-WM
18" D by 24" L Wall-Mount
Microwave Shelf

WALL-MOUNT MICROWAVE SHELVES

PRODUCT INFORMATION

(see SHF-WM Spec Sheet for complete details)

All stainless steel construction. Available in depths from 18" to 24" and lengths from 24" to 36".



SHF-WP
12" D by 36" L Wall-Mount Shelf with Pot
Rack and flat nosing profile

WALL-MOUNT SHELVES W/POT RACK

PRODUCT INFORMATION

(see SHF-WP Spec Sheet for complete details)

All stainless steel construction. Units available in lengths from 24" to 144" in one-half inch increments. Units 72" and longer have (3) support brackets. Each shelf includes (1) double pot hook per foot.

Top options include: Nosing - flat or rounded • Top depth - 10", 12", 15" or 18"



SNK-C
30" D by 102" L
Compartment Sink with
three 18" by 24" by 14"
deep sink bowls and right
and left drainboards.
Faucet not provided.

COMPARTMENT SINKS

PRODUCT INFORMATION

(see SNK-C Spec Sheet for complete details)

One, two, three and four compartment models are available with or without drainboards. All stainless steel, TIG welded construction. Available in depths from 24" to 36" and lengths from 24" to 144" in one-half inch increments.

Top options include: Number of sink bowls - 1, 2, 3, or 4
• Backsplash height - 7" to 13" • Drainboard - none, left, right, or both • Endsplash - none, left, right, or both • Sink bowl depth - 6" to 14"

Base options include: Legs - welded or knock down • Feet - bullet or flanged • Undershelf - welded, adjustable, or removable



SNK-M
24" D by 24" L by 14" H Mop Sink
with 20" by 20" by 10" deep sink bowl

MOP SINKS

PRODUCT INFORMATION

(see SNK-M Spec Sheet for complete details)
All stainless steel, TIG welded construction. Sink bowl depths available from 6" to 14" in one inch increments.

Kitchen Stands

Call for Pricing



STA-E
30" D by 37" L by 24" H
Equipment Stand with
adjustable undershelf

EQUIPMENT STANDS

PRODUCT INFORMATION

(see STA-E Spec Sheet for complete details)

All stainless steel construction including reinforcement channels. Available in depths from 18" to 36" and lengths from 18" to 96" in one-half inch increments.

Top standards: Flat nosing and 1-1/2" upturn edge on three sides

Base Options include: Undershelf - none, welded, or adjustable • Legs - welded or knock down • Feet - bullet, flanged, or casters • Height - 20" - 30"



STA-M
30" D by 30" L by 24" H
Mixer Stand with welded
undershelf

MIXER STANDS

PRODUCT INFORMATION

(see STA-M Spec Sheet for complete details)

All stainless steel construction including reinforcement channels. Available in depths from 18" to 36" and lengths from 18" to 36" in one-half inch increments.

Top options include: Nosing profile - marine or inverted V

Base options options include: Undershelf - none, welded, or adjustable • Legs - welded or knock down • Feet - bullet, flanged, or casters • Height - 20" - 30"



TAB-CD
30" D by 48" L straight,
right, Clean Dish Table

CLEAN DISH TABLES

PRODUCT INFORMATION

(see TAB-CD Spec Sheet for complete details)

All stainless steel, TIG welded construction.

Top options include: Side - left or right • Style - straight, island, or corner • Endsplash - none, left, or right • Tubular overshelves • Custom notching to match dishwasher model

Base options include: Undersshelf - none, welded, or adjustable • Legs - welded or knock down • Feet - bullet or flanged

SOILED DISH TABLES

PRODUCT INFORMATION

(see TAB-SD Spec Sheet for complete details)

All stainless steel, TIG welded construction.

Top options include: Side - left or right • Style - straight, island, corner, landing, or U-landing • Endsplash - none, left, or right • Tubular overshelves • Disposer cutouts • Scrap basket • Scrap block • Notching to fit dishwasher models

Base options include: Undersshelf - none, welded, or adjustable • Legs - welded or knock down • Feet - bullet or flanged



TAB-SD
30" D by 66" L straight, soiled, left dish table
with 20" by 20" by 6" deep pre-rinse sink with
removable scrap basket

WORK TABLES

PRODUCT INFORMATION

(see TAB-W Spec Sheet for complete details)

All stainless steel construction including reinforcement channels. Available in depths from 18" to 36" and lengths from 18" to 144" in one-half inch increments.

Top options include: Nosing profile - flat, marine, or rounded • Backsplash - none, upturn, 1" deep, or 2-1/4" deep • Endsplash - none, left, right, or both • Overshelf - none, single, or tiered • Integrally-welded, fabricated sinks • Drop-in cutouts

Base options include: Undersshelf - none, welded, or adjustable • Legs - welded or knock down • Feet - bullet, flanged, or casters • Drawers - none, single, or tiered



TAB-W
30" D by 72" L Work Table with
welded undershelf, 15" by 20" drawer
and 15" deep tiered overshelves

All faucets are certified low lead compliant



WH-12



WHS-12



WH-14 with
optional wrist handles



WHS-14

12" WIDE

MODEL	LIST	WGT
WH-12 •	\$933	22#
WH-12-LF (less faucet)	\$618	20#

12" WIDE WITH SKIRT


MODEL	LIST	WGT
WHS-12 •	\$1,162	27#
WHS-12-LF (less faucet)	\$846	25#

14" WIDE

MODEL	LIST	WGT
WH-14	\$895	22#
WH-14-LF (less faucet)	\$614	20#

14" WIDE WITH SKIRT

MODEL	LIST	WGT
WHS-14	\$1,114	27#
WHS-14-LF (less faucet)	\$834	25#



Optional foot-
operated faucet
FOF-B
• WH-12
• WHS-12



WH-14-S



WHS-14-S



WDH-14



WH-14-ESD

14" WITH INTEGRATED SIDE SPLASHES

MODEL	LIST	WGT
WH-14-S	\$1,306	27#
WH-14-S-LF (less faucet)	\$1,026	25#

14" WITH INTEGRATED SIDE SPLASHES & SKIRT

MODEL	LIST	WGT
WHS-14-S	\$1,542	33#
WHS-14-S-LF (less faucet)	\$1,262	31#

14" WIDE WITH SOAP & PAPER TOWEL DISPENSERS

MODEL	LIST	WGT
WDH-14	\$1,607	37#
WDH-14-LF (less faucet)	\$1,326	35#

14" EXTENDED SPLASH W/ SOAP & TOWEL DISPENSER

MODEL	LIST	WGT
WH-14-ESD	\$1,440	37#
WH-14-ESD-LF (less faucet)	\$1,159	35#

PRODUCT INFORMATION

(see WH Spec Sheet for complete details)

STANDARD FEATURES: Manufactured with total welded construction to meet all NSF® standards • All stainless steel construction • 9-1/4" by 11-1/2" by 6" deep sink bowl • Includes wall-mounting bracket • Includes 1-1/2" IPS drain fitting • Heavy-duty faucet is standard (available less faucet by adding the suffix '-LF' to the model number) • Models WH-12, and WHS-12 are available with a foot-operated faucet. Specify accessory number FOF-B. • Left and right side splashes available as an accessory • Models WH-12 and WHS-12 include a special backsplash faucet-mounting bracket for easy removal and inspection of faucet after installation • Models WH-14-S and WHS-14-S include integral left and right side splashes, featuring radius work surface corners for easy cleaning and a front lip to contain splashes • Model WDH-14 includes built-in soap and C-fold paper towel dispensers • Model WH-14-ESD includes a 1" deep recessed work surface with extra tall backsplash to contain splashes, and soap and paper towel dispenser

ACCESSORIES

MODEL	DESCRIPTION	LIST	WGT
LS15	15" deep left end splash	\$150	1#
RS15	15" deep right end splash	\$150	1#
03000512	P-trap, 17 ga. chrome plated steel	\$85	2#
03000511	Wrist handles (set of two)	\$47	2#
03000483	Wet waste sink strainer	\$55	1#
TD-C	Paper towel dispenser, C-fold	\$269	5#
•FOF-B	Convert to foot-operated backsplash faucet for WH-12 and WHS-12 models	\$555	3#

⚠ WARNING: The plastic wet waste strainer included with this product can expose you to chemicals including Bisphenol A (BPA), which is known to the State of California to cause birth defects or other reproductive harm. For more information, go to www.P65Warnings.ca.gov. **Warning applies to State of California only.** Part #03000483

All faucets are certified low lead compliant



DI-HS12



DI-HS14

DROP-IN HAND SINKS

MODEL	LIST	LENGTH	DEPTH	WGT	FAUCET
DI-HS12	\$736	12"	17"	18#	Yes
DI-HS12-LF	\$455	12"	17"	15#	No
DI-HS14	\$736	14"	15"	18#	Yes
DI-HS14-LF	\$455	14"	15"	15#	No



DI-IS24



DI-IW24



DI-IB24-CP10



DI-IB18

DROP-IN ICE BINS

MODEL	LIST	LENGTH	DEPTH	COLD PLATE	WGT	ICE CAPACITY
DI-IB12	\$1,503	14"	19"	No	50#	33#
DI-IB18	\$1,681	20"	19"	No	60#	50#
DI-IB24	\$1,935	26"	19"	No	70#	71#
DI-IB30	\$2,139	32"	19"	No	80#	89#
DI-IB24-CP10	\$3,647	26"	19"	Yes	140#	71#
DI-IB30-CP10	\$3,859	32"	19"	Yes	150#	89#

PRODUCT INFORMATION

(see DI-HS, DI-I, and DI-IB Spec Sheets for complete details)

STANDARD FEATURES: All stainless steel construction • Includes four 1/4-20 x 1-1/2" studs for mounting to countertop • DI-IB24 and DI-IB30 feature special angle brackets, U-channels, and mounting bolts for easy installation)

SINK FEATURES: 9-1/4" by 11-1/2" by 6" deep sink bowl • Includes 1-1/2" IPS drain fitting

ICE BIN FEATURES: PVC plastic breaker strip around ice bin liner: creates 5/16" raised edge around liner (NSF® requirement is 3/16"), acts as thermal barrier to prevent heat transfer, and makes the cover slide easier • Sliding stainless steel cover • Foamed-in-place insulation • Galvanized steel exterior wrap • 24" and 30" models available with 10 circuit cold plate • Models without cold plates have a 1-1/2" welded tailpiece - no drain fitting to break or come loose • 10-1/2" deep liner • Manufactured with total welded construction to meet all NSF® standards

⚠ WARNING: The plastic wet waste strainer included with this product can expose you to chemicals including Bisphenol A (BPA), which is known to the State of California to cause birth defects or other reproductive harm. For more information, go to www.P65Warnings.ca.gov. **Warning applies to State of California only.** Part #03000483

DROP-IN ICE AND SINK UNITS

MODEL	LIST	L	D	WGT	FAUCET
DI-IS24	\$2,078	24"	19"	55#	Yes
DI-IS24-LF	\$1,797	24"	19"	52#	No

DROP-IN ICE AND WATER STATION UNITS

MODEL	LIST	L	D	WGT	FAUCET
DI-IW24	\$2,268	24"	19"	55#	Yes
DI-IW24-LF	\$1,899	24"	19"	52#	No

ACCESSORIES

MODEL	DESCRIPTION	LIST	WGT
03000512	P-trap, 17 ga. chrome plated steel	\$85	2#
03000511	Wrist handles (set of two)	\$47	2#
03000483	Wet waste sink strainer	\$55	1#

Counter Cut-Out Dimensions

DI-IB12 = 17-1/2" by 12-1/2"

DI-IB18 = 17-1/2" by 18-1/2"

DI-IB24 = 17-1/2" by 24-1/2"

DI-IB30 = 17-1/2" by 30-1/2"

All other models, reference spec sheet



C1FU60 with compressor left,
4-1/8" casters, stainless doors and top

COOLERS - ONE ZONE, FRONT SERVICED, UNDERCOUNTER*

MODEL	LIST	LENGTH	DOORS	DOOR OPENING	WEIGHT	AMPS	HP	CUBIC FEET CAPACITY
C1FU32*	\$5,998	32"	1	16" W	240#	3.0	1/8	4.56
C1FU36*	\$6,077	36"	1	20" W	250#	3.0	1/8	5.71
C1FU52*	\$7,792	52"	2	16" W	340#	7.0	1/4	9.40
C1FU60*	\$7,984	60"	2	20" W	350#	7.0	1/4	11.70
C1FU72*	\$9,408	72"	3	16" W	445#	7.0	1/4	14.33
C1FU84*	\$9,653	84"	3	20" W	460#	7.0	1/4	17.78
C1FU92*	\$11,247	92"	4	16" W	550#	7.0	1/4	19.80
C1FU108*	\$11,552	108"	4	20" W	570#	7.0	1/4	24.40

Base price only. See next page for configurable options.


*NOTE: C1FU coolers are manufactured to order and are not returnable.

PRODUCT INFORMATION


(see C1FU Spec Sheet for complete details)

STANDARD FEATURES:

- Self-contained
- All stainless steel interior construction
- Stainless steel finished top
- Two adjustable coated shelves per door
- Door(s) include stainless steel pull tab handle with lock
- Operating range 34°F (1°C) to 40°F (4°C)
- Listed to NSF Standard 7 for open food as a storage refrigerator



06010158
Clip-on shelf divider



NOTE: 4-1/8" casters shown. Also available with 2-7/8" casters or 6" legs.

ACCESSORIES

MODEL	DESCRIPTION	LIST
06010158	Clip-on shelf divider	\$32

*NOTE: C1FU coolers are manufactured to order and are not returnable.

Select Configurable Options:**VOLTAGE**

120V/60HZ	No charge
220V/50HZ (export voltage)	\$245

REFRIGERATION COMPARTMENT LOCATION

Left	No charge
Right	No charge

REFRIGERATION COMPARTMENT COVER FINISH

Black vinyl-clad	No charge
Unlaminated	No charge
Stainless steel	No charge
Jeweled stainless steel	\$185
Laminated	\$215

DOOR OPTIONS

NOTE: Select options for EACH Door

STYLE AND FINISH - SPECIFY & ADD FOR EACH SECTION

Door - Black vinyl-clad	No charge
Door - Unlaminated	No charge
Door - Stainless steel	No charge
Door - Jeweled stainless	\$201
Door - Laminated	\$230
Door - Glass, black vinyl-clad	\$445
Door - Glass, stainless steel	\$445
Door - Glass, jeweled stainless	\$646
Door - Glass, laminated	\$675

DOOR HINGE LOCATION - SPECIFY & ADD FOR EACH DOOR

Left	No charge
Right	No charge

LEFT SIDE FINISH

Black vinyl-clad	No charge
Stainless Steel	No charge
Laminated	\$230

RIGHT SIDE FINISH

Black vinyl-clad	No charge
Stainless Steel	No charge
Laminated	\$230

BACK FINISH

	32"	36"	52"	60"	72"	84"	92"	108"
Galvanized steel	No charge							
Stainless steel*	\$312	\$321	\$366	\$388	\$420	\$452	\$475	\$518

*NOTE: Stainless steel back option also includes stainless steel sides.

LED LIGHTING STYLE

Bright white (7,000k), standard	No charge
Warm white (3,500k)	No charge
Amber (2,700k)	No charge
Blue	No charge

LEG AND STAINLESS STEEL KICK RAILS

NOTE: Legs are required if kick rails are ordered.

	32"	36"	52"	60"	72"	84"	92"	108"
6" legs	No charge							
Front kick rail	\$109	\$113	\$129	\$138	\$151	\$162	\$171	\$186
Left side kick rail	\$101	\$101	\$101	\$101	\$101	\$101	\$101	\$101
Right side kick rail	\$101	\$101	\$101	\$101	\$101	\$101	\$101	\$101

CASTERS

	32"	36"	52"	60"	72"	84"	92"	108"
4-1/8" casters	No charge							
2-7/8" casters	No charge							



Stainless pull tab handle




C1SU24 with compressor right,
4-1/8" casters, stainless door and top

PRODUCT INFORMATION

(see C1SU Spec Sheet for complete details)

STANDARD FEATURES:

- Self-contained
- All stainless steel interior construction
- Stainless steel finished top
- Models with doors include two adjustable coated shelves per door
- Door(s) include stainless steel pull tab handle with lock
- Operating range 34°F (1°C) to 40°F (4°C)
- Listed to NSF Standard 7 for open food as a storage refrigerator




NOTE: 4-1/8" casters shown. Also available with 2-7/8" casters or 6" legs.

*NOTE: C1SU28, C1SU36, C1SU44, C1SU48, and all coolers with drawers are manufactured to order and are not returnable.

COOLERS - ONE ZONE, SIDE SERVICED, UNDERBAR

MODEL	LIST	LENGTH	DOORS	DOOR OPENING	WEIGHT	AMPS	HP	CUBIC FEET CAPACITY
C1SU24	\$5,408	24"	1	17.5" W	208#	2.75	1/8	4.77
C1SU28*	\$5,618	28"	1	20" W	231#	2.75	1/8	5.32
C1SU36*	\$7,215	36"	2	12" W	292#	2.75	1/8	7.59
C1SU44*	\$7,530	44"	2	16" W	322#	2.75	1/8	9.92
C1SU48*	\$7,688	48"	2	18" W	335#	2.75	1/8	11.09



Base price only. See next page for configurable options.



The CO-RR shelf retention rail should be used on all shelves adjacent to drawers. (CO-RR shown installed on shelf)

ACCESSORIES

MODEL	DESCRIPTION	LIST
CO-RR	Shelf retention rail	\$58
DICF-12L	Drawer insert, condiments, full, 12" door opening, low-profile cooler, 6 cups	\$307
DICP-12L	Drawer insert, condiments, partial, 12" door opening, low-profile cooler, 4 cups	\$231
DICF-16L	Drawer insert, condiments, full, 16" door opening, low-profile cooler, 12 cups	\$452
DICP-16L	Drawer insert, condiments, partial, 16" door opening, low-profile cooler, 8 cups	\$328
DICF-17L	Drawer insert, condiments, full, 17.5" door opening, low-profile cooler, 12 cups	\$455
DICP-17L	Drawer insert, condiments, partial, 17.5" door opening, low-profile cooler, 8 cups	\$330
DICF-18L	Drawer insert, condiments, full, 18" door opening, low-profile cooler, 12 cups	\$460
DICP-18L	Drawer insert, condiments, partial, 18" door opening, low-profile cooler, 8 cups	\$332
DICF-20L	Drawer insert, condiments, full, 20" door opening, low-profile cooler, 15 cups	\$532
DICP-20L	Drawer insert, condiments, partial, 20" door opening, low-profile cooler, 10 cups	\$380
DIP-17	Drawer insert for fractional stainless pans, 17.5" door opening (pans not included)	\$205
DIP-18	Drawer insert for fractional stainless pans, 18" door opening (pans not included)	\$210
DIP-20	Drawer insert for fractional stainless pans, 20" door opening (pans not included)	\$229
06010158	Clip-on shelf divider	\$32



DIP-18
Pans not included

Select Configurable Options:

VOLTAGE

120V/60HZ	No charge
220V/50HZ (export voltage)	\$245

REFRIGERATION COMPARTMENT LOCATION

Left	No charge
Right	No charge

REFRIGERATION COMPARTMENT COVER FINISH

Black vinyl-clad	No charge
Stainless steel	No charge
Jeweled stainless steel	\$185

DOOR/DRAWER OPTIONS

NOTE: Select options for EACH Door/Drawer Section

STYLE AND FINISH - SPECIFY & ADD FOR EACH SECTION

Door - Black vinyl-clad	No charge
Door - Unlaminated	No charge
Door - Stainless steel	No charge
Door - Jeweled stainless	\$201
Door - Laminated	\$230
Door - Glass, black vinyl-clad	\$445
Door - Glass, stainless steel	\$445
Door - Glass, jeweled stainless	\$646
Door - Glass, laminated	\$675
Drawers* - Black vinyl-clad	\$1,841
Drawers* - Unlaminated	\$1,841
Drawers* - Stainless steel	\$1,841
Drawers* - Jeweled stainless	\$2,041
Drawers* - Laminated	\$2,072

*NOTE: Units with drawers are manufactured to order and are not returnable.

DOOR HINGE LOCATION - SPECIFY & ADD FOR EACH DOOR

Left	No charge
Right	No charge



LEFT SIDE FINISH

Black vinyl-clad	No charge
Stainless Steel	No charge
Laminated	\$230

RIGHT SIDE FINISH

Black vinyl-clad	No charge
Stainless Steel	No charge
Laminated	\$230

BACK FINISH

	24"	28"	36"	44"	48"
Galvanized steel	No charge				
Stainless steel*	\$290	\$300	\$321	\$343	\$355

*NOTE: Stainless steel back option also includes stainless steel sides.

LED LIGHTING STYLE

Bright white (7,000k), standard	No charge
Warm white (3,500k)	No charge
Amber (2,700k)	No charge
Blue	No charge

LEG AND STAINLESS STEEL KICK RAILS

NOTE: Legs are required if kick rails are ordered.

	24"	28"	36"	44"	48"
6" legs	No charge				
Front kick rail	\$101	\$105	\$113	\$121	\$125
Left side kick rail	\$101	\$101	\$101	\$101	\$101
Right side kick rail	\$101	\$101	\$101	\$101	\$101

CASTERS

	24"	28"	36"	44"	48"
4-1/8" casters	No charge				
2-7/8" casters	No charge				



Stainless pull
tab handle

*NOTE: All coolers with drawers are manufactured to order and are not returnable.

Optional Drawers*

Glastender's refrigerated drawers include adjustable divider walls.

20" wide drawer opening shown

**PRODUCT INFORMATION**

(see LC Spec Sheet for complete details)

STANDARD FEATURES:

- Self-contained forced air refrigeration system for uniform cooling of product
- Automatic condensate evaporator
- Digital thermostat with automatic defrost
- All stainless steel interior construction
- Stainless steel foamed-in-place insulated door and lettuce chute
- Stainless exterior construction with galvanized back and bottom
- Removable plastic lettuce bin and divider included
- Removable condenser air inlet filter for easy cleaning
- Bracket for wall mounting
- 4" adjustable legs available
- Nine-foot grounded cord & plug provided
- Listed to NSF standard 7 for open food as a storage refrigerator

CAPACITY: Approx. 50 heads of lettuce (shredded)**ELECTRICAL:** 120V, 1 phase, 60Hz, 2.5 full load amps. Dedicated 15 amp circuit is required.**REFRIGERATION:** 1/8 HP, R290 refrigerant, 1,023 BTU/hr heat rejection**PLUMBING:** Automatic condensate evaporator. No drain connection required.LC-BIN lettuce bin with
LC-BDIV bin divider**LETTUCE CRISPER**

MODEL	DESCRIPTION	LIST	WGT
LC	24" Lettuce Crisper with plastic bin, stainless bin divider, & wall-mounting bracket	\$5,587	170#

ACCESSORIES

MODEL	DESCRIPTION	LIST	WGT
LC-BIN	Plastic lettuce bin (additional)	\$317	15#
LC-BDIV	Lettuce bin divider, stainless steel (additional)	\$105	5#
LCLS	4" legs with adjustable flanged feet	\$236	5#
CE-220/50S	Convert self-contained unit to 220V/50Hz electrical	\$245	N/A



CM24XS-RR

PRODUCT INFORMATION

(see CM Spec Sheet for complete details)

STANDARD FEATURES: Self-contained forced air refrigeration system for uniform cooling of product • Automatic condensate evaporator • Digital thermostat with automatic defrost • All stainless steel interior construction • Stainless steel exterior construction with galvanized steel bottom • Removable condenser air inlet filter for easy cleaning • Nine-foot grounded cord & plug provided • Available with stainless steel door or glass door with stainless steel frame • Two adjustable coated shelves • Interior LED light included • Listed to NSF standard 7 for open food as a storage refrigerator

CAPACITY: 4.7 cu. ft.**ELECTRICAL:** 120V, 1 phase, 60Hz, 2.5 full load amps. Dedicated 15 amp circuit is required**REFRIGERATION:** 1/8 HP, R290 refrigerant**PLUMBING:** Automatic condensate evaporator. No drain connection required.**COUNTERTOP MERCHANDISER**

Standard List = \$5,995

Weight = 190#

CM24 -**Door Style:**

SS = Stainless Front and Back Door

SX = Stainless Front and Glass Back Door - Add \$446

XS = Glass Front and Stainless Back Door - Add \$446

XX = Glass Front and Glass Back Door - Add \$892

Rear Door Hinge Location:

L = Left or R = Right

Front Door Hinge Location:

L = Left or R = Right

ACCESSORIES

MODEL	DESCRIPTION	LIST	WGT
LCLS	4" legs with adjustable flanged feet	\$236	5#
CE-220/50S	Convert self-contained unit to 220V/50Hz electrical	\$245	N/A

Wall-Mount Refrigerators



WMR24S-R

PRODUCT INFORMATION

(see WMR Spec Sheet for complete details)

STANDARD FEATURES: Self-contained forced air refrigeration system for uniform cooling of product • Automatic condensate evaporator • Digital thermostat with automatic defrost • All stainless steel interior construction • Stainless exterior construction with galvanized back and bottom • Available with stainless steel door or glass door with stainless steel frame • Two adjustable coated shelves • Removable condenser air inlet filter for easy cleaning • Bracket for wall mounting • Nine-foot grounded cord & plug provided • Interior LED light included • Listed to NSF standard 7 for open food as a storage refrigerator

CAPACITY: 3.9 cu. ft.**ELECTRICAL:** 120V, 1 phase, 60Hz, 2.5 full load amps. Dedicated 15 amp circuit is required.**REFRIGERATION:** 1/8 HP, R290 refrigerant**PLUMBING:** Automatic condensate evaporator. No drain connection required.**WALL-MOUNT REFRIGERATORS**

MODEL	LIST	DOOR STYLES	HINGE	WGT
WMR24S-L	\$5,201	Stainless	Left	165#
WMR24S-R	\$5,201	Stainless	Right	165#
WMR24X-L	\$5,649	Glass	Left	165#
WMR24X-R	\$5,649	Glass	Right	165#

ACCESSORIES

MODEL	DESCRIPTION	LIST	WGT
LCLS	4" legs with adjustable flanged feet	\$236	5#
CE-220/50S	Convert self-contained unit to 220V/50Hz electrical	\$245	N/A

All faucets are certified low lead compliant



DI-FR-DW



DI-FR36



DI-FR36-FL

DROP-IN ICE CREAM FREEZERS

MODEL	LIST	DIPPER WELL	WGT
DI-FR	\$3,551	No	115#
DI-FR-DW	\$4,310	Yes	120#
DI-FR36	\$4,313	No	135#
DI-FR36-DW	\$5,072	Yes	150#

DROP-IN ICE CREAM FREEZERS WITH FLIP LID

MODEL	LIST	DIPPER WELL	WGT
DI-FR36-FL	\$4,416	No	135#
DI-FR36-DW-FL	\$5,176	Yes	150#

ACCESSORIES

MODEL	DESCRIPTION	LIST
CE-220/50S	Convert self-contained unit to 220V/50Hz electrical	\$245

PRODUCT INFORMATION

(see DI-FR Spec Sheet for complete details)

STANDARD FEATURES: Stainless steel work surface, interior liner, and lid with galvanized steel exterior wrap • Foamed-in-place insulation • Available with built-in seamless welded 6" diameter draining dipper well and faucet • Eight-foot grounded cord and plug provided • Available sizes for one or two 3-gallon container capacity • Includes special angle brackets, U-channels, and mounting bolts for easy installation

ELECTRICAL: 120V, 1 phase, 60 Hz, 3.5 full load amps • Dedicated 15 amp circuit is recommended • Includes 8-foot grounded cord and plug

REFRIGERATION: Operating range -5°F to 10°F • 1/4 HP, 0.06 Ton, R290 100g (3.53 oz) refrigerant

CAPACITY: DI-FR models hold one 3-gallon container • DI-FR36 models hold two 3-gallon containers

Mobile Ice Cream Freezer*

Pricing effective February 1, 2022

PRODUCT INFORMATION

(see FRM Spec Sheet for complete details)

STANDARD FEATURES: All stainless steel exterior with 16 gauge galvanized exterior bottom • Completely integrated design - not just a cabinet with separate drop-in module • All stainless steel interior liner with radius corners for easy cleaning • One-piece, seamless top • 36-3/8" high work surface • Includes four 4-1/8" casters, with two locking casters • Eight-foot grounded cord and plug provided, exits at rear • Designed to accommodate outlet behind unit and still sit flush against the wall • Holds two 3-gallon containers

CAPACITY: Two 3-gallon tubs

ELECTRICAL: 120V, 1 phase, 60Hz, 3.5 full load amps. Dedicated 15 amp circuit is required.

REFRIGERATION: 1/4 HP, 0.06 Ton, R290 100g (3.53 oz) refrigerant


MOBILE ICE CREAM FREEZER

MODEL	CAPACITY	LIST	LENGTH	DEPTH	WEIGHT
FRM-2	Two 3-gallon tubs	\$5,734	24"	18"	150#

ACCESSORIES

MODEL	DESCRIPTION	LIST
CE-220/50S	Convert self-contained unit to 220V/50Hz electrical	\$245

*NOTE: Mobile Ice Cream Freezers are manufactured to order and are not returnable



FRM-2



MIB-36



MIB-36-H



MIB-36-ED

30" HIGH MOBILE ICE BATHS

MODEL	LENGTH	LIST	WGT
MIB-36	36"	\$4,110	170#
MIB-48	48"	\$4,580	205#

36" HIGH MOBILE ICE BATHS

MODEL	LENGTH	LIST	WGT
MIB-36-H	36"	\$4,198	180#
MIB-48-H	48"	\$4,790	215#

36" HIGH EXTRA DEEP MOBILE ICE BATHS

MODEL	LENGTH	LIST	WGT
MIB-36-ED	36"	\$4,468	200#
MIB-48-ED	48"	\$4,989	235#

MOBILE ICE BIN ACCESSORIES

MODEL	DESCRIPTION	LIST	WGT
TR	Towel Ring	\$20	1#
BO/CC-M	Bottle opener and cap catcher	\$85	3#



TR

Standard mounting for towel rings is server side left. Standard mounting for bottle opener/cap catcher is server side right. Please specify when ordering if you would like these items mounted in a different location.

PRODUCT INFORMATION


(see MIB Spec Sheet for complete details)

STANDARD FEATURES


- Designed for iced product storage and merchandising, especially long neck bottled beer
- Foamed-in-place insulated cabinet and PVC breaker strip around liner prevents exterior condensation
- Heavy duty construction with attractive black vinyl-clad exterior that resists scratching
- Stainless steel top, liner, and perforated drain pan inserts with 1/4" radius interior corners for easy cleaning
- Built-in storage area below ice bin. Stainless steel floor has 1/4" radius corners for easy cleaning.
- No plumbing required. Includes a flexible drain line with on/off valve for draining when most convenient.
- The standard models have a 30-3/8" work height
- The '-H' models feature a taller cabinet base and a 36-38" work height
- The '-ED' models feature an extra deep bath and a 36-3/8" work height
- Standard and -H models liner depth 10-1/2"
- -ED model liner depth 16-1/2"
- All models available in lengths of 36" or 48"
- Optional towel ring and bottle opener/cap catcher available
- Flexible drain line with on/off valve
- 4-1/8" rubberized casters, with two locking casters on server side

*NOTE: Mobile Ice Baths are manufactured to order and are not returnable


† 36 = 36", 48 = 48"



MIB-†



MIB-†-H



MIB-†-ED



The IB-14x22 as a food pan holder (pan not included)

The IB-14x22 as a portable ice display unit

*NOTE: The IB-14x22 is manufactured to order and is not returnable

PRODUCT INFORMATION

(see IB-14x22 Spec Sheet for complete details)

STANDARD FEATURES

The IB-14x22 is an all stainless steel, foam-in-place insulated, portable ice bin that sits on a countertop • The exterior dimensions are 14" by 22" by 10" high and the interior liner opening is sized to hold one food pan • The IB-14x22 also works well as a countertop ice display unit and does not need to be used with a steam table pan • Since the IB-14x22 is portable, it does not have a drain

ICE PAN HOLDER*

MODEL	LIST	WEIGHT
IB-14x22	\$1,710	35#



IBM-18x30



IBM-18x30-E

PRODUCT INFORMATION

(see IBM Spec Sheet for complete details)

STANDARD FEATURES

The IBM-18x30 is an all stainless steel, foam-in-place insulated, mobile ice bin that is 18" by 30" by 30" high • The interior liner is 10-1/2" deep • A drain valve is provided for draining melted ice water • The IBM-18x30 works well as an ice bath for bottled beer or wine • Also available with enclosed base. Add suffix "-E" to model number

MOBILE ICE BIN

MODEL	LIST	WEIGHT
IBM-18x30	\$2,988	100#
IBM-18x30-E	\$3,189	100#

Wall Cabinets

Pricing effective February 1, 2022



WCH48



WCH36

WALL CABINETS

OPEN FRONT	LIST	HINGED DOORS	LIST	LENGTH	WGT
WCO24	\$1,526	WCH24	\$2,464	24"	100#
WCO30	\$1,716	WCH30	\$3,076	30"	120#
WCO36	\$1,887	WCH36	\$3,393	36"	140#
WCO42	\$2,061	WCH42	\$3,690	42"	160#
WCO48	\$2,234	WCH48	\$3,987	48"	180#
WCO60	\$3,426	WCH60	\$6,155	60"	220#
WCO72	\$3,774	WCH72	\$6,787	72"	250#
WCO96	\$4,470	WCH96	\$7,972	96"	310#

PRODUCT INFORMATION

(see WC Spec Sheet for complete details)

STANDARD FEATURES: Includes intermediate shelf • Includes wall-mounting bracket • Available with open front or with hinged doors • Door models include door locks and positive latch catch • Door models 24" - 48" have 2 doors, 60" - 96" have 4 doors • Sloping top creates sanitary surface • Four door models ship as two units and include hardware for field assembly

Index

A	
Add-on cabinet bases.....	36
All-in-one stations.....	49-50
B	
Back bar	
Coolers*.....	75-85, 87-114, 139-142
<i>*See Coolers for complete cooler listings</i>	
Dry storage.....	119-120
Glass storage.....	121
Liquor display.....	121
Backsplash, glasswasher.....	4
Bar die, modular.....	52, 74
Bar, Portable.....	17-18
Bar Profile Coolers.....	(see Coolers)
Beer	
Accessories for cooler.....	86
Cooler.....	(see Coolers)
Drainer, underbar.....	51, 71
Line chiller.....	123-124
Towers.....	125-132
Towers, decorative.....	132
Beverage Stations, Modular.....	133
Blender stations	
Bolt-on blender shelves.....	14, 28, 59
Drainboard.....	27
Filler board.....	59
Island Oasis® stand.....	46, 71
Rinser faucet.....	27
Sink.....	27, 59
Sink and rinser faucet.....	27
Bolt-on blender shelves.....	14, 28, 59
Bottle	
Coolers.....	(see Coolers)
Opener and Cap Catcher.....	113, 146
Racks.....	25, 54
Wells.....	25, 54
Bottle Disintegration System.....	1-2
C	
Cabinets	
Add-on base.....	36
Back bar, dry storage.....	119-120
Dish.....	133
Drainboard.....	34-35, 65
POS.....	36, 70
Underbar.....	34-36, 65, 67
Wall.....	147
Work Table.....	133
Cap Catcher and Bottle Opener.....	113, 146
Casino Style Combo Ice Bin.....	22
CHOICE by Glastender Underbar.....	53-74
Clean Dish Tables.....	136
Clip-on	
Chemical rail (glasswasher).....	6
Condiment dispenser.....	12, 16
Dry waste (cocktail station).....	12, 14, 16
Dry waste rail.....	47, 72
Shelf divider.....	75, 77, 79, 81, 83, 89, 91, 93, 95, 97, 99, 101, 139, 141
Speed rails.....	14, 16, 26
Wet waste (glasswasher).....	4, 8
Cocktail stations	
Pass-thru.....	9-16
Underbar.....	49-50
Combo Ice Bins.....	21, 55
Compartment Sinks - kitchen.....	135
Compartment Sinks - underbar.....	39, 69
Condensing units and installation kits	
Remote units.....	79, 89, 93, 99, 103, 123
Condensing unit storage cabinet.....	122

Condiment dispenser	
Pass-thru station.....	12, 16, 20
Underbar.....	21, 22, 54, 55, 56
Condiment drawer insert.....	75, 81, 95, 141
Cooler miscellaneous.....	122
Coolers.....	75-85, 87-114, 139-142
Bar profile.....	75-76, 77-78, 79-80, 81-82, 83-84, 85, 87-88, 89-90, 97-98, 99-100, 105-106, 109-110
Countertop merchandiser.....	144
Draft beverage compatible.....	75-76, 77-78, 79-80, 81-82, 83-84, 85
Drawers.....	75-76, 77-78, 81-82, 83-84, 95-96, 105-106, 109-110, 111-112, 141-142
Front serviced.....	75-76, 77-78, 87-88, 91-92, 97-98, 101-102, 105-106, 107-108, 139-140
Keg.....	(see Draft beverage compatible)
Lettuce crisper.....	143
Low profile.....	91-92, 93-94, 95-96, 101-102, 103-104, 107-108, 111-112
Mug froster, reach-in.....	105-106, 107-108, 109-110, 111-112
Mug froster, slide top.....	114
One zone.....	75-76, 79-80, 81-82, 87-88, 89-90, 91-92, 93-94, 95-96, 97-98, 99-100, 101-102, 103-104, 105-106, 107-108, 109-110, 111-112, 139-140, 141-142
Pass-thru.....	97-98, 99-100, 101-102, 103-104
Remote.....	79-80, 89-90, 93-94, 99-100, 103-104
Shallow depth.....	87-88, 89-90
Side serviced.....	81-82, 83-84, 95-96, 109-110, 111-112, 141-142
Slide top.....	113
Two zone.....	77-78, 83-84
Undercounter.....	139-140, 141-142
Wall mount refrigerator.....	144
Corner drainboards.....	31-32, 62-63
Countertop Merchandiser.....	144
Covers	
Back bar liquor display, locking.....	121
Speed rails, locking.....	26, 73
D	
Decorative beer towers.....	132
Direct draw beverage towers and acc.....	86
Dish Cabinet.....	133
Dish Tables	
Clean.....	136
Soiled.....	136
Dish rack.....	6
Double speed rails.....	26, 73
Drain pans, drop-in.....	44
Draft beverage compatible coolers.....	(see Coolers)
Drainboards	
Blender stations.....	27
Cabinets.....	34-35, 65
Corners.....	31-32, 62-63
Drawer units.....	35
Glassracks.....	4, 33, 64
Half cabinets.....	35
Recessed.....	30, 60
Underbar.....	29, 61
Drainers, beer.....	51, 71
Drawer inserts for fractional stainless pans.....	81, 95, 105, 109, 141
Drawer units, drainboard.....	35
Drawers, cooler.....	(see Coolers)
Drink Rails.....	44
Drop-in.....	43
Mixology, drop-in.....	42

Drop-in	
Drain pans.....	44
Drink rails.....	43
Hand sinks.....	138
Ice and sink units.....	138
Ice and water stations.....	138
Ice bins.....	138
Ice cream freezers.....	145
Mixology drink rails.....	42
Mixology wells.....	42
Rinser faucets.....	43
Dry storage cabinets.....	119-120
Dry waste	
Chutes.....	47, 72
Clip-on, receptacle for pass-thru.....	12, 14, 16
Rail.....	37, 39, 47, 72
Receptacle.....	4, 47, 67, 72

E	
Equipment Stands	
Blender stations.....	27-28, 59
Island Oasis.....	46, 71
Margarita Machine.....	119
POS cabinet.....	36, 70
Stands - Kitchen.....	135
End splash.....	28, 37, 40, 137

F	
Filler boards (see also Drainboards)	
Blender station.....	59
Corner.....	63
Drainboard cabinets.....	34-35 (see note)
Drainboard drawer units.....	35 (see note)
Underbar.....	29 (see note), 60
Four compartment sinks.....	39, 69
Freezer, ice cream.....	48
Drop-in, ice cream.....	145
Mobile, ice cream.....	145
Front serviced coolers.....	(see Coolers)
Frosters (chillers)	
Reach-in.....	105-106, 107-108, 109-110, 111-112
Slide top.....	114

G	
Glass ice display units.....	115
Glass storage, back bar.....	121
Glass washing station.....	4
Glassracks	
Drainboard.....	4, 33, 64
Holders (glasswasher).....	6
Racks.....	6
Underbar, open.....	33, 64
Glasswashers	
Rotary.....	3-6
Rotary rack.....	7-8
Graphic wraps, portable bar.....	18

H	
Half cabinets, drainboard.....	35
Hand sinks	
Drop-in.....	138
Underbar.....	37-38
Wall-mount.....	137

I	
Ice and sink units, drop-in.....	138
Ice and water stations, drop-in.....	138
Ice baths, mobile.....	146
<i>I continued on following page</i>	

I continued

Ice bins	
Casino Style Combo	22
Combo	21, 55
Dividers	12, 16, 20, 21, 54, 55, 56
Drop-in	138
Extra deep	19, 21, 54, 55
Ice and sink units	138
Ice and water stations	138
Mobile	147
Pass thru	20, 56
Specialty	147
Tubing chase	20, 21, 49
Underbar	19, 21, 22, 53, 54, 55
Ice cream freezer	
Drop-in	145
Mobile	145
Underbar	48
Ice display units	116
Ice pan holder	147
Island Oasis® stand	46, 71

J

Jockey box	(see Ice bins)
------------	----------------

K

Keg coolers	(see Coolers - Draft beverage compatible)
Kitchen Fabrication and Refrigeration	133-147

L

Large wet waste strainer	39, 69
Lettuce crisper	143
Lighted liquor displays	117-118
Line chiller	
Beer	123-124
Stands	124
Wall racks	124
Liquor displays	
Back bar	121
Lighted	117-118
Slanted	46
Liquor Steps	45, 70
Locking covers	
Back bar liquor display	121
Speed rail	26, 73
Low profile coolers	(see Coolers)
Low profile dry storage cabinets	119

M

Margarita Machine Stand	119
Microwave Shelves, Wall-Mount	134
Mixer Stands	135
Mixology	
Bottle rack	25
Drink rails, drop-in	42
Stations	41
Units	40, 68
Wells, drop-in	42
Mobile ice bath	146
Mobile ice bin	147
Mobile ice cream freezer	145
Modular bar die	52, 74
Modular Beverage Stations	133
Mop Sinks	135
Mug frosters (chillers)	
Reach-in	105-106, 107-108, 109-110, 111-112
Slide top	114
Multiple bowl sinks	39, 69

O

One zone coolers	(see Coolers)
Overshelves, cocktail stations	12, 14, 16

P

POS cabinet stand	36, 70
Paper towel dispenser, sink	37, 38, 66, 137
Pass-thru cocktail stations	9-16
Pass-thru coolers	(see Coolers)
Pass-thru ice bins	20, 56
Pass-thru shelves	134
Portable bars	17-18
Portable bars graphic wraps	18
Pot Rack - Wall-Mount Shelves	134
Power pack, beer	123-124
Pull-Out Wine Shelves	76, 78, 80, 82, 84, 92, 94, 96

R

Rack divider, glasswasher	4
Rack, pot	134
Rack, sorting	134
Reach-in mug froster	105-106, 107-108, 109-110, 111-112
Recessed drainboards	30, 60
Refrigerated Wine Drawers	(see Coolers)
Register stand, underbar, POS	36, 70
Regulators	86
Remote coolers	(see Coolers)
Rinser faucet	
Blender station	27
Drop-in	43
Mixology stations	41
Mixology units	40, 68
Undercounter mount	43
Rinser faucet extension (beer tower)	125-129
Rotary Wine Shelf	75, 77, 95

S

Shallow depth coolers	(see Coolers)
Shelf divider, clip-on	75, 77, 79, 81, 83, 89, 91, 93, 95, 97, 99, 101, 139, 141
Shelf retention rail	75, 77, 79, 81, 93, 141
Shelves	
Pass-Thru	134
Pull-Out	See Pull-Out Wine Shelves
Wall-Mount	134
Wall-Mount Microwave	134
Wall-Mount with Pot Rack	134
Side splash	28, 59, 60, 61, 64, 65, 66, 67, 68, 69
Single speed rails	26, 73
Sinks	
Blender station	27, 59
Covers	39, 69
Cabinets	4, 38, 67
Compartment (kitchen)	135
Compartment (underbar)	39, 69
Drop-in	138
Hand	37-38, 66
Mop	135
Single bowl	37-38, 66
Towel ring	37, 39, 59, 66, 67, 69
Wall-mount	137
Wet waste	4, 37, 38, 66
Wet waste strainer	27, 37, 38, 39, 59, 66, 67, 69, 137, 138
Slanted liquor display	46
Slide top coolers	113
Slide top mug frosters	114
Slim Jim trash receptacle	47, 72
Sneeze guard	12, 16
Soap dispenser, liquid	37, 66

Soda gun holders	23, 57
Soda gun holder, undercounter mount	24, 58
Soda manifold housings	24, 58
Soiled Dish Tables	136
Sorting Rack, Wall-Mount	134
Spec sheets	specs.glastender.com
Specialty ice bins	147
Speed rails	
Clip-on	14, 16, 26
Double	26, 73
Locking covers	26, 73
Single	26, 73
Stemware	
Insert	6

T

Rack	8
Three compartment sinks	39, 69
Towel ring	28, 37, 39, 59, 66, 67, 69
Towers, beer	
Bridge	127
Cobra	129
Column	125
Decorative	132
Double-sided	128
Rinse faucet extension	125-129
Tee	126
Undercounter	130
Wall mount	130
Wood barrel	131
Trash receptacle	
Gray plastic	4, 37, 47, 66, 67
Slim Jim	47, 72
Stainless steel	37, 47, 66, 67
Tubing chase	
Accessory, drainboard	29
All-in-one	49

U

Ice bin	20, 21
Underbar	51, 58
Two compartment sinks	39, 69
Two zone cooler	(see Coolers)
Under cabinet (Add-on cabinet base)	36
Underbar - Choice by Glastender	53-74
Underbar compartment sinks	39, 69

W

Underbar ice cream freezer	48
Undercounter mount soda gun holder	24, 58
Undercounter mount rinser faucet	43
Undercounter Refrigerator	139-140, 141-142
Wait Stations	48
Wall Cabinet	147
Wall-Mount Hand Sinks	137
Wall-Mount Microwave Shelves	134
Wall-Mount Refrigerators	144
Wall-Mount Shelves	134
Wall-Mount Shelves with Pot Rack	134
Wall-Mount Sorting Rack	134
Wet waste	
Clip-on for glasswasher	4, 8
Sinks	4, 37, 38, 66
Strainer	27, 37, 38, 39, 59, 66, 67, 69, 137, 138
Wine accessories for cooler	86
Wine rack shelves	75, 77, 79, 81, 83, 89, 91, 93, 95, 97, 99, 101
Wine storage	
Refrigerated drawers	(see Coolers)
Rotary shelf	75, 77, 95
Work Table Cabinets	133
Work Tables	136
Wrist Handles	37, 66, 67, 137, 138

Warranty

APPLICABLE TO ALL PRODUCTS SOLD WITHIN THE UNITED STATES AND CANADA

Glastender, Inc. warrants all products to be free of defects in material and workmanship. One-year labor and parts warranty applies to all glasswashers, self-contained refrigeration models, and BDS model bottle disintegration units. In established areas, a start up is included with GT-24 and GT-30 model glasswashers. Warranty is effective for one year from the date of installation or up to 18 months from date of factory shipment, whichever occurs sooner. Glastender, Inc. will replace any part or assembly found defective under normal use and service.

For warranty labor claims beyond 15 months from the date of factory shipment, proof of date of installation or occupancy must be provided. Authorization for labor must be obtained from Glastender within the warranty period and prior to the service being performed.

Labor warranty applies to the 50 states of the USA and Canada only.

Remote refrigeration models and beer line chillers include a one-year parts warranty only. There is no labor warranty on these products.

Field replacement parts not covered under the original warranty include a 90-day part warranty from the date of installation.

FOUR YEAR ADDITIONAL COMPRESSOR WARRANTY: Glastender will warrant to the original user the compressor for all self-contained refrigeration models for an additional four years following the regular one-year warranty period. This plan applies to the compressor only.

A completed warranty claim form **MUST** accompany all returned defective parts or assemblies. Upon request, a defective part or assembly must be returned to Glastender, Inc., Saginaw, Michigan, with all transportation and delivery charges prepaid. Warranty repairs or replacements will be shipped FOB factory in Saginaw, Michigan. Reimbursement for applicable freight charges covers ground service only.

Glastender provides in-warranty repairs during a service company's regular working days and hours. There is no provision for payment of a premium rate during "overtime" hours. When warranty service is requested during other than normal working hours, the end user will be charged the premium portion of the overtime rate.

The warranty covers substantiated travel expenses for up to 2 hours / 100 miles round trip up to a maximum of \$150. Any additional costs due to installations that require extra work, time, or travel to gain access for service are the sole responsibility of the equipment purchaser. Any exceptions to these travel and access limitations must be pre-approved by a factory representative.

The warranty does not cover door gaskets, chemical tubing, pump squeeze tubing, and/or any equipment subjected to accidents, freight damage, alterations from the original design, improper power and/or plumbing hookups, improper chemical use, general misuse, or lack of routine required maintenance as determined by Glastender, Inc. Installation, normal control adjustments, general maintenance, correcting an installation error, or service calls that reveal the unit is functioning normally will not be reimbursed under warranty.

Condenser coils on self-contained refrigeration products must be cleaned regularly. Failure to provide adequate air flow to a refrigeration unit will void the warranty.

Glastender shall not be liable for loss of use, revenue, or profit, or for any other indirect, incidental, special, or consequential damage including, but not limited to, product spoilage or loss.

This warranty is conditioned upon Glastender receiving notice of any defect subject to this warranty within sixty (60) days of its discovery by the end user or dealer. All products are warranted only for the initial place of installation. Removal of a product automatically terminates this warranty.

SECOND YEAR EXTENDED PARTS & LABOR WARRANTY:

Glastender's one-year parts and labor warranty on self-contained refrigeration units, excluding beer line chillers, can be extended to two years with the purchase of a two year parts and labor warranty. Specify part number EWR2 (\$150 net price) when ordering.

EXPORT WARRANTY - One year parts only.

EXCLUSION OF WARRANTIES

EXCEPT AS PROVIDED ABOVE, GLASTENDER MAKES NO WARRANTIES, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT.

LIMITATION OF REMEDIES AND DAMAGES
If Buyer makes a valid and timely claim as outlined above, Glastender's liability and Buyer's remedies under this agreement will be limited solely to labor charges authorized and/or replacement or credit, at Glastender's option, with respect to Products returned at Buyer's expense within thirty (30) days after warranty repair. **GLASTENDER'S LIABILITY WILL IN NO EVENT BE GREATER IN AMOUNT THAN THE PURCHASE PRICE OF THE RETURNED PRODUCTS. GLASTENDER WILL NOT BE LIABLE UNDER ANY CIRCUMSTANCE FOR CONSEQUENTIAL OR INCIDENTAL DAMAGES, INCLUDING, BUT NOT LIMITED TO, LABOR COSTS EXCEPT AS COVERED UNDER OUR WARRANTY, LOST PROFITS OR THE LOSS OF PERISHABLE PRODUCTS RESULTING FROM THE USE OF OR INABILITY TO USE OUR PRODUCTS OR FROM OUR PRODUCTS' INCORPORATION INTO OR BECOMING A COMPONENT OF ANY OTHER PRODUCT. NEITHER PARTY WILL HAVE ANY NEGLIGENCE OR OTHER TORT LIABILITY TO THE OTHER, OR TO ANY THIRD PARTY, ARISING FROM ANY BREACH OF THIS AGREEMENT.**

GOVERNING LAW - JURISDICTION

The terms and conditions of an order are to be governed and construed according to the laws of the State of Michigan, without regard to conflict of laws principles. Buyer hereby consents to the jurisdiction and venue of the courts located in Saginaw County, Michigan.

No representative, distributor, dealer, or any other person is authorized to modify this warranty. This warranty replaces all other written or verbal warranties.

NOTE: Glastender, Inc.'s policy of constant quality improvement means that prices, specifications, and policies are subject to change without notice. Questions regarding this warranty should be directed to Glastender's Warranty Administrator.

08-27-19

IMPORTANT!!

Attention Service Companies

Please review the important warranty information on this page. If you believe a service call should be covered by the factory, please call the factory for authorization between 8AM and 5PM EST, Monday through Friday.

A FAMILY COMPANY MANUFACTURING IN THE USA SINCE 1969

Also available...

Kitchen Fabrication



CAB-MBS

Expect more more flexibility
more features



TAB-W



SNK-C

Glastender®

Glastender manufactures a line of highly configurable kitchen fabrication products providing you with tailor-made solutions.

The flexibility you want. The features you need.

Glastender. Expect more.

Glastender, Inc. • 5400 North Michigan • Saginaw, MI • 48604-9780 • 989.752.4275 • 800.748.0423 • Fax 989.752.4444 • www.glastender.com

GLASSWASHERS • FOODSERVICE FABRICATION AND REFRIGERATION • BEER SYSTEMS